

SPECIFICATION PROPOSAL

Description

Fuel Efficiency/Aero Package

CASCADIA EVOLUTION (NO PREDICTIVE CRUISE) RAISED ROOF SLEEPERCAB FUEL EFFICIENCY PACKAGE 1.30; PAINTED BUMPER AND FAIRINGS

Vehicle Configuration

CASCADIA 125 INCH SLEEPERCAB
2016 MODEL YEAR SPECIFIED
SET BACK AXLE - TRACTOR
LH PRIMARY STEERING LOCATION

General Service

TRACTOR/TRAILER CONFIGURATION
DOMICILED, CANADA (OTHER THAN QUEBEC)
LINEHAUL/LONG HAUL SERVICE
GENERAL FREIGHT BUSINESS SEGMENT
GENERAL FREIGHT COMMODITY
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
MAXIMUM 8% EXPECTED GRADE
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
FREIGHTLINER LEVEL I WARRANTY
EXPECTED FRONT AXLE(S) LOAD : 13200.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 53200.0 lbs
EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs

Tractor Service

VAN TRAILER

Description

SINGLE (1) TRAILER

Engine

DETROIT DD15 14.8L 455 HP @ 1800 RPM, 20 00
 GOV RPM, 1650 LB/FT @ 1100 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT
 CRUISE CONTROL SPEED LIMIT SAME AS ROAD
 SPEED LIMIT

Engine Equipment

2013 ONBOARD DIAGNOSTICS/2010
 EPA/CARB/G HG14
 2008 CARB EMISSION CERTIFICATION - CLEAN
 IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
 FORWARD CORNER OF DRIVER DOOR)
 STANDARD OIL PAN
 ENGINE MOUNTED OIL CHECK AND FILL
 ONE PIECE VALVE COVER
 LOWER WINDSHIELD AIR INTAKE WITH ENGINE
 MOUNTED AIR CLEANER
 DR 12V 160 AMP 36-SI BRUSHLESS
 QUADRAMOUNT PAD ALTERNATOR WITH
 REMOTE BATTERY VOLT SENSE
 (4) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT
 MAINTENANCE FREE 4400 CCA THREADED
 STUD BATTERIES
 STEEL BATTERY BOX WITH ENCLOSED TRAY
 SINGLE BATTERY BOX FRAME MOUNTED LH
 SIDE UNDER CAB
 WIRE GROUND RETURN FOR BATTERY CABLES
 WITH ADDITIONAL FRAME GROUND RETURN
 PLASTIC BATTERY BOX COVER
 POSITIVE LOAD DISCONNECT WITH CAB
 MOUNTED CONTROL SWITCH MOUNTED
 OUTBOARD DRIVER SEAT
 PROGRESSIVE LOW VOLTAGE DISCONNECT AT
 12.3 VOLTS FOR DESIGNATED CIRCUITS
 EATON SOLO ADVANTAGE 15-1/2 INCH SELF
 ADJUSTING CLUTCH
 TORQUE LIMITING CLUTCH BRAKE
 ZERK FITTING WITH EXTENSION HOSE AT
 CLUTCH RELEASE BEARING
 BW MODEL BA-921 19.0 CFM SINGLE CYLINDER
 AIR COMPRESSOR WITH SAFETY VALVE

Description

STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR
AIR COMPRESSOR DISCHARGE LINE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
JACOBS COMPRESSION BRAKE
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED REGENERATION REQUEST AND INHIBIT SWITCHES
STANDARD EXHAUST SYSTEM LENGTH
RH STANDARD HORIZONTAL TAILPIPE
23 GALLON DIESEL EXHAUST FLUID TANK
100 PERCENT DIESEL EXHAUST FLUID FILL
STANDARD DIESEL EXHAUST FLUID TANK CAP
HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
FULL FLOW OIL FILTER
1400 SQUARE INCH RADIATOR
ANTIFREEZE TO -60F, OAT (NITRITE & SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
HDEP VARIABLE SPEED COOLANT PUMP AND RADIATOR DRAIN VALVE
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
NO AIR INTAKE WARMER
DELCO 12V 39MT+ HD/OCP STARTER WITH THER MAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Description

Transmission

EATON FULLER FRO-16210C TRANSMISSION

Transmission Equipment

ALUMINUM CLUTCH HOUSING
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION FILL AND DRAIN, AXLE(S) FILL
AND DRAIN
PAINTED SHIFT LEVER, SOLID LINKAGE
WATER TO OIL TRANSMISSION COOLER, IN
RADIATOR END TANK
SYNTHETIC TRANSMISSION LUBE

Front Axle and Equipment

DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI/3.74
DROP SINGLE FRONT AXLE
MERITOR 16.5X5 Q+ STAMPED SPIDER CAM
FRONT BRAKES, DOUBLE ANCHOR,
FABRICATED SHOE
2011/2013-FMVSS 121 FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
SKF SCOTSEAL PLUS XL FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
WABCO LONGSTROKE FRONT BRAKE
CHAMBERS
MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
TRW THP-60 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

13,300# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

DETROIT DA-RT-40.0-4 HT 40,000# R-SERIES
TANDEM REAR AXLE

Description

3.42 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH OPTIONAL
HEAVY DUTY AXLE HOUSING
RPL25SD MERITOR MAIN DRIVELINE
RPL20 MERITOR INTERAXLE DRIVELINE
(1) INTERAXLE LOCK VALVE FOR TANDEM OR
TRIDEM DRIVE AXLES
MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM
REAR BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
2011/2013-FMVSS 121 REAR BRAKE LININGS
BRAKE CAMS AND CHAMBERS ON FORWARD
SIDE OF DRIVE AXLE(S) WITH AUXILIARY
SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
SKF SCOTSEAL PLUS XL REAR OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE
AXLES SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK
ADJUSTERS
ROADRANGER SYNTHETIC FE 75W-90 REAR
AXLE LUBE

Rear Suspension

AIRLINER 40,000# EXTRA DUTY REAR
SUSPENSION
AIRLINER HIGH POSITION RIDE HEIGHT
WELDED AXLE SEATS SUPPLIED ON REAR
AXLE
51 INCH AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION
WITH 2 PSI OR 14 KPA INCREMENT GAUGE
INDICATOR LIGHT AND BUZZER FOR EACH
REAR SUSPENSION CONTROL SWITCH
SINGLE AIR REAR SUSPENSION LEVELING
VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES
(TANDEM) (AIR RIDE SUSPENSION)

Brake System

WABCO 4S/4M ABS WITHOUT TRACTION
CONTROL
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES

Description

FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
STANDARD AIR SYSTEM PRESSURE
PROTECTION SYSTEM
STD U.S. FRONT BRAKE VALVE
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
BENDIX OIL COALESCING FILTER FOR AIR
DRYER
STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S);
UNDER BATTERY BOX MOUNTED TANK DRAIN
CABLES ACCESSIBLE THROUGH FAIRING
KICKPLATE DOOR

Trailer Connections

15 FOOT COILED TRAILER AIR HOSE WITH 48
INCH TRACTOR, 12 INCH TRAILER LEADS
36 INCH STAINLESS STEEL SLIDE BAR WITH (2)
16 INCH SPRING TYPE AIR HOSE HANGERS
COMBINATION DUMMY GLAD HANDS AND
LIGHT PLUG HOLDER MOUNTED LH BACK OF
CAB WITH GROUND ACCESS
SWITCH AND INDICATOR LIGHT FOR PRIMARY
RECEPTACLE CENTER PIN, LABELED TRLR-AUX
SAE J560 7-WAY PRIMARY TRAILER CABLE
RECEPTACLE MOUNTED LOWER LH BACK OF
CAB
SUPPLEMENTAL J560 7-WAY RECEPTACLE
LOCATED WITH PRIMARY RECEPTACLE
15 FOOT DETACHABLE COILED PRIMARY
TRAILER ELECTRICAL CABLE WITH SAE J560
CONNECTOR WITH 48 INCH TRACTOR, 12 INCH
TRAILER LEADS

Wheelbase & Frame

5900MM (232 INCH) WHEELBASE
11/32X3-1/2X10-3/16 INCH STEEL FRAME
(8.73MMX258.8MM/0.344X10.19 INCH) 120KSI
1450MM (57 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 51 INCH TO 60
INCH
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
79.73 in
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA) : 75.53 in

Description

CALC'D FRAME LENGTH - OVERALL : 319
CALC'D SPACE AVAILABLE FOR DECKPLATE :
45.71 in
CALCULATED FRAME SPACE LH SIDE : 21.78 in
CALCULATED FRAME SPACE RH SIDE : 24.02 in
FLANGED TAPERED END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
INVERTED U TRACTOR CROSSMEMBER
HEAVY DUTY SUSPENSION CROSSMEMBER

Chassis Equipment

LH AND RH BACK OF CAB ACCESS
28 INCH (700MM) DECK PLATE FLUSH
MOUNTED BETWEEN RAILS
PAINTED AERODYNAMIC BUMPER WITH
CHROME OVERLAY AND ENHANCED
AERODYNAMIC DEVICES
REMOVABLE FRONT TOW HOOKS STORED ON
THE CHASSIS FRAME
BUMPER MOUNTING FOR (3) LICENSE PLATES
BETTS B-7 STAINLESS STEEL MUDFLAP
BRACKETS
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS
FASTENERS EXCLUDING FIFTH WHEEL
PLASTIC QUARTER FENDERS WITHOUT LOGO
WITH AERODYNAMIC SPOILER

Fifth Wheel

HOLLAND FW35 ILS 12.0 INCH AIR SLIDE FIFTH
WHEEL - 2 INCH SLIDE INCREMENTS
FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF
SUSPENSION CENTERLINE
202MM (7.94 INCH) FIFTH WHEEL HEIGHT
INBOARD ANGLE - FIFTH WHEEL MOUNTING
DASH MOUNTED CONTROL VALVE AND
PLUMBING FOR FIFTH WHEEL
LH FIFTH WHEEL RELEASE
MANUAL SECOND LOCK

Fuel Tanks

150 GALLON/567 LITER ALUMINUM FUEL TANK -
RH
150 GALLON/567 LITER ALUMINUM FUEL TANK -
LH

Description

25 INCH DIAMETER FUEL TANK(S)
 PLAIN ALUMINUM/PAINTED STEEL
 FUEL/HYDRAULIC TANK(S) WITH PAINTED
 BANDS
 FUEL TANK(S) AFT
 PLAIN STEP FINISH
 FUEL TANK CAP(S)
 EQUIFLO INBOARD FUEL SYSTEM
 HIGH TEMPERATURE REINFORCED NYLON
 FUEL LINE

Tires

MICHELIN XZA3+ 11R22.5 16 PLY RADIAL FRO
 NT TIRES
 MICHELIN X LINE ENERGY D 11R22.5 14 PLY
 RADIAL REAR TIRES

Hubs

CONMET PRESET PLUS ALUMINUM FRONT
 HUBS
 CONMET PRESET PLUS ALUMINUM REAR HUBS

Wheels

ALCOA LVL ONE 88367X 22.5X8.25 10-HUB
 PILOT 5.79 INSET ALUMINUM DISC FRONT
 WHEELS
 ALCOA LVL ONE 88367X ALUMINUM OUTSIDE,
 ACCURIDE 50408 ACCU-LITE STEEL INSIDE;
 22.5X8.25 10-HUB PILOT DISC REAR WHEELS
 POLISHED FRONT WHEELS; OUTSIDE ONLY
 POLISHED REAR WHEELS; OUTSIDE OF OUTER
 WHEELS ONLY
 DEFLEKTOR AERODYNAMIC SEE-THROUGH
 REAR AXLE WHEEL COVERS
 FRONT TIRE/DISC WHEEL STATIC BALANCING
 WITH LEAD-FREE WEIGHTS
 FRONT WHEEL MOUNTING NUTS
 REAR WHEEL MOUNTING NUTS
 NYLON WHEEL GUARDS FRONT AND REAR ALL
 INTERFACES

Cab Exterior

125 INCH BBC ALUMINUM CONVENTIONAL CAB
 RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
 LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
 72 INCH RAISED ROOF SLEEPER CAB

Description

RAISED ROOF AERODYNAMIC SPOILER
20 INCH CAB/SLEEPER/CAB SIDE EXTENDERS
WITH BLACK FLEXIBLE ENDS AND CHASSIS
FAIRING GAP FILLER PANEL
UNDER CAB VANITY PANELS
PAINTED FRAME SIDE FAIRINGS TO BACK OF
SIDE EXTENDERS
LATCHED FRONT LEFT SIDE FAIRING PANEL
FOR BATTERY ACCESS
AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS
LH AND RH BAGGAGE DOORS
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED
BEHIND GRILLE
LH AND RH INTERIOR GRAB HANDLES
CHROME GRILLE WITH INTEGRAL SURROUND
AERODYNAMIC HOOD
CASCADIA EVOLUTION NAMEPLATE
ENGINE COMPARTMENT PREMIUM NOISE
ABATEMENT AND INSULATION
SINGLE AIR HORN UNDER LH DECK
SINGLE ELECTRIC HORN
DOOR LOCKS AND IGNITION SWITCH KEYED
THE SAME WITH (4) KEYS
REAR LICENSE PLATE MOUNT END OF FRAME
INTEGRAL HEADLIGHT/MARKER ASSEMBLY
ROOF MOUNTED LED MARKER LIGHTS
DAYTIME RUNNING LIGHTS
FREIGHTLINER LED STOP/TAIL/TURN/BACKUP
LIGHTS BY TRUCK-LITE
LED SIDE TURN SIGNAL
(4) LED UTILITY LIGHTS: (2) SWIVEL MOUNTED
LH AND RH OUTBOARD HIGH ON SIDE
EXTENDERS AND (2) FLUSH MOUNTED BACK
OF CAB
UTILITY LIGHT SWITCH IN DASH
DUAL BRIGHT FINISH HEATED AERODYNAMIC
MIRRORS WITH INTEGRAL CONVEX AND LH
AND RH REMOTE
DOOR MOUNTED MIRRORS
102 INCH EQUIPMENT WIDTH
RH AND LH BRIGHT FINISH HOOD/FENDER
MOUNTED MIRRORS

Description

STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
(2) PAINTED SLEEPER VENTS, LH AND RH
SOLAR TINTED DOOR GLASS LH AND RH WITH
TINTED FORWARD SIDE GLASS
RH AND LH ELECTRIC POWERED WINDOWS
LH AND RH SOLAR TINTED AND SCREENED
CRANK OUT SLEEPER CAP WINDOWS
2-PIECE SOLAR TINTED CURVED ROPED-IN
WINDSHIELD
8 LITER WINDSHIELD WASHER RESERVOIR,
CAB MOUNTED, WITHOUT FLUID LEVEL
INDICATOR

Cab Interior

GRAY VINYL INTERIOR
STANDARD LH DOOR TRIM
STANDARD RH DOOR TRIM
BLACK MATS
BLACK MAT IN SLEEPER AREA
BLACK MATS IN BAGGAGE COMPARTMENT
(2) DASH MOUNTED POWER OUTLETS AND
COIN TRAY
TALL CLOSET WITH APPLIANCE SHELF AND
STORAGE CABINET
MID-LEVEL COOLER CABINET WITH TV SHELF
AND STORAGE CABINETS
FORWARD ROOF MOUNTED CONSOLE WITH
CENTER LOCKING DOOR
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
STORAGE POCKET(S) MOUNTED INSIDE
CABINET DOOR(S)
40 INCH WIDE LIFTABLE LOWER BUNK
FOLDABLE UPPER BUNK
TENT STYLE BUNK RESTRAINT FOR LOWER
BUNK
DIGITAL FLUSH MOUNTED ALARM CLOCK IN
SLEEPER
PARCHMENT/SHALE WING DASH
2-1/2 LB. FIRE EXTINGUISHER
FIRST AID KIT

Description

HEATER, DEFROSTER AND AIR CONDITIONER
WITH CONSTANT OUTLET TEMPERATURE
CONTROL

HVAC DUCTING WITH MAIN FRESH AIR FILTER
MAIN HVAC CONTROLS WITH RECIRCULATION
SWITCH

AUXILIARY HEATER/AIR CONDITIONER IN
SLEEPER WITH CONSTANT TEMPERATURE
WITH WEBASTO AIR TOP 2000 AIR HEATER

STANDARD HEATER PLUMBING WITH BALL
SHUTOFF VALVES AT SUPPLY LINES ONLY

DENSO HEAVY DUTY AIR CONDITIONER
COMPRESSOR

RADIATOR MOUNTED AIR CONDITIONER
CONDENSER

BINARY CONTROL, R-134A

PREMIUM INSULATION

SOLID-STATE CIRCUIT PROTECTION AND
FUSES WITH RESETTABLE CIRCUIT
PROTECTION FOR BACK OF CAB TRAILER
POWER AND LIGHTING CIRCUITS

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOOR AND BUNK ACTIVATED BAGGAGE
COMPARTMENT LIGHTING SYSTEM

STANDARD CAB LIGHTING

MID DOME LAMP SWITCH IN DASH

STANDARD SLEEPER LIGHTING

CAB DOOR LATCHES WITH MANUAL DOOR
LOCKS

QUILTED SPRING MATTRESS IN LOWER BUNK
AND SPRING MATTRESS IN UPPER BUNK

(2) 12 VOLT POWER OUTLETS AT BASE OF
BUNK

CAB PRIVACY CURTAIN

TRIANGULAR REFLECTORS WITHOUT FLARES
MOUNTED IN LH BAGGAGE COMPARTMENT

PREMIUM 2.0 HIGH BACK AIR SUSPENSION
DRIVER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK

PREMIUM 2.0 HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK

INBOARD DRIVER AND PASSENGER SEAT
ARMRESTS

Description

GRAY MORDURA CLOTH DRIVER SEAT COVER
GRAY MORDURA CLOTH PASSENGER SEAT
COVER
3 POINT ADJUSTABLE D-RING RETRACTOR
DRIVER AND FIXED D-RING RETRACTOR
PASSENGER SEAT BELTS
SLEEPER CURTAIN
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) BLACK STEERING
WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS WITH ILLUMINATED VANITY MIRRORS

Instruments & Controls

ELECTRONIC FOOT ACCELERATOR
LAZER BLACK DRIVER INSTRUMENT PANEL
BLACK GAUGE BEZELS
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
2 INCH PRIMARY AND SECONDARY AIR
PRESSURE GAUGES
INTAKE MOUNTED AIR RESTRICTION
INDICATOR WITH GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28
LED WARNING LAMPS AND DATA LINKED
GATEWAY DIAGNOSTIC INTERFACE
CONNECTOR, 9 PIN, SAE J1939/1587, LOCATED
BELOW DASH
2 INCH ELECTRIC FUEL GAUGE
FUEL FILTER RESTRICTION INDICATOR
PROGRAMMABLE RPM CONTROL -
ELECTRONIC ENGINE
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER
ENGINE AND TRIP HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY
ELECTRIC ENGINE OIL PRESSURE GAUGE

Description

AM/FM/WB RADIO WITH CD PLAYER,
BLUETOOTH AND MICROPHONE, USB, FRONT
AND REAR AUXILIARY INPUTS AND J1939
DASH MOUNTED RADIO
STANDARD SPEAKER SYSTEM
60 INCH (SLEEPER) OR 54 INCH (DAY CAB)
AM/FM ANTENNA MOUNTED ON RH REAR
CAB/SLEEPER WALL WITH RG62 CABLE
COBRA 29 WX ST FACTORY INSTALLED CB
RADIO WITH WEATHERBAND
ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION
SINGLE 60 INCH (SLEEPER) OR 54 INCH (DAY
CAB) CB ANTENNA MOUNTED ON LH REAR
CAB/SLEEPER WALL WITH CONTINUOUS RG8
COAX CABLE
TELEVISION ANTENNA
ELECTRONIC KPH SPEEDOMETER WITH
SECONDARY MPH SCALE, WITHOUT
ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER
DETROIT CONNECT VIRTUAL TECHNICIAN
CONNECTIVITY PACKAGE (DETROIT ENGINES
ONLY)
2 YEARS DETROIT CONNECT VIRTUAL
TECHNICIAN REMOTE DIAGNOSTICS SERVICE
IDLE SHUTDOWN OVERRIDE, DDEC 5/6
AMBIENT AIR TEMPERATURE SENSOR
ONE EXTRA SWITCH IN DASH WITH INDICATOR
LAMP AND WIRE TO CHASSIS AT BACK OF
CAB/SLEEPER
STEERING WHEEL MOUNTED ELECTRIC HORN
CONTROL
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
2 INCH TURBO AIR PRESSURE GAUGE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR
WITH DELAY
ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT
FOR OPTIONAL FOG/ROAD LAMPS
TWO VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR

Description

SELF CANCELING TURN SIGNAL SWITCH WITH
DIMMER, HEADLAMP FLASH,
WASH/WIPE/INTERMITTENT
INTEGRAL ELECTRONIC TURN SIGNAL
FLASHER WITH 40 AMP (20 AMP PER SIDE)
TRAILER LAMP CAPACITY

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0225EB WHITE ELITE BC
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
CHASSIS SIDE FAIRINGS PAINTED SAME AS
LOWER CAB SECTION OR FENDER
POWDER WHITE (N0006EA) REAR
WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
BUMPER PAINTED SAME AS FENDERS/LOWER
SECTION OF CAB

Certification / Compliance

CANADA CMVSS CERTIFICATION, EXCEPT
SALES CABS AND GLIDER KITS