

3355

<u>DBCode</u>	<u>TC</u>	<u>Note</u>	<u>Description</u>	<u>Value</u>	
e	O	O	s		
PRL-16D	001		SD PRL-16D (EFF:04/25/17) GENERAL APPLICATION INFORMATION		
AA1-002	D		TRUCK CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-002	D		PICKUP AND DELIVERY/SHORT HAUL SERVICE		
AA3-003	D		TANK BODY		
AA2-998	D		NO TRAILER SPECIFIED		
AH6-998	S		NO TRAILERS		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS SMOOTH CONCRETE OR ASPHALT PAVEMENT - M O ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA D SURFACE		
AB5-001	D				
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-002	D		LIQUID BULK COMMODITY		
A84-1SP	D005		HEAVY HAULING BUSINESS SEGMENT		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	20000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	60000	LBS
A70-99D	S		EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	172.638	IN

AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	D	EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S	CALC'D FRAME LENGTH BACK OF CAB	292.717	IN
AL6-99D	S	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-289.717	IN
AM1-99D	S	CALC'D OVERALL LENGTH AT BODY OR EOF	401.016	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	73.879	MPH
AF7-99D	D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.915	IN
AR1-99D	S	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	43.258	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.459	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.341	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	71.854	IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOA	111.834	IN
ALH-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; UNLADE	114.655	IN
AF3-2DX	D	DEPENDABLE TRUCK AND TANK LIMITED MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	20000	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	60000	LBS
		BASE MODEL		
001-176	D	108SD CONVENTIONAL CHASSIS		
004-218	D	2018 MODEL YEAR SPECIFIED		

995-1A0	D	FREIGHTLINER SD VOCATIONAL WARRANTY
002-004	D	SET BACK AXLE - TRUCK
019-002	D	STRAIGHT TRUCK PROVISION
003-001	D	LH PRIMARY STEERING LOCATION ENGINE
101-22V	D	CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F INAL GHG17 CONFIGURATION
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D S OES NOT HAVE REGULATORY VEHICLE SPEED LI MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN S (AES)
99D-010	D	NO 2008 CARB EMISSION CERTIFICATION
992-001	S	50 STATE EMISSIONS CERTIFICATION
28F-002	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC D OVER THE ROAD REGENERATION AND DASH MO UN D TED REGENERATION REQUEST SWITCH
79A-075	D	75 MPH ROAD SPEED LIMIT
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD D SPEED LIMIT
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-998	D	NO PROGRESSIVE SHIFTING
79E-998	D	NO LOW RANGE TORQUE PROTECT
79F-998	D	NO FLEET MANAGEMENT
79G-	D	NO IDLE SHUTDOWN CONFIGURATION

998		
79J-998D		NO PTO SHUTDOWN CONFIGURATION
79K-007	S	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED
79M-001	D	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE
	D	APPLIED
79N-998	D	NO PTO MODE CLUTCH OVERRIDE
79P-002	D	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800
	D	RPM
79R-998	D	NO PTO MODE COOLING FAN
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79T-998	D	NO PTO MODE RPM INCREMENT
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC
	D	OND
79V-998	D	NO PTO MODE DPF REGEN
79W-998	D	REMOTE PTO DISABLED
79X-998	D	NO REMOTE PTO SPEED 1 SETTING
79Y-998	D	NO REMOTE PTO SPEED 2 SETTING
79Z-998	D	NO REMOTE PTO SPEED 3 SETTING
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-998	D	NO SOFT CRUISE CONTROL
80E-	D	NO ENGINE FAN WITH RETARDER

998
 80F- 998 D NO MAINTENANCE MONITOR
 80G- 002 D PTO MINIMUM RPM - 700
 80H- 998 D NO ACCELERATION MANAGEMENT
 80J-002D REGEN INHIBIT SPEED THRESHOLD - 5 MPH
 80R- 998 S NO DRIVETRAIN TORQUE PROTECTION
 84E- 000 D PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84F- 000 D SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84G- 000 D PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84H- 000 D SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84J-000S ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84K- 000 S ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
 84L- 000 D DYNAMIC SHIFT SENSING AND ACCELERATION RANGE MANAGEMENT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE
 84N- 000 S NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED
 85E- D TCU-MAX PTO ENGINE SPEED ENGAGEMENT NO

998		T
	D	CONFIGURED
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C
	D	ONFIGURED
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEME
	D	NT
	D	NOT CONFIGURED
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION
	D	N
	D	OT CONFIGURED
		ENGINE EQUIPMENT
13E-001	D	STANDARD OIL PAN
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL
104-998	D	NO ENGINE OIL DRAIN/SAMPLE
133-004	S	ONE PIECE VALVE COVER
014-099	D	SIDE OF HOOD AIR INTAKE WITH FIREWALL MO
	D	UNTED DONALDSON AIR CLEANER
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU
	D	NT PAD ALTERNATOR WITH REMOTE BATTERY V
	D	O
	D	LT SENSE
292-071	D	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VO
	D	LT MAINTENANCE FREE 3375 CCA THREADED ST
	D	UD BATTERIES
290-017	D	BATTERY BOX FRAME MOUNTED
281-001	D	STANDARD BATTERY JUMPERS
282-042	D	LH BATTERY BOX MOUNTED AS FAR AFT AS POS
	D	SIBLE, NO GREATER THAN 60 INCHES BACK OF
	D	CAB
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES
	D	WI
	D	TH ADDITIONAL FRAME GROUND RETURN
289-011	D	NON-POLISHED BATTERY BOX COVER WITH 3/16
	D	INCH TETHER ON FORWARD SIDE OF COVER/BO

	D	X
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGE
	D	ME
	D	NT
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNT
	D	E
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRI
	D	VER
	D	SEAT
295-998	D	NO JUMPSTART POST
180-998	D	NO CLUTCH
183-998	D	NO CLUTCH BRAKE
181-998	D	NO CLUTCH RELEASE BEARING LUBE
182-998	D	NO CLUTCH RELEASE
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPR
	D	E
	D	SSOR WITH INTERNAL SAFETY VALVE
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PR
	D	OT
	D	ECTION SYSTEM
128-076	D	CUMMINS EXHAUST BRAKE INTEGRAL WITH VA
	D	RI
	D	ABLE GEOMETRY TURBO WITH ON/OFF DASH SW
	D	I
	D	TCH
016-1C2	D	RH OUTBOARD UNDER STEP MOUNTED HORIZO
	D	NTA
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH R
	D	H
	D	B-PILLAR MOUNTED VERTICAL TAILPIPE
239-044	D	12 FOOT 00 INCH (144 INCH+0/-5.9 INCH) E
	D	XHAUST SYSTEM HEIGHT
233-017	D	STANDARD CURVE BRIGHT UPPER STACK(S)
237-1CR	D	RH CURVED VERTICAL TAILPIPE B-PILLAR MOU
	D	NTED ROUTED FROM STEP
23U-	D	6 GALLON DIESEL EXHAUST FLUID TANK

001		
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM CO
	S	OLANT PLUMBING
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST
	D	FLUID TANK LOCATION
23Y-001	D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT
	D	ING
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-001	D	STAINLESS STEEL AFTERTREATMENT DEVICE/M
	D	UFFLER/TAILOPIPE SHIELD
273-018	D	HORTON DRIVEMASTER ADVANTAGE ON/OFF FA
	D	DRIVE
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWI
	D	TC H, NON ENGINE MOUNTED
110-003	D	CUMMINS SPIN ON FUEL FILTER
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER
120-998	D	NO COOLANT FILTER
266-028	D	1200 SQUARE INCH ALUMINUM RADIATOR
103-040	D	ANTIFREEZE TO -60F, OAT (NITRITE AND SIL
	D	ICATE FREE) EXTENDED LIFE COOLANT
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV
	D	ALENT
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLA
	D	NT HOSES
270-016	D	RADIATOR DRAIN VALVE

168-998	D	NO RADIATOR/OIL PAN GUARD
360-998	D	NO FRONT ENGINE PTO
361-998	D	NO REAR ENGINE PTO
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK
	D	HEATER
141-998	D	NO COOLANT HEATER - GAS/DSL
166-998	D	NO OIL PREHEATER
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED
	D	UNDER LH DOOR
132-004	D	ELECTRIC GRID AIR INTAKE WARMER
155-055	D	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH
	D	ITCH
		TRANSMISSION & EQUIPMENT
342-582	D	ALLISON 3000 RDS AUTOMATIC TRANSMISSION
	D	WITH PTO PROVISION
352-998	D	NO AUXILIARY TRANSMISSION
343-339	D	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	D	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR

	D	3000/4000 PRODUCT FAMILIES ONLY
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA
	D	SH MOUNTED
347-998	D	NO CLUTCH HOUSING MATERIAL
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD
	D	IATOR END TANK
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE
	D	CTRONIC OIL LEVEL CHECK
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI
	D	ON DRAIN, AXLE(S) FILL AND DRAIN
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST
84U-000	D	DRIVER SWITCH INPUT - DEFAULT - NO SWITC
	D	HES
84V-001	S	DIRECTION CHANGE ENABLED WITH MULTIPLEX
	S	E
	S	D SERVICE BRAKES - ALLISON 5TH GEN TRANS
	S	MISSIONS
84W-001	S	AUXILIARY FUNCTION RANGE INHIBIT WITH MU
	S	LTIPILEXED SERVICE BRAKES - ALLISON 5TH G
	S	EN TRANSMISSIONS
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRA
	S	K
	S	E - ALLISON 5TH GEN TRANSMISSIONS
353-023	D	VEHICLE INTERFACE WIRING CONNECTOR WITH
	D	O
	D	UT BLUNT CUTS, AT END OF FRAME
34C-001	D	ELECTRONIC TRANSMISSION CUSTOMER ACCES
	D	S
	D	CONNECTOR FIREWALL MOUNTED
362-	D	CUSTOMER INSTALLED CHELSEA 277 SERIES PT

035		
	D	O
363-002	D	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSI
	D	ON
375-998	D	NO AUXILIARY OIL COOLER
373-998	D	NO TRANSFER CASE
376-998	D	NO SHIFT CONTROL, TRANSFER CASE
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER
	D	TAKEOFF
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO
	D	MPLIANT)
385-998	D	NO MAIN DRIVELINE HARDWARE
		FRONT AXLE, SUSPENSION & EQUIPMENT
400-1BB	D	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI
	D	/3.74 DROP SINGLE FRONT AXLE
398-998	D	NO FRONT AXLE RATIO
389-998	D	NO FRONT AXLE DRIVESHAFT
402-030	D	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT
	D	BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	D	NON-ASBESTOS FRONT BRAKE LINING
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	D	FRONT BRAKE DUST SHIELDS
409-006	D	FRONT OIL SEALS
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENT
	D	R AND SIDE PLUGS - OIL
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES
404-	S	WABCO LONGSTROKE FRONT BRAKE CHAMBER

1B2		S
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTER
406-001	D	S STANDARD KING PIN BUSHINGS
536-055	D	TRW THP-60 POWER STEERING WITH RCH45 AUX
	D	ILIARY GEAR
537-005	S	STEEL STEERING SHAFT
539-003	D	POWER STEERING PUMP
534-003	D	4 QUART POWER STEERING RESERVOIR
533-001	D	OIL/AIR POWER STEERING COOLER
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE
620-025	D	20,000# TAPERLEAF FRONT SUSPENSION
619-004	D	GRAPHITE BRONZE BUSHINGS WITH SEALS - FR
	D	ONT SUSPENSION
629-998	D	NO FRONT SWAYBAR
410-001	D	FRONT SHOCK ABSORBERS
		REAR AXLE, SUSPENSION & EQUIPMENT
420-1K4	D	MT-40-14XP 40,000# R-SERIES TANDEM REAR
	D	AXLE
421-529	D	5.29 REAR AXLE RATIO
424-003	D	IRON REAR AXLE CARRIER WITH OPTIONAL HEA
	D	VY DUTY AXLE HOUSING
42T-001	D	STANDARD REAR AXLE BREATHER(S)
382-998	D	NO (#1) DRIVELINE
386-074	D	MXL 176T MERITOR EXTENDED LUBE MAIN DRIV
	D	ELINE WITH HALF ROUND YOKES
388-073	D	MXL 17T MERITOR EXTENDED LUBE INTERAXLE
	D	DRIVELINE WITH HALF ROUND YOKES

452-006	D	DRIVER CONTROLLED TRACTION DIFFERENTIAL
	D	- BOTH TANDEM REAR AXLES
878-023	D	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR
	D	AND REAR-REAR AXLE VALVE
87A-002	D	BUZZER AND BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
87B-005	D	BUZZER AND BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH
423-020	D	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	D	NON-ASBESTOS REAR BRAKE LINING
434-005	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS
425-002	D	REAR BRAKE DUST SHIELDS
440-006	D	REAR OIL SEALS
426-101	D	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE
622-199	D	AIRLINER 46,000# REAR SUSPENSION
034-998	D	NO REAR SUSPENSION PACKAGE

621-007	D	AIRLINER HIGH POSITION RIDE HEIGHT
431-005	D	RESTRAINED AXLE SEATS IN AXLE CLAMP GROU
	D	P
624-016	D	51 INCH AXLE SPACING
628-998	D	NO SUSPENSION BEAMS
888-047	D	MANUAL DUMP VALVE FOR AIR SUSPENSION WI
	D	T
	D	HOUT GAUGE
87D-007	D	INDICATOR LIGHT AND BUZZER FOR EACH REAR
	D	SUSPENSION CONTROL SWITCH
910-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALV
	D	E
623-002	D	TRANSVERSE CONTROL RODS
630-998	D	NO REAR SUSPENSION STABILIZER
625-998	D	NO REAR SUSPENSION OPTIONS
439-005	D	REAR SHOCK ABSORBERS - TWO AXLES (TANDE
	D	M
	D) (AIR RIDE SUSPENSION)
035-998	D	NO DEAD AXLE PACKAGE
443-998	D	NO PUSHER OR TAG AXLE
456-998	D	NO PUSHER/TAG BRAKES
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/T
	D	A
	D	G
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS
442-998	D	NO PUSHER OR TAG OIL SEALS
444-998	D	NO PUSHER OR TAG HUB CAPS

445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS
626-998	D	NO PUSHER OR TAG SUSPENSION
627-998	D	NO PUSHER/TAG AXLE SPACING
874-998	D	NO PUSHER/TAG AXLE LIFT
896-998	D	NO PLUMBING FOR LIFT AXLE
87F-998	D	NO LIFT AXLE WIRING/LOGIC
		BRAKE SYSTEM
490-100	D	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE
	D	BRAID CHASSIS AIR LINES
46E-001	S	STANDARD AIR MANAGEMENT UNIT
904-001	D	FIBER BRAID PARKING BRAKE HOSE
412-001	D	STANDARD BRAKE SYSTEM VALVES
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION
	D	SYSTEM
413-002	D	STD U.S. FRONT BRAKE VALVE
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
	D	NO REAR PROPORTIONING VALVE
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
483-998	D	NO AIR SYSTEM OIL FILTER
479-003	D	AIR DRYER MOUNTED INBOARD ON LH RAIL
460-008	D	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE
	D	E RAIL
46A-	D	NO AUXILIARY AIR TANK

998		
607-001	D	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET BOTH RAILS OUTBOARD
	D	
	D	
477-019	D	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS
	D	
	D	
485-998	D	NO EXTERNAL CHARGING GLADHAND
481-998	D	NO TRAILER AIR HOSE
476-998	D	NO AIR HOSE HANGER
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM
	D	
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING
297-998	D	NO TRAILER CABLE RECEPTACLE
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE
	D	
303-998	D	NO ADDITIONAL TRAILER CABLE RECEPTACLE
334-998	D	NO ADDITIONAL SUPPLEMENTAL 7-WAY TRAILER CABLE RECEPTACLE
	D	
310-998	D	NO TRAILER ELECTRICAL CABLE FRAME & WHEELBASE
545-605	D	6050MM (238 INCH) WHEELBASE
546-101	D	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8
	D	.73MMX277.8MM/0.344X10.94 INCH) 120KSI

547-001	D	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
548-998	D	NO OUTER FRAME REINFORCEMENT
549-998	D	NO FRONT FRAME EXTENSION
552-009	D	3050MM (120 INCH) REAR FRAME OVERHANG
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
553-001	D	SQUARE END OF FRAME
550-001	D	FRONT CLOSING CROSSMEMBER
559-003	D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)
565-002	D	HEAVY DUTY SUSPENSION CROSSMEMBER
572-001	D	STANDARD REARMOST CROSSMEMBER
AL5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE
587-998	D	NO REAR TOWING DEVICE
588-998	D	NO REAR TOW DEVICE HEIGHT
674-998	D	NO LH OR RH BACK OF CAB ACCESS
592-998	D	NO DECK PLATE
556-1E6	D	14 INCH CHROMED STEEL BUMPER
557-002	D	LOOP STEP MOUNTED BELOW BUMPER
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED
55E-998	D	NO BUMPER MOUNTING BRACKETS
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS
574-	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE

001		
585-998	D	NO MUDFLAP BRACKETS
590-998	D	NO REAR MUDFLAPS
586-024	S	FENDER AND FRONT OF HOOD MOUNTED FRONT M
	S	UDFLAPS
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
583-998	D	NO REAR QUARTER FENDERS
794-998	D	NO JACK OR WHEEL WRENCH PROVISION
795-998	D	NO TOOLS
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE
606-998	D	NO TRUCK BODY
601-998	D	NO BODY BUILDER DIAGRAMS
970-998	D	NO BODY TYPE
		FIFTH WHEEL & EQUIPMENT
578-998	D	NO FIFTH WHEEL
577-998	D	NO FIFTH WHEEL LOCATION
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS
582-998	D	NO FIFTH WHEEL LEG HEIGHT
570-998	D	NO FIFTH WHEEL MOUNTING
890-998	D	NO FIFTH WHEEL PLUMBING
579-998	D	NO FIFTH WHEEL RELEASE/INST.
591-998	D	NO FIFTH WHEEL ADD-ONS
581-998	D	NO FIFTH WHEEL RAMP

FUEL TANK(S) & EQUIPMENT

206-998	D	NO RH FUEL TANK
201-998	D	NO RH AUXILIARY FUEL TANK
204-152	D	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH
200-998	D	NO LH AUXILIARY FUEL TANK
230-998	D	NO BETWEEN RAIL FUEL TANK
203-998	D	NO HYDRAULIC OIL TANK
218-006	D	25 INCH DIAMETER FUEL TANK(S)
215-007	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRA U LIC TANK(S) WITH POLISHED STAINLESS STEE L BANDS
212-007	D	FUEL TANK(S) FORWARD
231-998	D	NO FUEL TANK MTG BETWEEN RAILS
232-998	D	NO ADDITIONAL FUEL PROVIDED
664-001	D	PLAIN STEP FINISH
207-998	D	NO FUEL TANK SCREENS
205-001	D	FUEL TANK CAP(S)
220-998	D	NO FUEL HEATER
122-1H7	D	DAVCO 245 FUEL/WATER SEPARATOR WITH WATE R IN FUEL SENSOR
216-020	D	EQUIFLO INBOARD FUEL SYSTEM
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT S
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L

	D	INE
213-998	D	NO FUEL LINE INSULATION
221-998	D	NO FUEL COOLER
		TIRES
093-0TB	D	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL
	D	FRONT TIRES
094-1UX	C001	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL
	C	REAR TIRES
095-998	D	NO PUSHER/TAG TIRES
510-998	D	NO SPARE TIRE
		HUBS
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT H
	D	U
	D	BS
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HU
	D	B
	D	S
449-998	D	NO PUSHER OR TAG HUBS
		WHEELS
502-1H5	D	ALCOA LVL ONE 82462X 22.5X12.25 10-HUB P
	D	ILOT 4.68 INSET 10-HAND ALUMINUM DISC FR
	D	ONT WHEELS
505-720	D	ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A
	D	CCURIDE 29637 STEEL INSIDE; 22.5X8.25 10
	D	-HUB PILOT DISC REAR WHEELS
509-998	D	NO PUSHER/TAG DISC WHEELS
511-998	D	NO SPARE WHEEL
51A-998	D	NO ADDITIONAL SPARE WHEEL
524-001	D	POLISHED FRONT WHEELS; OUTSIDE ONLY
525-007	D	POLISHED REAR WHEELS; BOTH SIDES OF OUTE

	D	R WHEELS ONLY
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS
498-011	D	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES CAB EXTERIOR
829-1A5	D	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
682-998	D	NO SLEEPER BOX/SLEEPERCAB
784-998	D	NO AIR SHIELD OR BRACKETS
783-998	D	NO SIDE EXTENDERS
782-998	D	NO FRAME SIDE FAIRINGS
650-008	D	AIR CAB MOUNTING
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-004	D	FRONT FENDERS SET-BACK AXLE
754-017	D	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS
678-001	D	LH AND RH GRAB HANDLES
645-002	D	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL
646-042	D	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE
644-004	D	FIBERGLASS HOOD
690-017	D	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION

727-066	D	DUAL 26 INCH RECTANGULAR POLISHED ALUMI N
	D	UM AIR HORNS ROOF MOUNTED
726-001	D	SINGLE ELECTRIC HORN
728-002	D	DUAL HORN SHIELDS
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED TH E
	D	SAME WITH (4) KEYS
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME
327-998	D	NO OTHER LIGHTS
312-067	D	HALOGEN COMPOSITE HEADLAMPS WITH BRIGH T
	D	BEZELS
302-047	D	LED AERODYNAMIC MARKER LIGHTS
315-998	D	NO FOG LIGHTS
311-012	D	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY
316-998	D	NO SPOTLIGHTS
294-1AY	D	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS
318-998	D	NO UTILITY/ADVERTISING LIGHT
744-1BM	D	DUAL WEST COAST BRIGHT FINISH HEATED MIR RORS
	D	
797-001	D	DOOR MOUNTED MIRRORS
796-001	D	102 INCH EQUIPMENT WIDTH
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MI RRORS MOUNTED UNDER PRIMARY MIRRORS
	D	
74A-998	D	NO AUXILIARY MIRROR
74B-	D	NO AUXILIARY MIRROR

998		
712-998	D	NO CUSTOM NAMEPLATE
713-998	D	NO PERMIT PLAQUE
729-001	D	STANDARD SIDE/REAR REFLECTORS
73A-998	D	NO REFLECTIVE DEVICES
677-998	D	NO CAB MOUNTED STEPS
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS
764-010	D	COMPOSITE EXTERIOR SUN VISOR
768-043	D	63X14 INCH TINTED REAR WINDOW
661-004	D	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS
654-027	D	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)
767-998	D	NO SIDE WINDOW
769-998	D	NO LOWER DOOR WINDOW
663-013	D	TINTED WINDSHIELD
659-006	D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR
647-998	D	NO WINTERFRONT CAB INTERIOR
707-1AK	D	OPAL GRAY VINYL INTERIOR
055-002	D	INTERIOR CONVENIENCE PACKAGE
706-	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL

026		
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR
	D	R
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOOR
	D	R
772-006	D	BLACK MATS WITH SINGLE INSULATION
785-004	D	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER
691-014	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING
	D	ER COMPARTMENT WITHOUT NETTING
694-010	D	IN DASH STORAGE BIN
696-012	D	CENTER STORAGE CONSOLE MOUNTED ON BACKWARD
	D	LL
693-998	D	NO INTERIOR DOOR STORAGE
826-998	D	NO LOWER BUNK
666-998	D	NO BUNK RESTRAINT
738-998	D	NO CLOCK
742-007	D	(2) CUP HOLDERS LH AND RH DASH
680-006	D	GRAY/CHARCOAL FLAT DASH
860-004	D	SMART SWITCH EXPANSION MODULE
33A-998	D	NO WARNING LIGHT SWITCHES
720-002	D	2-1/2 LB. FIRE EXTINGUISHER
71T-998	D	NO SMOKE/GAS DETECTOR
714-	D	FIRST AID KIT

001		
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER
701-008	D	STANDARD HVAC DUCTING WITH SNOW SHIELD
	D	F
	D	OR FRESH AIR INTAKE
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION S
	D	W
	D	ITCH
689-998	D	NO AUXILIARY HVAC UNIT
170-019	D	STANDARD HEATER PLUMBING WITH BALL SHU
	D	TO
	D	FF VALVES
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRE
	D	S
	D	SOR
702-002	D	BINARY CONTROL, R-134A
739-034	D	PREMIUM INSULATION
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES
96R-002	S 001	STANDARD ELECTRICAL PROTECTIVE COATING,
	S	WHITE LITHIUM GREASE ON BATTERY TERMINA
	S	L
	S	S AND RED ENAMEL PAINT IN ENGINE COMPART
	S	MENT AND ON CHASSIS CONNECTIONS
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-011	D	DOME DOOR ACTIVATED LH AND RH, DUAL REA
	D	D
	D	ING LIGHTS, FORWARD CAB ROOF
655-005	D	LH AND RH ELECTRIC DOOR LOCKS
740-998	D	NO MATTRESS
284-023	D	(1) 12 VOLT POWER SUPPLY IN DASH
710-998	D	NO CAB PRIVACY CURTAIN
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES

756-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER
760-1DC	D	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT
762-998	D	NO REAR PASSENGER SEAT
757-998	D	NO SEAT SKIRT(S)
759-006	D	DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
699-998	D	NO SEAT OPTIONS
758-025	D	GRAY MORDURA CLOTH DRIVER SEAT COVER
761-025	D	GRAY MORDURA CLOTH PASSENGER SEAT COVER
755-998	D	NO REAR PASSENGER SEAT COVERS
763-101	D	BLACK SEAT BELTS
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-016	D	18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS
870-001	D	BLACK GAUGE BEZELS
732-003	D	WOODGRAIN DRIVER INSTRUMENT PANEL
734-003	D	WOODGRAIN CENTER INSTRUMENT PANEL
68J-998D		NO SWITCH BLANK - INSTRUMENT PANEL

486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
838-998	D	NO AIR APPLICATION GAUGE
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-002	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
721-001	D	97 DB BACKUP ALARM
149-013	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
157-998	D	NO REMOTE START
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE
160-038	D	CONNECTOR LOCATED BELOW LH DASH
844-001	D	2 INCH ELECTRIC FUEL GAUGE
845-998	D	NO FUEL FLOW GAUGE
148-003	D	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
163-998	D	NO ENGINE OPT/RPM CONTROLS WIRING
87L-998	D	NO REMOTE ENGINE CONTROL-ENABLE
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION
866-998	D	NO AXLE TEMPERATURE GAUGE
856-	D	ELECTRICAL ENGINE COOLANT TEMPERATURE

001		GA
	D	UGE
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE
864-001	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
	D	E
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WITH
	D	HIN DRIVER DISPLAY
438-998	D	NO HUBODOMETER
372-051	D	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
	D	TROLS
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM
49B-998	D	NO VEHICLE STABILITY ADVISOR OR CONTROL
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-998	D	NO OVERHEAD INSTRUMENT PANEL
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT
786-998	D	NO POSITIONING/LOCATING SYSTEM
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA
	D	NNA
746-1B4	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYER, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939
747-001	D	DASH MOUNTED RADIO
74D-002	D	RADIO WIRING WITH POWER CUTOFF WHEN VEHICLE IN REVERSE GEAR
	D	VEHICLE IN REVERSE GEAR
750-002	D	(2) RADIO SPEAKERS IN CAB
753-	D	AM/FM ANTENNA MOUNTED ON FORWARD LH R

001		OOF
748-001	D	POWER AND GROUND STUDS IN/UNDER DASH
749-998	D	NO CB RADIO MOUNTING PROVISION
752-998	D	NO CB ANTENNA, BRACKET OR LEAD
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECOND AR
	D	Y MPH SCALE, WITHOUT ODOMETER
817-001	D	STANDARD VEHICLE SPEED SENSOR
812-001	D	ELECTRONIC 3000 RPM TACHOMETER
813-998	D	NO VEHICLE PERFORMANCE MONITOR
8D1-998	D	NO DETROIT CONNECT SERVICES SELECTED
8Z1-998	D	NO ZONAR SERVICES SELECTED
80K-998	D	NO SHUTDOWN OVERRIDE
80L-998	D	NO REGEN SYSTEM TAILORING
80M-998	S	NO ALTERNATE PTO SPEED
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP
885-998	D	NO CONTROLS-FIRE PUMP
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO
	D	CHASSIS AT BACK OF CAB, LABEL OPT
81Y-001	D	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FL
	D	ASH, WITH SMART SWITCH
44R-	D	NO ON/OFF LATCHING SMARTPLEX SWITCH

998		
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS
44W-998	D	NO UNDEFINED SMARTPLEX INDICATOR LAMPS
264-998	D	NO CONTROLS-SIREN/AIR HORN
482-998	D	NO TRACTOR PROTECTION VALVE
883-998	D	NO TRAILER HAND CONTROL BRAKE VALVE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-025	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY PROGRAMMED TO SLOWEST SPEED WITH PARK BRAKE SET
304-001	D	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	D	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS
869-998	D	NO MISCELLANEOUS GAUGES PAINT
065-000	D	PAINT: ONE SOLID COLOR
980-5F8	D	CAB COLOR A: L0225EB

	D	WHITE ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
	D	PAINT
98K-998	D	NO FUEL TANK CABINET PAINT
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-972	D	POWDER WHITE (N0006EA) REAR WHEELS/RIMS
	D	(PKWHT21, TKWHT21, W, TW)
96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-998	D	NO BUMPER PAINT
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A
963-003	D	STANDARD E COAT/UNDERCOATING
		ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VICE PDI INSPECTION
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
999-998	D	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
RCE-00V		VARIABLE CANADIAN EXCHANGE
MWF-004	S	DETROIT FRONT AXLE COVERAGE, GENERAL SE
	S	R
		VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS
		CANADIAN DEALER NET (CDN\$)
RCN-100	001	PRICE CONCESSION SYSTEM

WAI-47N		CUM 2017 L9: HD1 MD DTY 5 YEARS / 300,00 0 MILES / 483,000 KM EXTENDED WARRANTY. FEX APPLIES
WAG-010		TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND ED TOWING COVERAGE \$550 CAP FEX APPLIES
P28-1AC	001	AIR CONDITIONING TAX
RTA-001	001	ONTARIO TIRE STEWARDSHIP FEE
PMU-017		2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR
P73-1FT	001	STANDARD DESTINATION CHARGE X EXCHANGE
