

3373

<u>DBCode</u>	<u>TC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
PRL-16D	001		SD PRL-16D (EFF:04/25/17) GENERAL APPLICATION INFORMATION		
AA1-001	D		TRACTOR/TRAILER CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-011	D		CONSTRUCTION SERVICE		
A84-1CO	D		CONSTRUCTION BUSINESS SEGMENT		
AF3-2CR	D		TRACTOR ONLY WITH NO BODY UPFIT		
AA3-998	D		NO BODY SPECIFIED		
AA2-023	D		FRAMED END DUMP (NON-TRANSFER) TRAILER		
AH6-001	D		SINGLE (1) TRAILER		
AA5-006	D		TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN		
AB5-003	D		TRANSIT, IS SPENT ON NON-PAVED ROADS MAINTAINED GRAVEL OR CRUSHED ROCK - MOS T		
	D		SEVERE IN-TRANSIT (BETWEEN SITES) ROAD		
	D		SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-010	D		DIRT/SAND/ROCK COMMODITY		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	14600	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	46000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	60600	LBS
A70-99D	D		EXPECTED GROSS COMBINATION WEIGHT	120000	LBS

AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	114.567	IN
A79-99D	S	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
A78-99D	S	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	S 002	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	22	IN
AM5-99D	S 002	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	80.139	IN
AL9-99D	S	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	74	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	80.524	MPH
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.987	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.503	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.197	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES				
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	14600	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	46000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	60600	LBS
BASE MODEL				
001-241	D	122SD CONVENTIONAL CHASSIS	F 9184 ₆	R 681
004-218	D	2018 MODEL YEAR SPECIFIED		
995-1AE	D	FREIGHTLINER LEVEL II WARRANTY		
002-002	D	SET BACK AXLE - TRACTOR		
019-998	D	NO TRUCK PROVISION PACKAGE		
003-001	D	LH PRIMARY STEERING LOCATION		
ENGINE				
101-	D	DETROIT DD15 14.8L 505 HP @ 1625 RPM, 19		

2YH	D	00 GOV RPM, 1650 LB/FT @ 975 RPM
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F
	D	INAL GHG17 CONFIGURATION
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOW
	S	N
	S	(AES)
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
	D	FORWARD CORNER OF DRIVER DOOR)
992-001	S	50 STATE EMISSIONS CERTIFICATION
28F-002	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
	D	OVER THE ROAD REGENERATION AND DASH MO
	D	UN
	D	TED REGENERATION REQUEST SWITCH
79A-065	D	65 MPH ROAD SPEED LIMIT
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD
	D	SPEED LIMIT
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-998	D	NO PROGRESSIVE SHIFTING
79E-998	D	NO LOW RANGE TORQUE PROTECT
79F-998	D	NO FLEET MANAGEMENT
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION
79J-998D	D	NO PTO SHUTDOWN CONFIGURATION
79K-007	D	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED
79M-002	D	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE

	D	APPLIED OR PARK BRAKE NOT APPLIED
79N-001	D	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLE
	D	D
79P-001	D	PTO RPM WITH CRUISE SET SWITCH - 600 RPM
79Q-001	D	PTO RPM WITH CRUISE RESUME SWITCH - 600 RPM
	D	RPM
79R-998	D	NO PTO MODE COOLING FAN
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79T-001	D	PTO MODE RPM INCREMENT - 25 RPM
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC
	D	OND
79V-998	D	NO PTO MODE DPF REGEN
79W-001	D	ONE REMOTE PTO SPEED
79X-005	D	REMOTE PTO SPEED 1 SETTING - 900 RPM
79Y-998	D	NO REMOTE PTO SPEED 2 SETTING
79Z-998	D	NO REMOTE PTO SPEED 3 SETTING
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-002	D	ENGINE BRAKE WITH CRUISE CONTROL ENABLE
	D	D
	D	AT 3 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS
80D-998	D	NO SOFT CRUISE CONTROL
80E-998	D	NO ENGINE FAN WITH RETARDER
80F-998	D	NO MAINTENANCE MONITOR
80G-001	D	PTO MINIMUM RPM - 600

80H-998	D	NO ACCELERATION MANAGEMENT	
80J-998D		NO REGEN INHIBIT SPEED THRESHOLD	
80R-000	S	DRIVELINE TORQUE PROTECTION - ENABLED	
84E-998	D	NO TCU-PRIMARY MODE SHIFT SCH	
84F-998	D	NO TCU-SECONDARY MODE SHIFT SCH	
84G-998	D	NO TCU-PRIMARY MODE SHIFT SPEED	
84H-998	D	NO TCU-SECONDARY MODE SHIFT SPEED	
84L-998	D	NO TCU-LOAD BASED OPTIMIZATION	
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED	
	D	ENGINE EQUIPMENT	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998	D	NO ENGINE OIL DRAIN/SAMPLE	
133-004	D	ONE PIECE VALVE COVER	
014-1CP	D	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED HIGH CAPACITY AIR CLEANER	
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLTAGE REGULATOR	F 10
	D		O

	D	LT SENSE			
292-072	D	(4) ALLIANCE MODEL 1231, GROUP 31, 12 VO	F	50	R 10
	D	LT MAINTENANCE FREE 4400 CCA THREADED ST			
	D	UD BATTERIES			
29H-998	D	NO AUXILIARY BATTERIES			
290-1D3	D	STEEL BATTERY BOX WITH ENCLOSED TRAY			
29G-998	D	NO AUXILIARY BATTERY BOX			
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SID			
	D	E			
	D	UNDER CAB			
29E-998	D	NO AUXILIARY BATTERY BOX MOUNTING/LOCA			
	D	TI			
	D	ON			
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES			
	D	WI			
	D	TH ADDITIONAL FRAME GROUND RETURN			
289-012	D	NON-POLISHED DIAMOND PLATE BATTERY BOX			
	D	C			
	D	OVER			
29F-998	D	NO AUXILIARY BATTERY BOX COVER			
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGE			
	D	ME			
	D	NT			
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNT	F	8	
	D	E			
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRI			
	D	VER			
	D	SEAT			
295-998	D	NO JUMPSTART POST			
306-998	D	NO BATTERY/ISOLATOR CONTROL			
180-100	C002	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTI			
	C	NG CLUTCH			
18B-998	D	NO MINIMUM CLUTCH TORQUE RATING REQUES			
	D	T			
183-008	D	TORQUE LIMITING CLUTCH BRAKE			
181-004	D	ZERK FITTINGS WITH EXTENSION HOSES AT CL			

	D	UTCH RELEASE BEARING AND X-SHAFT			
182-002	S	MECHANICAL CLUTCH CONTROL			
107-044	D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER			
	D	AIR COMPRESSOR WITH SAFETY VALVE			
108-002	S	STANDARD MECHANICAL AIR COMPRESSOR GO			
	S	VER			
	S	NOR			
131-013	D	AIR COMPRESSOR DISCHARGE LINE			
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PR			
	D	OT			
	D	ECTION SYSTEM			
128-002	D	JACOBS COMPRESSION BRAKE			
016-1C4	D	RH OUTBOARD UNDER STEP MOUNTED HORIZO	F	55	R 33
	D	NTA			
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH			
	D	DU			
	D	AL CAB MOUNTED VERTICAL TAILPIPES			
239-050	D	12 FOOT 06 INCH (150 INCH+0/-5.9 INCH) E			
	D	XHAUST SYSTEM HEIGHT			
233-019	D	STANDARD CURVE BRIGHT UPPER STACK(S) AND			
	D	ELBOW(S)			
237-1CK	D	DUAL CURVED VERTICAL TAILPIPES B-PILLAR			
	D	MOUNTED			
23U-003	D	23 GALLON DIESEL EXHAUST FLUID TANK			
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM CO			
	S	O			
	S	LANT PLUMBING			
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Z-002	D	NON-POLISHED ALUMINUM DIAMOND PLATE DI	F	15	R 15
	D	ES			
	D	EL EXHAUST FLUID TANK COVER			
43X-001	D	LH HEAVY DUTY STANDARD DIESEL EXHAUST F			
	D	L			
	D	UID TANK LOCATION			
23Y-	S	STANDARD DIESEL EXHAUST FLUID PUMP MOU			

001		NT
	S	ING
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-002	D	DUAL STAINLESS STEEL MUFFLER/TAILPIPE SHIELDS
273-018	D	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-068	D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
114-998	D	NO BYPASS OIL FILTER
118-001	D	FULL FLOW OIL FILTER
120-998	D	NO COOLANT FILTER
165-998	D	NO OIL LEVEL REGULATOR/RESERVOIR
266-057	D	1500 SQUARE INCH ALUMINUM RADIATOR
103-040	D	ANTIFREEZE TO -60F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-023	D	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE
168-998	D	NO RADIATOR/OIL PAN GUARD
360-998	D	NO FRONT ENGINE PTO
361-	D	NO REAR ENGINE PTO

998				
138-005	D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
	D	HEATER		
141-998	D	NO COOLANT HEATER - GAS/DSL		
154-998	D	NO ETHER STARTING AID		
166-998	D	NO OIL PREHEATER		
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
	D	UNDER LH DOOR		
134-001	D	ALUMINUM FLYWHEEL HOUSING		
155-074	D	DELCO 12V MOD 3.175-39MT+ OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED M		
	D	AG		
	D	NETIC SWITCH		
		TRANSMISSION & EQUIPMENT		
342-1B0	D	EATON FULLER RTLO-16918B TRANSMISSION	F	90 R 40
343-998	D	NO TRANS CONTROL UNIT/SOFTWARE		
84B-998	D	NO TCU-VOCATIONAL RATING		
84C-998	D	NO TCU-PRIMARY MODE: GEARS		
84D-998	D	NO TCU-SECONDARY MODE: GEARS		
97G-998	D	NO TRANSMISSION PROGNOSTICS		
345-001	D	PAINTED SHIFT LEVER, SOLID LINKAGE		
347-001	D	CAST IRON CLUTCH HOUSING		
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
	D	IATOR END TANK		
346-998	D	NO TRANSMISSION OIL CHECK AND FILL		
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER		

35T-003	D	SYNTHETIC TRANSMISSION LUBE	
341-017	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN	
34C-998	D	NO AUX/ACC TRANSMISSION WIRING	
362-038	D	CUSTOMER INSTALLED CHELSEA 340 SERIES PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION	
363-003	D	NO MAIN DRIVELINE HARDWARE	
385-998	D	FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A8	D	DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE	
402-049	D	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
403-043	D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING	
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-001	D	FRONT BRAKE DUST SHIELDS	F 5
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
406-001	D	STANDARD KING PIN BUSHINGS	
536-	D	TRW TAS-85 POWER STEERING	F 40

012				
537-005	S	STEEL STEERING SHAFT		
539-003	D	POWER STEERING PUMP		
534-015	D	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
	D	VOIR		
533-998	D	NO POWER STEERING OIL COOLER		
618-002	S	STANDARD CUPS AND CONES (WHEEL BEARINGS)		
	S	FRONT AND REAR		
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE		
620-010	D	14,600# TAPERLEAF FRONT SUSPENSION	F 130	
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	D	FRONT SHOCK ABSORBERS		
		REAR AXLE, SUSPENSION & EQUIPMENT		
420-059	D	RT-46-164P 46,000# R-SERIES TANDEM REAR AXLE	R 58 0	
421-391	D	3.91 REAR AXLE RATIO		
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
42S-001	S	STANDARD REAR AXLE SHAFT HOLES		
386-067	D	RPL25SD MERITOR MAIN DRIVELINE	F 40 R 40	
388-039	D	RPL20 MERITOR INTERAXLE DRIVELINE		
452-006	D	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES	R 40	
878-023	D	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE		
87A-	D	INDICATOR LIGHT AND BUZZER FOR EACH INTERAXLE		

006	D	RAXLE LOCKOUT SWITCH		
87B-009	D	INDICATOR LIGHT AND BUZZER FOR EACH DRIV		
	D	ER CONTROLLED TRACTION DEVICE SWITCH		
423-019	D	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REA		
	D	R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE		
	D	S		
433-043	D	2011/2013-FMVSS 121 RSD REAR BRAKE LININ		
	D	GS		
434-005	D	BRAKE CAMS AND CHAMBERS ON FORWARD SID		
	D	E		
	D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT		
	D	BRACKETS		
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS		
425-002	D	REAR BRAKE DUST SHIELDS	R	10
440-006	D	REAR OIL SEALS		
435-998	D	NO DRIVELINE PARKING BRAKE		
426-112	D	WABCO TRISTOP-D LONGSTROKE 30/36 2-DRIVE	R	20
	D	AXLE SPRING PARKING CHAMBERS		
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE		
622-199	D	AIRLINER 46,000# REAR SUSPENSION	R	48
			0	
621-007	D	AIRLINER HIGH POSITION RIDE HEIGHT		
431-005	D	RESTRAINED AXLE SEATS IN AXLE CLAMP GROU		
	D	P		
624-016	D	51 INCH AXLE SPACING		
628-998	D	NO SUSPENSION BEAMS		
888-048	D	MANUAL DUMP VALVE FOR AIR SUSPENSION WI		
		T		

	D	H GAUGE
87D-007	D	INDICATOR LIGHT AND BUZZER FOR EACH REAR
	D	SUSPENSION CONTROL SWITCH
910-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALV
	D	E
623-002	D	TRANSVERSE CONTROL RODS
625-998	D	NO REAR SUSPENSION OPTIONS
439-005	D	REAR SHOCK ABSORBERS - TWO AXLES (TANDE
	D	M
	D) (AIR RIDE SUSPENSION)
035-998	D	NO DEAD AXLE PACKAGE
443-998	D	NO PUSHER OR TAG AXLE
456-998	D	NO PUSHER/TAG BRAKES
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/T
	D	A
	D	G
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS
442-998	D	NO PUSHER OR TAG OIL SEALS
444-998	D	NO PUSHER OR TAG HUB CAPS
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS
626-998	D	NO PUSHER OR TAG SUSPENSION
627-998	D	NO PUSHER/TAG AXLE SPACING
874-998	D	NO PUSHER/TAG AXLE LIFT
896-998	D	NO PLUMBING FOR LIFT AXLE
87F-	D	NO LIFT AXLE WIRING/LOGIC

998		BRAKE SYSTEM		
490-100	D	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE		
	D	BRAID CHASSIS AIR LINES		
904-001	D	FIBER BRAID PARKING BRAKE HOSE		
412-001	D	STANDARD BRAKE SYSTEM VALVES		
413-002	D	STD U.S. FRONT BRAKE VALVE		
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,		
	D	NO REAR PROPORTIONING VALVE		
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F	20
483-003	D	BENDIX OIL COALESCING FILTER FOR AIR DRYER		
460-001	D	STEEL AIR BRAKE RESERVOIRS		
607-998	D	CHASSIS CONFIGURATION - NONE		
46D-002	S	STANDARD AIR SYSTEM PRESSURE PROTECTION		
	S	SYSTEM		
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)		
485-001	D	EXTERNAL CHARGING GLADHAND	F	5
481-074	D	15 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS	F	12
476-052	D	36 INCH STAINLESS STEEL SLIDE BAR WITH (2) SPRING TYPE AIR HOSE HANGERS	F	2
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME		
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM		
484-	D	COMBINATION DUMMY GLAD HANDS AND LIGH		

006		T P		
	D	LUG HOLDER		
307-998	D	NO 12 TO 24 VOLT CONVERTOR		
296-008	D	SWITCH AND INDICATOR LIGHT FOR PRIMARY R		
	D	ECEPTACLE CENTER PIN, LABELED TRLR-AUX		
297-005	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC		
	D	EPTACLE FRAME MOUNTED AFT CAB		
335-998	D	NO CHASSIS POWER DISTRIBUTION MODULE		
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING		
331-001	D	SUPPLEMENTAL J560 7-WAY RECEPTACLE LOCAT		
	D	ED WITH PRIMARY RECEPTACLE		
303-998	D	NO ADDITIONAL TRAILER CABLE RECEPTACLE		
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING		
334-998	D	NO ADDITIONAL SUPPLEMENTAL 7-WAY		
	D	TRAILER CABLE RECEPTACLE		
310-085	D	15 FOOT DETACHABLE COILED PRIMARY TRAILER F	2	
	D	R ELECTRICAL CABLE WITH SAE J560 CONNECT		
	D	OR WITH 48 INCH TRACTOR, 12 INCH TRAILER		
	D	LEADS		
309-998	D	NO SUPPLEMENTAL TRAILER ELEC CABLE		
		FRAME & WHEELBASE		
545-585	D	5850MM (230 INCH) WHEELBASE		
546-102	D	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.	F 480 R 50	
	D	11MMX282.6MM/0.437X11.13 INCH) 120KSI		
547-998	D	NO INNER FRAME REINFORCEMENT		
548-998	D	NO OUTER FRAME REINFORCEMENT		
552-012	D	1450MM (57 INCH) REAR FRAME OVERHANG		
AB8-	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.129	%

99D								
553-002	D	FLANGED TAPERED END OF FRAME						
554-998	D	NO BUMPER/UNDERRIDE GUARD						
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER						
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)						
561-001	S	STANDARD CROSSMEMBER BACK OF						
	S	TRANSMISSION						
565-002	D	HEAVY DUTY SUSPENSION CROSSMEMBER				R		30
568-001	D	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER						
572-020	D	INVERTED U TRACTOR CROSSMEMBER				R		10
587-998	D	NO REAR TOWING DEVICE						
588-998	D	NO REAR TOW DEVICE HEIGHT						
		CHASSIS EQUIPMENT						
674-001	D	LH BACK OF CAB ACCESS						
592-056	D	35 INCH (875MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS	F	8		R		7
556-041	D	12 INCH CHROMED STEEL HEAVY DUTY BUMPER	F	30		R		-5
557-003	D	CENTER STEP CUTOUT IN BUMPER						
558-033	D	REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME	F	25				
574-003	D	SINGLE LICENSE PLATE BRACKET BELOW BUMPER						
	D	R						
585-1AJ	D	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKET				R		10
	D	TS						
590-998	D	NO REAR MUDFLAPS				R		-15
586-031	D	FRONT CAB MOUNTED MUDFLAPS AND HOOD MOUNT						

	D	TED SPLASH SHIELDS
576-998	D	NO TIRE CHAINS/HANGER
59Y-998	D	NO BUMPER MOUNTED MUDFLAP
551-003	D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENER S
	D	EXCLUDING FIFTH WHEEL
583-998	D	NO REAR QUARTER FENDERS
602-998	D	NO TOOL/STORAGE BOX #1
61B-998	D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATIO N
603-998	D	NO TOOL/STORAGE BOX #2
61C-998	D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATIO N
609-998	D	NO STORAGE BOX BRIGHTWORK
599-998	D	NO AUXILIARY FUEL DRIVEN POWER UNIT
600-998	D	NO CAB GUARD
604-998	D	NO TIRE CARRIER
794-998	D	NO JACK OR WHEEL WRENCH PROVISION
795-998	D	NO TOOLS
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE
606-998	D	NO TRUCK BODY
601-998	D	NO BODY BUILDER DIAGRAMS
		FIFTH WHEEL & EQUIPMENT
578-1JG	H002	HOLLAND FW35 ILS 24.0 INCH AIR SLIDE FIF
	H 002	TH WHEEL - 2 INCH SLIDE INCREMENTS Per ITCO #3373 / Matthew WallingHolland cannot supply a number of 5th wheels due to material shortage.Holland has suppli ed a list of replacement parts for all p

arts affected and the requested change reflects that recommended replacement.

577- H002 FIFTH WHEEL 559MM (22.0 INCHES) AHEAD OF
559 H SUSPENSION CENTERLINE
002 MODULE 577 REQ. MUST HAVE LOCATION AT XX
.0 AHEAD OF SUSPENSION C/L.

580- D NO ADDITIONAL FIFTH WHEEL DRILLINGS
998

582- H002 198MM (7.81 INCH) FIFTH WHEEL HEIGHT
009 002 Per ITCO #3373 / Matthew WallingHolland
cannot supply a number of 5th wheels due
to material shortage.Holland has suppli

ed a list of replacement parts for all p
arts affected and the requested change re
flects that recommended replacement.

A03- S 002 CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5" 49.313 IN
99D

570- H002 OUTBOARD ANGLE - FIFTH WHEEL MOUNTING
001 002 Per ITCO #3373 / Matthew WallingHolland
cannot supply a number of 5th wheels due
to material shortage.Holland has suppli
ed a list of replacement parts for all p
arts affected and the requested change re
flects that recommended replacement.

890- D DASH MOUNTED CONTROL VALVE AND PLUMBI
001 NG
D FOR FIFTH WHEEL

579- D LH FIFTH WHEEL RELEASE
005

591- D NO FIFTH WHEEL ADD-ONS
998

581- D NO FIFTH WHEEL RAMP
998

FUEL TANK(S) & EQUIPMENT

206- D 100 GALLON/378 LITER ALUMINUM FUEL TANK F 105 R 20
156 D - RH

201- D NO RH AUXILIARY FUEL TANK
998

204- D 140 GALLON/529 LITER ALUMINUM FUEL TANK F 30
161

	D	- LH	
200-998	D	NO LH AUXILIARY FUEL TANK	
203-074	D	80 GALLON ALUMINUM HYDRAULIC RESERVOIR,	F 65 R 60
	D	RH WITH 1-1/4 INCH NPT TOP AND BOTTOM EN	
	D	D FITTINGS	
218-006	D	25 INCH DIAMETER FUEL TANK(S)	
20G-998	D	NO LH ADDITIONAL FUEL TANK BRACKET(S)	
20H-998	D	NO RH ADDITIONAL FUEL TANK BRACKET(S)	
215-007	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRA	
	D	U	
	D	LIC TANK(S) WITH POLISHED STAINLESS STEE	
	D	L BANDS	
212-008	D	FUEL TANK(S) AFT	
232-998	D	NO ADDITIONAL FUEL PROVIDED	
664-001	D	PLAIN STEP FINISH	
207-998	D	NO FUEL TANK SCREENS	
205-001	D	FUEL TANK CAP(S)	
220-998	D	NO FUEL HEATER	
122-998	D	NO FUEL/WATER SEPARATOR	
216-020	D	EQUIFLO INBOARD FUEL SYSTEM	
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL	
	D	L	
	D	INE	
213-998	D	NO FUEL LINE INSULATION	
221-998	D	NO FUEL COOLER	
		TIRES	
093-1RM	D	MICHELIN X WORKS Z 12R22.5 16 PLY RADIAL	F 76
	D	FRONT TIRES	

094-0GK	D	MICHELIN XDN2 11R22.5 14 PLY RADIAL REAR	R 15
	D	TIRES	2
095-998	D	NO PUSHER/TAG TIRES	
		HUBS	
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT H	
	D	U	
	D	BS	
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HU	
	D	B	
	D	S	
449-998	D	NO PUSHER OR TAG HUBS	
		WHEELS	
502-356	D	ALCOA ULTRA ONE 89U64X 22.5X9.00 10-HUB	F -28
	D	PILOT 5.99 INSET ALUMINUM FRONT WHEELS	
505-1EF	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	R -
	D	LOT ALUMINUM DISC REAR WHEELS	200
509-998	D	NO PUSHER/TAG DISC WHEELS	
511-998	D	NO SPARE WHEEL	
51A-998	D	NO ADDITIONAL SPARE WHEEL	
524-001	D	POLISHED FRONT WHEELS; OUTSIDE ONLY	
525-001	D	POLISHED REAR WHEELS; OUTSIDE OF OUTER W	
	D	HEELS ONLY	
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE	
	D	ELS	
52L-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE	
	D	AN BUFF OR BRUSHED FINISH SPARE WHEEL	
52M-001	D	FRONT TIRE/DISC WHEEL STATIC BALANCING W	
	D	ITH LEAD-FREE WEIGHTS	
498-011	D	NYLON WHEEL GUARDS FRONT AND REAR ALL I	
		N	

	D	TERFACES CAB EXTERIOR				
829-057	D	122 INCH BBC ALUMINUM CONVENTIONAL CAB				
653-004	D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP				
651-004	D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP				
062-998	D	NO EXTERIOR FITOUT PACKAGE				
682-025	D	48 INCH MID-ROOF SLEEPER CAB	F	180	R	24
784-998	D	NO AIR SHIELD OR BRACKETS				
783-006	D	CAB/SLEEPER SIDE EXTENDERS - 102 INCH, 1	F	15	R	20
	D	8/0				
782-998	D	NO FRAME SIDE FAIRINGS				
704-016	D	22 INCH LH AND RH BAGGAGE DOORS WITH INT				
	D	ERIOR PULL CABLE				
650-051	D	SEVERE DUTY VOCATIONAL AIR CAB MOUNTS				
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIN				
	D	D GR				
	D	ILLE				
695-998	D	NO SLEEPER DOOR				
667-001	S	FRONT FENDERS				
754-998	D	NO FENDER EXTENSION				
678-021	D	LH AND RH EXHAUST MOUNTED EXTERIOR GRA				
	D	B				
	D	HANDLES WITH INTERIOR GRAB HANDLES				
645-003	D	BRIGHT FINISH BEZEL WITH STYLIZED TILT H				
	D	ANDLE				
646-006	D	STAINLESS STEEL GRILLE				
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE				
644-	D	FIBERGLASS HOOD WITH REINFORCED FENDERS				

068				
652-025	D	122SD NAMEPLATE		
690-010	D	ENGINE COMPARTMENT PREMIUM NOISE ABATE ME		
	D	NT AND INSULATION		
727-069	D	FOUR 29 INCH RECTANGULAR POLISHED ALUMI N	F	12
	D	UM AIR HORNS		
726-001	D	SINGLE ELECTRIC HORN		
728-004	D	FOUR HORN SHIELDS		
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED TH E		
	D	SAME WITH (4) KEYS		
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME		
327-998	D	NO OTHER LIGHTS		
312-050	D	HALOGEN COMPOSITE HEADLAMPS		
302-054	D	FREIGHTLINER LED MARKER LIGHTS INTEGRAL WITH EXTERIOR SUN VISOR		
305-030	D	LED ACCENT LIGHTS ON HOOD AIR INTAKES AN D LOWER EDGE OF CAB AND SLEEPER	F	15
314-006	D	CUSTOMER FURNISHED ROADLAMPS - WIRING, S WITCH AND BRACKETS (IF APPLICABLE) ONLY		
315-998	D	NO FOG LIGHTS		
311-003	D	DAYTIME RUNNING LIGHTS WITH ROCKER/TOGG L		
	D	E MOMENTARY INTERRUPTER SWITCH		
316-998	D	NO SPOTLIGHTS		
294-050	D	FREIGHTLINER FLANGE MOUNTED LED STOP/TAI L/TURN/BACKUP LIGHTS BY TRUCK-LITE	R	5
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS		
318-059	D	(2) FLUSH UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER AND (2) CHROME SWIVEL UTILI	F	12

	D	TY LIGHTS MOUNTED LH AND RH HIGH OUTBOA	
	D	R	
	D	D ON SIDE EXTENDERS	
596-998	D	NO LOAD LOCK CARRIERS	
744-1DT	D	DUAL BRIGHT FINISH HEATED AERODYNAMIC M	F 20
	D	I	
	D	RRORS WITH INTEGRAL CONVEX, LIGHTS AND D	
	D	UAL AXIS LH AND RH REMOTE	
797-001	D	DOOR MOUNTED MIRRORS	
796-001	D	102 INCH EQUIPMENT WIDTH	
743-209	D	LH AND RH CONVEX MIRRORS INTEGRAL WITH	
	D	P	
	D	RIMARY MIRRORS	
74A-001	D	RH DOWN VIEW MIRROR	
74B-998	D	NO AUXILIARY MIRROR	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-002	D	REAR REFLECTIVE DEVICE	
677-054	D	RH AFTERTREATMENT SYSTEM CAB ACCESS WIT	
	D	H	
	D	PLAIN DIAMOND PLATE COVER	
776-004	D	(2) PAINTED SLEEPER VENTS, LH AND RH	
764-020	D	STAINLESS STEEL EXTERIOR SUN VISOR WITH	F 16
	D	INTEGRAL MARKER LIGHTS	
768-998	D	NO REAR WINDOW	
661-006	D	TINTED DOOR GLASS	
654-011	D	RH AND LH ELECTRIC POWERED WINDOWS	
766-998	D	NO FRONT ROOF WINDOW	
767-	D	NO SIDE WINDOW	

998			
769-998	D	NO LOWER DOOR WINDOW	
663-014	D	2-PIECE TINTED CURVED BONDED WINDSHIELD	
659-007	D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR	
647-998	D	NO WINTERFRONT CAB INTERIOR	
707-1BU	D	GRAPHITE BLACK CHAPARRAL VINYL INTERIOR	
70K-001	D	CLASSIC SLATE GRAY HARD TRIM	
706-047	D	LH DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE	
708-047	D	RH DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE	
772-022	D	CAB BLACK FLOOR MATS WITH PREMIUM NOISE ABATEMENT AND INSULATION	
773-010	D	BLACK FLOOR MATS WITH PREMIUM NOISE ABATEMENT AND INSULATION IN SLEEPER	F 10
771-014	D	FULL UNDER BUNK/BAGGAGE COMPARTMENT LINE WITH BLACK MATS, PREMIUM NOISE ABATEMENT/INSULATION AND REMOVABLE PARTITIONS	
785-007	D	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE	
637-998	D	NO STORAGE-CAB INT,LH WALL,LOWER	
639-998	D	NO STORAGE-CAB INT, RH WALL, LOWER	
636-998	D	NO STORAGE-CAB INT,LH WALL,UPPER	
638-998	D	NO STORAGE-CAB INT,RH WALL,UPPER	
691-	D	FORWARD ROOF MOUNTED CONSOLE WITH DOOR	

006		RS		
	D	RH AND LH		
694-998	D	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE		
696-998	D	NO REAR FLOOR STORAGE		
692-998	D	NO STORAGE INTERIOR, REAR		
693-025	D	LH AND RH DOOR MAP POCKETS		
741-003	D	CLOTHES ROD IN SLEEPER		
826-011	D	35 INCH WIDE LIFTABLE LOWER BUNK		
745-998	D	NO UPPER BUNK		
666-001	D	LOWER BUNK RESTRAINT		
738-002	D	DIGITAL FLUSH MOUNTED ALARM CLOCK IN SLEEPER		
	D	EPER		
742-030	D	(3) CUP HOLDERS, LH, CENTER AND RH DASH		
680-024	D	AGATE/SLATE GRAY WING DASH		
718-998	D	NO SLEEPER FAN		
716-998	D	NO WINDSHIELD FAN		
720-002	D	2-1/2 LB. FIRE EXTINGUISHER	F	5
714-001	D	FIRST AID KIT	F	2
700-014	D	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL		
	D			
701-002	D	HVAC DUCTING WITH MAIN FRESH AIR FILTER		
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	D			
689-003	D	AUXILIARY HEATER/AIR CONDITIONER WITH CO		

	D	INSTANT OUTLET TEMPERATURE CONTROL	
69M-998	D	NO MODULE 69M CONTENT	
170-012	D	STANDARD PLUMBING WITH INSULATED AUXILIARY HEATER PLUMBING UNDER CAB DECK ONLY	
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR	
698-001	D	RADIATOR MOUNTED AIR CONDITIONER CONDENSER	
702-002	D	BINARY CONTROL, R-134A	
739-022	D	CAB AND SLEEPER PREMIUM NOISE ABATEMENT AND INSULATION	
285-001	D	AUTOMATIC SELF-RESET CIRCUIT BREAKERS	
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM	
322-011	D	DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS	
324-1A3	D	DOOR ACTIVATED DOME/RED MAP LIGHTS LH AND RH OVERHEAD, COURTESY LIGHTS IN EACH DOOR AND FOOT WELL LIGHTS LH AND RH WITH DASH SWITCH	
325-036	D	(1) DOME LIGHT AND (1) READING LIGHT WITH DASH AND BUNK SWITCHES	
655-005	D	LH AND RH ELECTRIC DOOR LOCKS	
740-020	D	80X34X8 INCH QUILTED SPRING MATTRESS IN SLEEPER	F 25 R 25
284-033	D	(2) 12 VOLT POWER OUTLETS IN SLEEPER PANEL AND RH LOWER B-PILLAR COVER	
337-998	D	NO AC 120V CAB WIRING AND AC OUTLET	
710-998	D	NO CAB PRIVACY CURTAIN	

719-998	D	NO REFRIGERATOR		
722-006	D	TRIANGULAR REFLECTORS WITHOUT FLARES MOUNTED IN RH BAGGAGE COMPARTMENT	F	10
756-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER	F	40
760-1DC	D	BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT		
757-998	D	NO SEAT SKIRT(S)		
759-007	D	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	F	4
758-022	D	BLACK MORDURA CLOTH DRIVER SEAT COVER		
761-023	D	BLACK MORDURA CLOTH PASSENGER SEAT COVER		
763-011	D	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS		
725-998	D	NO SUPPLEMENTAL RESTRAINT SYSTEM		
709-006	D	SLEEPER CURTAIN		
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-016	D	18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL		
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS		
870-002	D	BRIGHT ARGENT FINISH GAUGE BEZELS		
732-046	D	BANDON DRIFTWOOD DRIVER INSTRUMENT PANEL		
734-046	D	BANDON DRIFTWOOD CENTER INSTRUMENT PANEL		
486-	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD		

001	D	IBLE ALARM	
838-998	D	NO AIR APPLICATION GAUGE	
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES	
198-002	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR	
	D	WITH GRADUATIONS	
721-001	D	97 DB BACKUP ALARM	R 3
149-017	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)	
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY	
811-040	D	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, WHITE FACE GAUGES, DIAGNOSTICS AND DATA LINKED	
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH	
844-001	D	2 INCH ELECTRIC FUEL GAUGE	
845-011	D	FUEL FILTER RESTRICTION INDICATOR	
148-085	D	EMISSIONS LIMITED IDLE ADJUST	
163-998	D	NO ENGINE OPT/RPM CONTROLS WIRING	
87L-998	D	NO REMOTE ENGINE CONTROL-ENABLE	
866-998	D	NO AXLE TEMPERATURE GAUGE	
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE	
864-	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	

001			
	D	E	
867-	D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR D	
004	D	I	
	D	SPLAY IN DRIVER MESSAGE CENTER	
830-	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
017	D	HIN DRIVER DISPLAY	
438-	D	NO HUBODOMETER	
998			
372-	D	CUSTOMER FURNISHED AND INSTALLED PTO CO	
051	D	N	
	D	TROLS	
736-	D	NO OBSTACLE DETECTION SYSTEM	
998			
49B-	D	NO VEHICLE STABILITY ADVISOR OR CONTROL	
998			
73B-	D	NO LANE DEPARTURE WARNING SYSTEM	
998			
852-	D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
002			
679-	D	OVERHEAD INSTRUMENT PANEL	
001			
786-	D	NO POSITIONING/LOCATING SYSTEM	
998			
78A-	D	NO POSITION/COMMUNICATION ACCESSORY	
998			
789-	D	NO TELEPHONE	
998			
858-	D	NO PYROMETER	
998			
746-	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLA	F 10
1B4	D	YE	
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU	
	D	XILIARY INPUTS, J1939	
747-	D	DASH MOUNTED RADIO	
001			
750-	D	(4) RADIO SPEAKERS: (1) COAXIAL IN EACH	
007	D	DOOR AND (2) COAXIALS IN SLEEPER	
753-	D	NO AM/FM RADIO ANTENNA	
998			
748-	D	COBRA 29NW LTD CLASSIC FACTORY INSTALLED F	5
014			

	D	CB RADIO
749-012	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
	D	WITH MODIFIED FACE PLATE
752-018	D	MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNTED ANTENNA SYSTEM
737-998	D	NO TELEVISION ANTENNA/PROVISION
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER
817-001	D	STANDARD VEHICLE SPEED SENSOR
812-001	D	ELECTRONIC 3000 RPM TACHOMETER
813-1B4	D	VT-HU CONNECTIVITY PLATFORM HARDWARE
8D1-002	D	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS)FOR VT-HU CONNECTIVITY PLATFORM
8Z1-998	D	NO ZONAR SERVICES SELECTED
80K-998	D	NO SHUTDOWN OVERRIDE
80L-998	D	NO REGEN SYSTEM TAILORING
80M-998	S	NO ALTERNATE PTO SPEED
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP
329-006	D	ONE EXTRA SWITCH IN DASH WITH INDICATOR LAMP AND WIRE TO CHASSIS AT BACK OF CAB/

	D	SLEEPER
482-001	D	BW TRACTOR PROTECTION VALVE
883-001	D	TRAILER HAND CONTROL BRAKE VALVE
842-001	D	2 INCH TURBO AIR PRESSURE GAUGE
841-998	D	NO FUEL VACUUM GAUGE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-003	D	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS
882-004	D	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-005	D	GROTE TURN SIGNAL SWITCH WITH DIMMER
298-045	D	12 BULB 25 AMP HEAVY DUTY ELECTRONIC FLASHER
869-998	D	NO MISCELLANEOUS GAUGES
065-000	D	PAINT
980-3F8	D	PAINT: ONE SOLID COLOR
	D	CAB COLOR A: N0225EA
	D	WHITE ELITE SS
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
987-998	D	NO CHASSIS SIDE FAIRING PAINT
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-998	D	PAINT-RR WHEEL COLOR: NONE
96E-	D	NO PUSHER/TAG WHEEL PAINT

998		
96F-998	D	NO SPARE WHEEL PAINT
964-998	D	NO BUMPER PAINT
976-998	D	NO EXTERIOR SUNVISOR PAINT
963-998	D	NO UNDERCOAT
		ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VICE PDI INSPECTION
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
999-998	D	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
MWF-003	S	DETROIT FRONT AXLE COVERAGE, VOCATIONAL
	S	3 YEAR/300,000 MILES/480 000 KILOMETERS
WAI-1BT		EW4: DD15 VOC \$0 DED 5 YEARS/500,000 MIL ES/805,000 KM FULL COVERAGE. FEX APPLIES
WAG-010		TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND ED TOWING COVERAGE \$550 CAP FEX APPLIES
P28-1AC	001	AIR CONDITIONING TAX
RTA-001	001	ONTARIO TIRE STEWARDSHIP FEE
PMU-017		2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR
P73-1FT	001	STANDARD DESTINATION CHARGE X EXCHANGE

