

3385

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
			PRICE LEVEL INFORMATION		
PRL-16K		001	NEW CASCADIA PRL-16K (EFF:4/25/17)		
			GENERAL APPLICATION INFORMATION		
AA1-001	D		TRACTOR/TRAILER CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-005	D		LINEHAUL/LONG HAUL SERVICE		
A84-1GF	D		GENERAL FREIGHT BUSINESS SEGMENT		
AA3-998	D		NO BODY SPECIFIED		
AA2-001	D		VAN TRAILER		
AH6-001	D		SINGLE (1) TRAILER		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D		ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D		D SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-001	D		GENERAL FREIGHT COMMODITY		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	13220	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	53220	LBS
A70-99D	D		EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	97.244	IN

A79-99D	S	EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
A78-99D	S	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	S	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	12	IN
AM5-99D	S	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	71.491	IN
AL9-99D	S	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	69	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	92.569	MPH
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.846	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.416	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-1.184	IN
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	13220	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	53220	LBS
		BASE MODEL		
001-234 D		NEW CASCADIA 126 INCH SLEEPERCAB	F 9765	R 7724
004-218 D		2018 MODEL YEAR SPECIFIED		
024-010 D		ELITE EXTERIOR APPEARANCE PACKAGE		
028-998 D		NO OPTIMIZED POWER TRAIN PACKAGE		
066-040 D		AERO-X PACKAGE, 72 INCH RAISED ROOF SLEE		
	D	PERCAB		
995-1AD	D	FREIGHTLINER LEVEL I WARRANTY		
AF3-2CR	D	TRACTOR ONLY WITH NO BODY UPFIT		
002-002 D		SET BACK AXLE - TRACTOR		
019-998 D		NO TRUCK PROVISION PACKAGE		
003-001 D		LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2YH	D	DETROIT DD15 14.8L 505 HP @ 1625 RPM, 19		

D 00 GOV RPM, 1650 LB/FT @ 975 RPM
 99C-017D 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F
 D INAL GHG17 CONFIGURATION
 99Z-004 S VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D
 S OES NOT HAVE REGULATORY VEHICLE SPEED LI
 S MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN
 S (AES)
 99D-009D 2008 CARB EMISSION CERTIFICATION - CLEAN
 D IDLE (INCLUDES 6X4 INCH LABEL ON LEFT S
 D IDE OF HOOD)
 992-001 S 50 STATE EMISSIONS CERTIFICATION
 28F-014 D ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
 D OVER THE ROAD REGENERATION AND VIRTUAL R
 D EGENERATION REQUEST SWITCH IN CLUSTER
 79A-065D 65 MPH ROAD SPEED LIMIT
 79B-006D CRUISE CONTROL SPEED LIMIT SAME AS ROAD
 D SPEED LIMIT, WITH AUTO RESUME AFTER SHIF
 D T
 79C-998D NO DRIVER FUEL ECONOMY INCENTIVE
 79D-100D 1600 RPM LIMIT FOR LOW GEARS, 1700 RPM L
 D IMIT FOR MIDDLE GEARS, 1900 RPM LIMIT FO
 D R HIGH GEARS
 79E-998 D NO LOW RANGE TORQUE PROTECT
 79F-998 D NO FLEET MANAGEMENT
 79G-006D 5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND
 D SERVICE BRAKE OVERRIDE
 79J-998 D NO PTO SHUTDOWN CONFIGURATION
 79K-998D NO PTO MODE ENGINE RPM LIMIT, PTO 1
 79L-998 D PTO MODE THROTTLE OVERRIDE DISABLED
 79M- D PTO MODE BRAKE OVERRIDE - DISABLED
 998
 79N-998D NO PTO MODE CLUTCH OVERRIDE
 79P-998 D NO PTO RPM WITH CRUISE SET SWITCH
 79Q-998D NO PTO RPM WITH CRUISE RESUME SWITCH
 79R-998D NO PTO MODE COOLING FAN
 79S-998 D NO PTO MODE CANCEL VEHICLE SPEED
 79T-998 D NO PTO MODE RPM INCREMENT
 79U-998D NO PTO GOVERNOR RAMP RATE
 79V-998D NO PTO MODE DPF REGEN
 79W- D REMOTE PTO DISABLED
 998
 79X-998D NO PTO 1 SET SPEED
 79Y-998D NO PTO 2 SET SPEED
 79Z-998 D NO PTO 3 SET SPEED
 80A-998D NO ALTERNATE ROAD SPEED LIMIT
 80B-998D NO CHECK ENGINE LIGHT ON OVERSPEED

80C-012D	ENGINE BRAKE WITH GLOBAL CRUISE CONTROL			
D	ENABLED			
80D-998D	NO SOFT CRUISE CONTROL			
80E-998D	NO ENGINE FAN WITH RETARDER			
80F-998D	NO MAINTENANCE MONITOR			
80G-998D	NO PTO MINIMUM RPM			
80H-998D	NO ACCELERATION MANAGEMENT			
80J-998D	NO REGEN INHIBIT SPEED THRESHOLD			
80R-000S	DRIVELINE TORQUE PROTECTION - ENABLED			
84N-998D	NO TCU-ENGINE LOAD REDUCTION FUNC			
85E-998D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT			
D	CONFIGURED			
85F-998D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C			
D	ONFIGURED			
85G-998D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT			
D	NOT CONFIGURED			
85J-004 C003	REVERSE GEAR RANGE LIMITED TO 2ND GEAR			
	ENGINE EQUIPMENT			
13E-001D	STANDARD OIL PAN			
105-001D	ENGINE MOUNTED OIL CHECK AND FILL			
104-998D	NO ENGINE OIL DRAIN/SAMPLE			
133-004D	ONE PIECE VALVE COVER			
014-1CTD	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE			
D	MOUNTED AIR CLEANER			
124-1E7D	DR 12V 275 AMP 40-SI BRUSHLESS PAD ALTER	F	10	
D	NATOR WITH REMOTE BATTERY VOLTAGE SENSE			
292-144D	(4) NORTHSTAR ULTRA HIGH PERFORMANCE ABS	F	43	R 42
D	ORBED GLASS MAT NSB-AGM31, GROUP 31, 12			
D	VOLT 4600 CCA THREADED STUD BATTERIES, D			
D	TNA WARRANTY INCLUDED			
29H-006D	(4) NORTHSTAR ULTRA HIGH PERFORMANCE ABS			
D	ORBED GLASS MAT NSB-AGM31, GROUP 31, 12			
D	VOLT 4600 CCA THREADED STUD AUXILIARY BA			
D	TTERIES, DTNA WARRANTY INCLUDED			
290-1D3D	STEEL BATTERY BOX WITH ENCLOSED TRAY			
29G-001D	PLASTIC AUXILIARY BATTERY BOX MOUNTED BE			
D	TWEEN RAILS			
282-001D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE			
D	UNDER CAB			
29E-001D	AUXILIARY BATTERY BOX(ES) MOUNTED IN RAI			
D	L BACK OF CAB			
291-017D	WIRE GROUND RETURN FOR BATTERY CABLES WI			
D	TH ADDITIONAL FRAME GROUND RETURN			
289-006D	PLASTIC BATTERY BOX COVER			
29F-001D	PLASTIC AUXILIARY BATTERY BOX COVER			
293-058D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8	

D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER
D	SEAT
295-998 D	NO JUMPSTART POST
306-015 D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12
D	.3 VOLTS FOR DESIGNATED CIRCUITS
28E-001 S	12V POWERNET ARCHITECTURE
80X-998S	NO BATTERY MANAGEMENT SYSTEM
180-1APD	DETROIT HEAVY DUTY AUTOMATED MANUAL TRAN
D	SMISSION CLUTCH
183-998 D	NO CLUTCH BRAKE
181-998 D	NO CLUTCH RELEASE BEARING LUBE
107-044 D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER
D	AIR COMPRESSOR WITH SAFETY VALVE
108-002 D	STANDARD MECHANICAL AIR COMPRESSOR GOVER
D	NOR
131-013 D	AIR COMPRESSOR DISCHARGE LINE
152-041 D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT
D	ECTION SYSTEM
128-002 D	JACOBS COMPRESSION BRAKE
016-1C3D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL
D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH
D	HORIZONTAL TAILPIPE
239-001 D	STANDARD EXHAUST SYSTEM LENGTH
233-998 D	NO EXHAUST BRIGHTWORK (PLAIN)
237-052 D	RH STANDARD HORIZONTAL TAILPIPE
23U-003D	23 GALLON DIESEL EXHAUST FLUID TANK
43W-	
001 S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO
S	LANT PLUMBING
30N-003D	100 PERCENT DIESEL EXHAUST FLUID FILL
23Z-998 D	NO DIESEL EXHAUST FLUID TANK COVER
43Y-001D	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-998 D	NO MUFFLER/TAILPIPE SHIELD
273-058 D	AIR POWERED ON/OFF ENGINE FAN CLUTCH
276-001 D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
D	H, NON ENGINE MOUNTED
110-068 D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/
D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL
D	INDICATOR
114-998 D	NO BYPASS OIL FILTER
118-001 D	FULL FLOW OIL FILTER
120-998 D	NO COOLANT FILTER
165-998 D	NO OIL LEVEL REGULATOR/RESERVOIR
266-1C1D	1400 SQUARE INCH FUEL ECONOMY RADIATOR
103-040 D	ANTIFREEZE TO -60F, OAT (NITRITE AND SIL
D	ICATE FREE) EXTENDED LIFE COOLANT

171-007 D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV		
D	ALENT		
172-001 D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT		
D	HOSES		
270-019 D	HDEP VARIABLE SPEED COOLANT PUMP AND RAD		
D	IATOR DRAIN VALVE		
168-002 D	LOWER RADIATOR GUARD	F	5
360-998 D	NO FRONT ENGINE PTO		
361-998 D	NO REAR ENGINE PTO		
138-005 D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
D	HEATER		
141-998 D	NO COOLANT HEATER - GAS/DSL		
166-998 D	NO OIL PREHEATER		
140-022 D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
D	UNDER LH DOOR		
134-001 D	ALUMINUM FLYWHEEL HOUSING		
155-074 D	DELCO 12V MOD 3.175-39MT+ OCP STARTER WI		
D	TH THERMAL PROTECTION AND INTEGRATED MAG		
D	NETIC SWITCH		
106-002 D	ELECTRONIC ACCELERATOR CONTROL		
	TRANSMISSION & EQUIPMENT		
342-2AU	D	DT12-1650-DH1 HEAVY DUTY 12-SPEED DIRECT	
	D	DRIVE AUTOMATED MANUAL TRANSMISSION	
343-2BH	H002	DT12 ECONOMY PACKAGE: ECONOMY ONLY, NO I	
	H	CU CONTROL MENUS, NO KICKDOWN	
	002	FOR IDENTICAL FUNCTION OF 343-2BJ, PLEAS	
		E SELECT 343-2BH AND84D-007.	
84B-998D		NO TCU-VOCATIONAL RATING	
84C-998D		NO TCU-PRIMARY MODE: GEARS	
84D-007H002		12 FORWARD GEARS SELECTABLE DT12 MANUAL	
	H	MODE	
	002	FOR IDENTICAL FUNCTION OF 343-2BJ, PLEAS	
		E SELECT 343-2BH AND84D-007.	
97G-998D		NO TRANSMISSION PROGNOSTICS	
34C-998D		NO AUX/ACC TRANSMISSION WIRING	
345-078 D		HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT	
D		CONTROL, COLUMN MOUNTED	
347-002 D		ALUMINUM CLUTCH HOUSING	
370-002 D		AIR TO OIL TRANSMISSION COOLER	F 15
346-998 D		NO TRANSMISSION OIL CHECK AND FILL	
368-998 D		NO EXTERNAL TRANSMISSION OIL FILTER	
35T-003 D		SYNTHETIC TRANSMISSION LUBE	
341-017 D		MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI	
D		ON FILL AND DRAIN, AXLE(S) FILL AND DRAI	

D	N	
362-998 D	NO MAIN TRANSMISSION MOUNTED PTO	
363-998 D	NO PTO MOUNTING LOCATION SPECIFIED	
	FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A7D	DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI	
D	/3.74 DROP SINGLE FRONT AXLE	
402-084 D	MERITOR 16.5X5 Q+ STAMPED SPIDER CAM FRO	
D	NT BRAKES, DOUBLE ANCHOR, FABRICATED SHO	
D	ES	
403-043 D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINI	
D	NG	
419-023 D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-001 D	FRONT BRAKE DUST SHIELDS	F 5
409-006 D	FRONT OIL SEALS	
408-001 D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
D	R AND SIDE PLUGS - OIL	
416-022 D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2 S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002 D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
40P-998 D	NO FRONT AXLE ACCESSORIES	
536-050 D	TRW THP-60 POWER STEERING	
537-005 S	STEEL STEERING SHAFT	
539-003 D	POWER STEERING PUMP	
534-015 D	2 QUART SEE THROUGH POWER STEERING RESER	
D	VOIR	
533-998 D	NO POWER STEERING OIL COOLER	
40T-002 D	SYNTHETIC 75W-90 FRONT AXLE LUBE	
620-1D8D	13,300# TAPERLEAF FRONT SUSPENSION	F 10
619-005 D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT	
D	SUSPENSION	
410-001 D	FRONT SHOCK ABSORBERS	
	REAR AXLE, SUSPENSION & EQUIPMENT	
420-1T8 D	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIE	
D	S TANDEM REAR AXLE	
421-241 D	2.41 REAR AXLE RATIO	
424-003 D	IRON REAR AXLE CARRIER WITH OPTIONAL HEA	R 30
D	VY DUTY AXLE HOUSING	
42T-001 D	STANDARD REAR AXLE BREATHER(S)	
386-044 D	RPL25 MERITOR MAIN DRIVELINE	
388-039 D	RPL20 MERITOR INTERAXLE DRIVELINE	
393-998 D	NO DRIVELINE GUARD	
452-998 D	NO TRACTION EQUALIZER	
878-019 D	(1) INTERAXLE LOCK VALVE FOR TANDEM OR T	
D	RIDEM DRIVE AXLES	
87A-013D	INDICATOR LIGHT AND BUZZER FOR EACH INTE	
D	RAXLE LOCKOUT SWITCH WITH IAD FEEDBACK	

87B-998 D	NO DIFFERENTIAL LOCK WIRING/LOGIC		
423-008 D	MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM		
D	REAR BRAKES, DOUBLE ANCHOR, FABRICATED S		
D	HOES		
433-043 D	2011/2013-FMVSS 121 RSD REAR BRAKE LININ		
D	GS		
434-005 D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE		
D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT		
D	BRACKETS		
451-023 D	CONMET CAST IRON REAR BRAKE DRUMS		
425-002 D	REAR BRAKE DUST SHIELDS	R	10
440-006 D	REAR OIL SEALS		
426-112 D	WABCO TRISTOP-D LONGSTROKE 30/36 2-DRIVE	R	20
D	AXLE SPRING PARKING CHAMBERS		
428-002 D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-006 D	FE 75W-85 REAR AXLE LUBE		
622-219 D	AIRLINER 40,000# EXTRA DUTY REAR SUSPENS	R	160
D	ION WITH CHAIN CLEARANCE		
621-007 D	AIRLINER HIGH POSITION RIDE HEIGHT		
431-004 D	WELDED AXLE SEATS SUPPLIED ON REAR AXLE	R	40
624-025 D	55 INCH AXLE SPACING		
628-998 D	NO SUSPENSION BEAMS		
888-048 D	MANUAL DUMP VALVE FOR AIR SUSPENSION WIT		
D	H GAUGE		
87D-007D	INDICATOR LIGHT AND BUZZER FOR EACH REAR		
D	SUSPENSION CONTROL SWITCH		
910-001 D	SINGLE AIR REAR SUSPENSION LEVELING VALV		
D	E		
923-004 D	DEDICATED PATHWAY, HIGH COMPLEXITY ROUTI		
D	NG AND CLIPPING		
623-002 D	TRANSVERSE CONTROL RODS		
439-005 D	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM		
D) (AIR RIDE SUSPENSION)		
035-998 D	NO DEAD AXLE PACKAGE		
443-998 D	NO PUSHER OR TAG AXLE		
456-998 D	NO PUSHER/TAG BRAKES		
457-998 D	NO BRAKE LINING-PUSHER/TAG(SCO)		
448-998 D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA		
D	G		
429-998 D	NO PUSHER/TAG BRAKE DUST SHIELDS		
442-998 D	NO PUSHER OR TAG OIL SEALS		
444-998 D	NO PUSHER OR TAG HUB CAPS		
445-998 D	NO PUSHER OR TAG BRAKE CHAMBERS		
458-998 D	NO PUSHER/TAG SLACK ADJUSTERS		
626-998 D	NO PUSHER OR TAG SUSPENSION		
627-998 D	NO PUSHER/TAG AXLE SPACING		

874-998	D	NO PUSHER/TAG AXLE LIFT
87F-998	D	NO LIFT AXLE WIRING/LOGIC
896-998	D	NO PLUMBING FOR LIFT AXLE BRAKE SYSTEM
490-1AW	D	WABCO 6S/6M ABS WITH HILL START AID AND AUTOMATIC TRACTION CONTROL WITH ATC SHUT OFF SWITCH
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	D	FIBER BRAID PARKING BRAKE HOSE
412-001	D	STANDARD BRAKE SYSTEM VALVES
413-002	D	STD U.S. FRONT BRAKE VALVE
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-083	D	WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER
479-015	D	AIR DRYER FRAME MOUNTED
483-004	D	WABCO OIL COALESCING FILTER FOR AIR DRYER
460-001	D	STEEL AIR BRAKE RESERVOIRS
46A-040D	D	(1) 700 CUBIC INCH ALUMINUM TRANSMISSION AIR TANK, INLET CHECK VALVE
607-998	D	CHASSIS CONFIGURATION - NONE
46D-002S	S	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)
485-998	D	NO EXTERNAL CHARGING GLADHAND
481-003	D	12 FOOT STRAIGHT TRAILER AIR HOSE
476-052	D	36 INCH STAINLESS STEEL SLIDE BAR WITH (2) SPRING TYPE AIR HOSE HANGERS
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM
484-032	D	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH G ROUND ACCESS
296-010	D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S EPARATE STOP/TURN, ABS CENTER PIN POWERE D THROUGH IGNITION
297-027	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC EPTACLE MOUNTED LOWER LH BACK OF CAB
32A-007S		SIGNAL DETECTION AND ACTUATION MODULE
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE

303-998 D	NO ADDITIONAL TRAILER CABLE RECEPTACLE			
30K-998D	NO HIGH CURRENT RECEPTACLE/WIRING			
30L-998 D	NO HIGH CURRENT TRAILER/BODY CABLE			
334-998 D	NO ADDITIONAL SUPPLEMENTAL 7-WAY			
D	TRAILER CABLE RECEPTACLE			
310-002 D	12 FOOT DETACHABLE STRAIGHT PRIMARY TRAI			
D	LER ELECTRICAL CABLE WITH SAE J560 CONNE			
D	CTOR			
309-998 D	NO SUPPLEMENTAL TRAILER ELEC CABLE			
	FRAME & WHEELBASE			
545-597 D	5975MM (235 INCH) WHEELBASE			
546-1C2D	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.	F	120	R 30
D	31X3.46X11.06 INCH) 120 KSI			
547-998 D	NO INNER FRAME REINFORCEMENT			
552-017 H004	1475MM (58 INCH) REAR FRAME OVERHANG			
004	New Cascadia with wheel fairings and air			
	liner suspension requires 58"overhang			
AB8-				
99D	S CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.337		%
553-002 D	FLANGED TAPERED END OF FRAME			
550-001 D	FRONT CLOSING CROSSMEMBER			
559-003 D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C			
D	ROSSMEMBER			
562-001 D	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
565-002 D	HEAVY DUTY SUSPENSION CROSSMEMBER			
572-001 D	STANDARD REARMOST CROSSMEMBER			
587-998 D	NO REAR TOWING DEVICE			
588-998 D	NO REAR TOW DEVICE HEIGHT			
	CHASSIS EQUIPMENT			
674-001 D	LH BACK OF CAB ACCESS			
592-056 D	35 INCH (875MM) DECK PLATE FLUSH MOUNTED	F	8	R 7
D	BETWEEN RAILS			
556-1G3D	PAINTED AERODYNAMIC BUMPER WITH CHROME O	F	32	
D	VERLAY AND ENHANCED AERODYNAMIC DEVICES			
557-998 D	NO BUMPER STEP(S)			
558-033 D	REMOVABLE FRONT TOW HOOKS STORED ON THE	F	25	
D	CHASSIS FRAME			
574-007 D	BUMPER MOUNTING FOR (3) LICENSE PLATES			
585-998 D	NO MUDFLAP BRACKETS			R -15
590-001 D	BLACK MUDFLAPS			
586-015 D	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			
576-998 D	NO TIRE CHAINS/HANGER			
551-003 D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS			
D	EXCLUDING FIFTH WHEEL			
583-074 D	PLASTIC QUARTER FENDERS WITHOUT LOGO WIT			R 25
D	H AERODYNAMIC SPOILER			

602-998 D	NO TOOL/STORAGE BOX #1				
61B-998D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION				
603-998 D	NO TOOL/STORAGE BOX #2				
61C-998D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION				
609-998 D	NO STORAGE BOX BRIGHTWORK				
599-998 D	NO AUXILIARY FUEL DRIVEN POWER UNIT				
69N-998D	NO AUXILIARY POWER UNIT PLUMBING				
600-998 D	NO CAB GUARD				
604-998 D	NO TIRE CARRIER				
489-028 D	FACTORY INSTALLED BENDIX SMARTIRE TIRE P	F	6	R	6
D	RESSURE MONITORING SYSTEM WITH WHEEL RIM				
D	MOUNTED SENSORS AND INTEGRATED IN DASH				
50W-001	BENDIX SMARTIRE TIRE PRESSURE MONITORING	F	4	R	16
D	SYSTEM WHEEL/RIM MOUNTED SENSORS, TIRE				
D	MOUNTER INSTALLED				
794-998 D	NO JACK OR WHEEL WRENCH PROVISION				
601-998 D	NO BODY BUILDER DIAGRAMS				
	FIFTH WHEEL & EQUIPMENT				
578-1JF D	HOLLAND FW35 ILS 12.0 INCH AIR SLIDE FIF			R	5
D	TH WHEEL - 2 INCH SLIDE INCREMENTS				
577-305 D	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF				
D	SUSPENSION CENTERLINE				
580-998 D	NO ADDITIONAL FIFTH WHEEL DRILLINGS				
582-076 D	168MM (6.62 INCH) FIFTH WHEEL HEIGHT				
A03-99D	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.036		IN	
570-001 D	OUTBOARD ANGLE - FIFTH WHEEL MOUNTING				
890-001 D	DASH MOUNTED CONTROL VALVE AND PLUMBING				
D	FOR FIFTH WHEEL				
579-005 D	LH FIFTH WHEEL RELEASE				
591-998 D	NO FIFTH WHEEL ADD-ONS				
581-998 D	NO FIFTH WHEEL RAMP				
	FUEL TANK(S) & EQUIPMENT				
206-161 D	140 GALLON/529 LITER ALUMINUM FUEL TANK	F	10	R	10
D	- RH				
201-998 D	NO RH AUXILIARY FUEL TANK				
204-161 D	140 GALLON/529 LITER ALUMINUM FUEL TANK	F	20		
D	- LH				
200-998 D	NO LH AUXILIARY FUEL TANK				
203-998 D	NO HYDRAULIC OIL TANK				
218-006 D	25 INCH DIAMETER FUEL TANK(S)				
215-005 D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU				
D	LIC TANK(S) WITH PAINTED BANDS				
212-008 D	FUEL TANK(S) AFT				
232-998 D	NO ADDITIONAL FUEL PROVIDED				

664-001	D	PLAIN STEP FINISH		
207-998	D	NO FUEL TANK SCREENS		
205-001	D	FUEL TANK CAP(S)		
210-998	D	NO FUEL TANK DRAIN VALVES		
220-998	D	NO FUEL HEATER		
122-998	D	NO FUEL/WATER SEPARATOR		
216-020	D	EQUIFLO INBOARD FUEL SYSTEM		
20E-002	D	AUXILIARY FUEL SUPPLY AND RETURN PORTS L		
	D	OCATED ON RH FUEL TANK		
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
	D	INE		
213-998	D	NO FUEL LINE INSULATION		
221-998	D	NO FUEL COOLER		
		TIRES		
093-1KK	D	MICHELIN X LINE ENERGY Z 11R22.5 16 PLY	F	10
	D	RADIAL FRONT TIRES		
094-0GU	D	MICHELIN XDN2 275/80R22.5 14 PLY RADIAL		R 88
	D	REAR TIRES		
095-998	D	NO PUSHER/TAG TIRES		
52M-998	D	NO TIRE/WHEEL BALANCING		
		HUBS		
418-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM FRON		
	D	T HUBS		
450-058	D	CONMET PRESET PLUS PREMIUM ALUMINUM REAR		
	D	HUBS		
449-998	D	NO PUSHER OR TAG HUBS		
		WHEELS		
502-1EFD	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	F	-50
	D	LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL		
	D	S		
505-1EFD	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI		R -200
	D	LOT ALUMINUM DISC REAR WHEELS		
509-998	D	NO PUSHER/TAG DISC WHEELS		
511-998	D	NO SPARE WHEEL		
524-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH FRONT WHEELS		
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH REAR WHEELS		
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
	D	ELS		
50U-011D	D	FLOW BELOW MOLD IN COLOR GRANITE GRAY AE	R	16
	D	RODYNAMIC REAR AXLE WHEEL COVERS		

496-011 D	FRONT WHEEL MOUNTING NUTS			
497-011 D	REAR WHEEL MOUNTING NUTS			
498-011 D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN			
D	TERFACES			
	CAB EXTERIOR			
829-111 D	126" BBC ALUMINUM CONVENTIONAL CAB			
825-002 S	STANDARD DENSITY COMPOSITE CAB ROOF			
653-004 D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
651-004 D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
055-012 D	ELITE COCKPIT INTERIOR APPEARANCE PACKAG			
D	E			
056-998 D	NO MAINTENANCE PACKAGE			
057-998 D	NO NEW CASCADIA SAFETY PACKAGE			
682-077 D	72 INCH RAISED ROOF SLEEPERCAB			
784-074 D	RAISED ROOF AERODYNAMIC SPOILER			
783-015 D	24 INCH CAB/SLEEPERCAB SIDE EXTENDERS WI	F	25	R 25
D	TH BLACK FLEXIBLE ENDS AND CHASSIS FAIRI			
D	NG GAP FILLER PANEL			
82A-011D	UNDER CAB VANITY PANELS			
782-026 D	PAINTED FRAME SIDE FAIRINGS TO BACK OF S	F	125	R 85
D	IDE EXTENDERS			
78H-001D	AERODYNAMIC DRIVE WHEEL FAIRINGS			R 80
770-001 D	AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS			
779-001 D	LATCHED FRONT LEFT SIDE FAIRING PANEL FO			
D	R BATTERY ACCESS			
704-037 D	LH AND RH BAGGAGE DOORS			
650-008 D	AIR CAB MOUNTING			
648-002 D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR			
D	ILLE			
695-998 D	NO SLEEPER DOOR			
678-053 D	INTERIOR GRAB HANDLES WITH ADDED LOWER L			
D	H AND RH A PILLAR GRAB HANDLES			
646-010 D	CHROME GRILLE WITH INTEGRAL SURROUND			
644-001 D	AERODYNAMIC HOOD			
65X-007D	BLACK HOOD MOUNTED AIR INTAKE GRILLE WIT			
D	H BRIGHT ACCENT			
652-026 D	NEW CASCADIA NAMEPLATE			
690-010 S	ENGINE COMPARTMENT PREMIUM NOISE ABATEME			
S	NT AND INSULATION			
727-				
1AY D	SINGLE AIR HORN UNDER LH DECK			
726-001 D	SINGLE ELECTRIC HORN			
657-				
1CV D	DOOR LOCKS AND IGNITION SWITCH KEYED THE			
D	SAME WITH (4) KEYS			
575-001 D	REAR LICENSE PLATE MOUNT END OF FRAME			

319-998 D	NO ADVERTISING LAMP		
327-998 D	NO OTHER LIGHTS		
312-075 D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
302-072 D	ROOF MOUNTED LED MARKER LIGHTS		
314-998 D	NO ROADLIGHTS		
315-070 D	LED FOG LIGHTS	F	6
311-001 D	DAYTIME RUNNING LIGHTS		
316-998 D	NO SPOTLIGHTS		
294-1A0D	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI		R 5
D	L/TURN LIGHTS WITH SEPARATE LED BACKUP L		
D	IGHTS AND SWIFT-STYLE BRACKET		
300-043 D	LED SIDE TURN SIGNAL		
318-1J0 D	(4) LED UTILITY LIGHTS: (2) SWIVEL MOUNT	F	6
D	ED LH AND RH OUTBOARD HIGH ON SIDE EXTEN		
D	DERS AND (2) FLUSH MOUNTED BACK OF CAB		
596-998 D	NO LOAD LOCK CARRIERS		
744-1E5 D	DUAL BRIGHT FINISH HEATED AERODYNAMIC MI		
D	RRORS WITH INTEGRAL CONVEX AND LH AND RH		
D	REMOTE		
797-001 D	DOOR MOUNTED MIRRORS		
796-001 S	102 INCH EQUIPMENT WIDTH		
74A-001D	RH DOWN VIEW MIRROR		
74B-1B8 D	RH AND LH HEATED BRIGHT FINISH HOOD/FEND	F	8
D	ER MOUNTED MIRRORS		
713-009 D	5X12 INCH STAINLESS STEEL PERMIT PLAQUES	F	4
729-001 D	STANDARD SIDE/REAR REFLECTORS		
73A-002D	REAR REFLECTIVE DEVICE		
787-998 D	NO SECURITY DEVICE		
677-998 D	NO CAB MOUNTED STEPS		
275-998 D	NO EMERGENCY WARNING SIRENS		
776-004 D	(2) PAINTED SLEEPER VENTS, LH AND RH		
764-998 D	NO EXTERIOR SUN VISOR		
768-998 D	NO REAR WINDOW		
661-016 D	SOLAR TINTED DOOR GLASS LH AND RH WITH T		
D	INTED FORWARD SIDE GLASS		
654-011 D	RH AND LH ELECTRIC POWERED WINDOWS		
766-998 D	NO FRONT ROOF WINDOW		
76Z-007 D	LH AND RH SOLAR TINTED AND SCREENED CRAN		
D	K OUT SLEEPER CAP WINDOWS		
767-998 D	NO SIDE WINDOW		
663-019 D	1-PIECE TINTED ROPED-IN WINDSHIELD		
659-006 D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB		
D	MOUNTED, WITH FLUID LEVEL INDICATOR		
647-001 D	WHITE WINTERFRONT	F	2
	CAB INTERIOR		

707-1D6D	SADDLE TAN UP LEVEL INTERIOR			
70K-013D	SADDLE TAN WITH OREGON ASH WOODGRAIN HAR			
D	D TRIM			
706-034 D	STANDARD LH DOOR TRIM			
708-034 D	STANDARD RH DOOR TRIM			
772-001 D	BLACK MATS			
773-019 D	CARPET IN SLEEPER AREA			
771-001 D	BLACK MATS IN BAGGAGE COMPARTMENT			
785-021 D	(2) DASH MOUNTED POWER OUTLETS, LIGHTER			
D	AND ASH TRAY			
64D-011D	SLEEPER TALL CLOSET WITH WRITING SURFACE			
D	AND UPPER STORAGE			
64E-011 D	MICROWAVE SHELF WITH UPPER STORAGE AND F			
D	ACTORY INSTALLED REFRIGERATOR			
691-006 D	FORWARD ROOF MOUNTED CONSOLE WITH DOORS	F	2	
D	RH AND LH			
696-998 D	NO REAR FLOOR STORAGE			
692-998 D	NO STORAGE INTERIOR, REAR			
693-019 D	LH AND RH DOOR STORAGE POCKETS INTEGRATE			
D	D INTO MOLDED DOOR PANELS			
741-020 D	STORAGE POCKET(S) MOUNTED INSIDE CABINET			
D	DOOR(S)			
826-012 D	40 INCH WIDE LIFTABLE LOWER BUNK			
745-005 D	UPPER CARGO SHELF	F	20	
666-005 D	TENT STYLE BUNK RESTRAINT FOR LOWER BUNK			
738-022 D	DIGITAL ALARM CLOCKS IN DRIVER DISPLAY A			
D	ND FLUSH MOUNTED IN SLEEPER			
742-998 D	NO CUP/THERMOS HOLDER			
680-036 D	WING DASH WITH E-VAULT			
718-009 D	VENT FAN IN LH LOWER SLEEPER	F	2	
720-002 D	2-1/2 LB. FIRE EXTINGUISHER	F	5	
714-001 D	FIRST AID KIT	F	2	
700-014 D	HEATER, DEFROSTER AND AIR CONDITIONER WI			
D	TH CONSTANT OUTLET TEMPERATURE CONTROL			
701-002 D	HVAC DUCTING WITH MAIN FRESH AIR FILTER			
703-005 D	MAIN HVAC CONTROLS WITH RECIRCULATION SW			
D	ITCH			
689-085 D	PARKSMART PARKED HVAC SYSTEM WITH OPTIMI	F	230	R 240
D	ZED IDLE			
69R-001 S	BERGSTROM BACKWALL MOUNTED PARKED AIR CO	F	40	R 10
S	NDITIONER CONDENSER			
170-045 D	STANDARD HEATER PLUMBING WITH BALL SHUTO			
D	FF VALVES AT SUPPLY LINES ONLY			
724-001 S	AUXILIARY HEATER PLUMBING			
130-033 D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES			
D	SOR			

698-001 D	RADIATOR MOUNTED AIR CONDITIONER CONDENSER				
702-002 D	BINARY CONTROL, R-134A				
739-034 D	PREMIUM INSULATION				
285-001 D	AUTOMATIC SELF-RESET CIRCUIT BREAKERS				
96R-002 S	STANDARD ELECTRICAL PROTECTIVE COATING, WHITE LITHIUM GREASE ON BATTERY TERMINALS AND RED ENAMEL PAINT IN ENGINE COMPARTMENT AND ON CHASSIS CONNECTIONS				
280-007 D	12V NEGATIVE GROUND ELECTRICAL SYSTEM				
322-038 D	DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED LED BAGGAGE COMPARTMENT LIGHTS				
324-1B2 D	PREMIUM LED CAB LIGHTING				
325-076 D	PREMIUM LED SLEEPER LIGHTING				
32C-998 D	NO SLEEPER/BAGGAGE LAMP WIRING				
655-005 D	LH AND RH ELECTRIC DOOR LOCKS				
64C-002 D	BRIGHT DOOR HANDLES				
740-022 D	80X39X8 INCH QUILTED SPRING MATTRESS IN SLEEPER	F	15	R	15
66W-998 D	NO ENTRANCE DOOR CONTROL				
284-1AB D	(4) 12 VOLT POWER OUTLETS; (2) IN BUNK A AND (2) IN SLEEPER PANEL				
337-018 D	AC 120 VOLT CAB WIRING AND AC OUTLET, WITH SHORE POWER AND EATON 1800 WATT PURE SINE WAVE INVERTER/CHARGER SYSTEM	F	50		
710-001 D	CAB PRIVACY CURTAIN	F	5		
719-017 D	BUILT-IN REFRIGERATOR	F	20	R	20
722-028 D	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	F	10		
756-1J7 D	ELITE 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INTEGRATED CUSHION EXTENSION, TILT,ADJUSTABLE SHOCK, MAP POCKET, HEAT & VENTILATION	F	10		
760-1J7 D	ELITE 2.0 HIGH BACK AIR SUSPENSION PASSENGER SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INTEGRATED CUSHION EXTENSION, TILT,ADJUSTABLE SHOCK,MAP POCKET,HEAT & VENTILATION	F	10		
757-002 D	BLACK SUSPENSION COVER FOR DRIVER AND PASSENGER SEATS	F	4		
759-005 D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F	8		
758-1AD D	BLACK ULTRA LEATHER DRIVER SEAT COVER				
761-1AD D	BLACK ULTRA LEATHER PASSENGER SEAT COVER				

763-1AD	D	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS WITH DRIVER SEAT BELT STATUS INDICATOR LIGHT AND AUDIBLE ALARM		
725-998	D	NO SUPPLEMENTAL RESTRAINT SYSTEM		
66Q-998	D	NO EXERCISE PROVISIONS		
71U-998	D	NO MEDICAL DEVICE		
709-006	D	SLEEPER CURTAIN		
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-070	D	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
765-021	D	DRIVER AND PASSENGER INTERIOR SUN VISORS WITH ILLUMINATED VANITY MIRRORS		
	D	CONTROLS & INSTRUMENTS		
870-001	D	BLACK GAUGE BEZELS		
734-018	D	STANDARD CENTER INSTRUMENT PANEL		
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
838-010	D	(1) TRACTOR AND (1) TRAILER BRAKE APPLICATION AIR GAUGE		
840-001	D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-003	D	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	F 2	
721-003	D	PRECO 1040 87 DB TO 112 DB AUTOMATIC SELF-ADJUSTING BACKUP ALARM		R 3
149-045	D	ELECTRONIC CRUISE CONTROL WITH INTELLIGENT POWERTRAIN MANAGEMENT AND CONTROLS ON STEERING WHEEL SPOKES		
156-016	D	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION WITH DDC OPTIMIZED IDLE SYSTEM		
811-044	D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
160-038	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	D	2 INCH ELECTRIC FUEL GAUGE		
845-011	D	FUEL FILTER RESTRICTION INDICATOR		
148-085	D	EMISSIONS LIMITED IDLE ADJUST		
866-019	D	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS		
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-008	D	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER		

D	DISPLAY		
864-001 D	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
D	E		
867-004 D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
D			
830-031 D	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
D			
438-998 D	NO HUBODOMETER		
372-998 D	NO PTO CONTROLS		
736-998 D	NO OBSTACLE DETECTION SYSTEM		
73K-998D	NO SIDE OBJECT DETECTION SYSTEM		
73H-998D	NO CAMERA/VIDEO/IMAGING SYSTEM		
49B-004 D	ENHANCED STABILITY CONTROL		
73B-998D	NO LANE DEPARTURE WARNING SYSTEM		
852-002 D	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-998 D	NO OVERHEAD INSTRUMENT PANEL		
786-998 D	NO POSITIONING/LOCATING SYSTEM		
79H-998S	NO GPS ANTENNA		
78A-998D	NO POSITION/COMMUNICATION ACCESSORY		
746-116 D	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM	F	10
D	, CD PLAYER, BLUETOOTH, IPOD INTERFACE AND USB AND AUXILIARY INPUTS, J1939		
D			
747-001 D	DASH MOUNTED RADIO		
750-042 D	PREMIUM SPEAKER SYSTEM WITH SUBWOOFER		
753-049 D	60 INCH (SLEEPER) OR 54 INCH (DAY CAB) AM/FM ANTENNA MOUNTED ON RH REAR CAB/SLEEPER WALL WITH RG62 CABLE		
D			
D			
748-019 D	COBRA 29WX NW ST FACTORY INSTALLED CB RADIO WITH WEATHERBAND	F	5
D			
749-001 D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-057 D	SINGLE 60 INCH (SLEEPER) OR 54 INCH (DAY CAB) CB ANTENNA MOUNTED ON LH REAR CAB/SLEEPER WALL WITH CONTINUOUS RG8 COAX CABLE		
D			
D			
78C-003D	INTEROPERABLE SDAR ANTENNA		
737-998 D	NO TELEVISION ANTENNA/PROVISION		
810-028 D	ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER		
D			
817-001 D	STANDARD VEHICLE SPEED SENSOR		
812-032 D	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8D	DETROIT CONNECT PLATFORM HARDWARE		
8D1-105D	5 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, REMOTE UPDATES, DETROIT CONNECT PORTAL ACCESS) DETROIT CONNECT PLATFORM		
D			
D			
D			
8Z1-998 D	NO ZONAR SERVICES SELECTED		

6TS-998D		NO TELEMATICS SYSTEM - WIRING
81Y-005D		PRE-TRIP INSPECTION FEATURE FOR EXTERIOR
	D	LAMPS ONLY
80K-998D		NO SHUTDOWN OVERRIDE
80L-001D		ENABLE AUTO ENGINE RPM ELEVATE FOR EXTEN
	D	DED IDLE
80M-		
998	S	NO ALTERNATE PTO SPEED
80N-998D		NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998S		NO FLEET SPEC FOR PARAMETERIZATION
80Q-998S		NO VEHICLE SPEED LIMIT - GHG
162-002D		IGNITION SWITCH CONTROLLED ENGINE STOP
329-017D		THREE ON/OFF ROCKER SWITCHES IN THE DASH
	D	WITH INDICATOR LIGHTS AND WIRE ROUTED T
	D	O CHASSIS AT BACK OF CAB, LABEL OPT
264-033D		STEERING WHEEL MOUNTED ELECTRIC HORN CON
	D	TROL
482-001D		BW TRACTOR PROTECTION VALVE
883-001D		TRAILER HAND CONTROL BRAKE VALVE
842-001D		2 INCH TURBO AIR PRESSURE GAUGE
841-998D		NO FUEL VACUUM GAUGE
836-015D		DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
	D	IVER DISPLAY
660-008D		SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
	D	ITH DELAY
304-030D		ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE
	D	ADLIGHTS SWITCH WITH PULL OUT FOR OPTION
	D	AL FOG/ROAD LAMPS
81B-004D		PANEL LAMP DIMMER SWITCH IN SWITCH PANEL
882-021D		TWO VALVE PARKING BRAKE SYSTEM WITH DASH
	D	VALVE CONTROL AUTONEUTRAL AND WARNING I
	D	NDICATOR
299-020D		SELF CANCELING TURN SIGNAL SWITCH WITH D
	D	IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI
	D	TTENT
298-046D		INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
	D	WITH 40 AMP (20 AMP PER SIDE) TRAILER LA
	D	MP CAPACITY
2J8-998D		NO LAMP MONITORING SYSTEM
869-998D		NO MISCELLANEOUS GAUGES
		PAINT
065-000D		PAINT: ONE SOLID COLOR
980-		
5M2	H002	CAB COLOR A: L0548EB
	H	PEARL FAWN MET ELITE BC
986-020D		BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

	D	PAIN
987-995	D	CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-998	D	PAINT-RR WHEEL COLOR: NONE
96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-995	D	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB
976-998	D	NO EXTERIOR SUNVISOR PAINT
979-998	D	NO AERODYNAMIC ROOF DEVICE PAINT
963-998	D	NO UNDERCOAT
		ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS
958-998	D	NO INSPECTION-LABOR ONLY
999-998	D	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
MWT-004	S	DETROIT TRANSMISSION COVERAGE 5 YR/750K MILES/1,200K KM MY2018 AND LATER UNITS WITH DT12 BELOW AND EQUAL 110K LBS GCW. INCLUDES FACTORY INSTALLED PTO OPT.
MWF-001	S	DETROIT FRONT AXLE COVERAGE, LINEHAUL, 5 YEAR/750,000 MILES/1 200 000 KILOMETERS
MWD-002	S 002	DETROIT REAR AXLE COVERAGE, LINEHAUL, 5 YEAR/750,000 MILES/1 200 000 KILOMETERS
P01-014	001	AIR TO OIL DISCOUNT FOR DT12 TRANSMISSIONS/885,500 KM FULL COVERAGE. FEX APPLIES
WAI-19F		EW4: DD15 HWY \$0 DED 5 YEARS/550,000 MILES/885,500 KM FULL COVERAGE. FEX APPLIES
P28-1AC	001	AIR CONDITIONING TAX
RPN-018		MY2018 CANADA CONCESSION PROGRAMS
RTA-001	001	ONTARIO TIRE STEWARDSHIP FEE