

3474A

<u>DBCode</u>	<u>OTCONotes</u>	<u>Description</u>	<u>Value</u>	
		PRICING IS NOT AVAILABLE FOR THIS REPORT		
		PRICE LEVEL INFORMATION		
		GENERAL APPLICATION INFORMATION		
AA1-002		TRUCK CONFIGURATION		
AA6-003		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-011		CONSTRUCTION SERVICE		
AA3-030		FLATBED/PLATFORM BODY WITH LIFT/PULL DEVICE/CRANE		
AA2-998		NO TRAILER SPECIFIED		
AH6-998		NO TRAILERS		
AA5-006		TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS		
AB5-003		MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
AB1-008		MAXIMUM 8% EXPECTED GRADE		
AA4-005		BUILDING MATERIAL COMMODITY		
A84- 1CO		CONSTRUCTION BUSINESS SEGMENT		
A66-99D		EXPECTED FRONT AXLE(S) LOAD	18000	LBS
A68-99D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D	009	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	58000	LBS
A70-99D		EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8- 99D		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	184.449	IN
AL8-99D		CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D		EXPECTED TRUCK BODY LENGTH	252	IN
AL4-99D		CALC'D FRAME LENGTH BACK OF CAB	274.016	IN
AL6-99D		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-19.016	IN
AM1- 99D		CALC'D OVERALL LENGTH AT BODY OR EOF	380.315	IN
AC3- 99D	011	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	77.254	MPH
AK2- 99D	008	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3- 99D		CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	40.215	IN
AM2- 99D	011	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.609	IN
ALG- 99D		CALC'D CAB HEIGHT ABOVE FRAME	67.523	IN

ALJ-99D		CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	106.807	IN
ALH-99D	011	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	109.625	IN
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D		CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	18000	LBS
A59-99D	008	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D		CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	008	RATED MAXIMUM VEHICLE CAPACITY - GVWR	58000	LBS
		BASE MODEL		
001-172		M2 106 CONVENTIONAL CHASSIS		
004-207		2007 MODEL YEAR SPECIFIED**DO NOT USE**		
995-091		MEDIUM TRUCK WARRANTY		
002-004		SET BACK AXLE - TRUCK		
019-002		STRAIGHT TRUCK PROVISION		
003-001		LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2D0		MBE900-300 7.2L 300 HP @ 2200 RPM, 2500 GOV, 860 LB/FT @ 1300 RPM		
QUOTE REN-002		POTENTIAL QUOTE JWCD 0608230515 **DO NOT USE**ORDER LEASE UNITSARTGRAMM INCREASE \$41.00CANADA \$4950 RCZ-016)) ended Engine and Aftertreatment Warranty CoverageT USE****DO NOT USE**		
99C-007		2004 EPA/CARB EMISSION CERTIFICATION		
EB8-998		NONE		
EC2-99D		MIN CRUISE CONTROL MPH	30	MPH
ED2-99D	011	ROAD SPEED LIMIT MPH	68	MPH
EE1-002		DDC/MBE IDLE TIMER SHUTDOWN ENABLE - N		
EE3-001		DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - Y		
EE9-99D		ENG SPD LIMIT @ VEH STANDSTILL	3000	RPM
EFG-003		AUTO FAN ACTIVATION ON PTO - DISABLE		
EFJ-99D		PTO VEHICLE SPEED LIMIT	6	MPH
EF1-009		PTO FUNCTION - ENABLE		
EF2-99D		PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW	1000	RPM
EF3-99D		PTO RPM INCREMENT	200	RPM
EF4-99D		MIN RPM FOR PTO	700	RPM
EF6-99D		MAX RPM FOR PTO	1200	RPM
EG8-99D	011	TRANSMISSION TOP GEAR MINUS ONE RATIO	1	RATI
EJA-002		SERVICE BRAKE ACTIVATES RETARDER - OFF		
EJ1-002		ENABLE ENGINE BRAKE ON CRUISE - N		
EJ5-99D		MIN CRUISE OVRSPD BRAKE LOW	1	MPH
EJ7-99D		MIN CRUISE OVRSPD BRAKE HIGH	3	MPH
EJ8-007		AUTO FAN ACTIVATION ON ENG BRAKE-DISABLE		
EMI-004		FAN TYPE - MBE - HORTON/KYSOR		
		ENGINE EQUIPMENT		
105-001		ENGINE MOUNTED OIL CHECK AND FILL		

133-004 ONE PIECE VALVE COVER
 014-099 SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
 124-1CN DR 12V 145 AMP 24-SI QUADRAMOUNT PAD ALTERNATOR**DO NOT USE**
 292-058 (3) ALLIANCE MODEL 1031, GROUP 31, 12 VOLT MAINTENANCE FREE 2280 CCA THREADED STUD BATTERIES
 290-017 BATTERY BOX FRAME MOUNTED
 282-001 SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
 291-001 FRAME GROUND RETURN FOR BATTERY CABLES
 289-001 NON-POLISHED BATTERY BOX COVER
 180-049 EATON FULLER 14 INCH DAMPENED CERAMIC CLUTCH, 2 PLATE, STAMPED COVER SOLO (ADJUSTMENT FREE)
 183-008 TORQUE LIMITING CLUTCH BRAKE
 181-002 ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING
 182-005 HYDRAULIC CLUTCH CONTROL
 107-037 WABCO 14.0 CFM AIR COMPRESSOR WITH SPLINED SHAFT POWER STEERING INTERFACE
 131-002 TEFLON COMPRESSOR DISCHARGE LINE
 152-041 ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
 016-1AM SINGLE HORIZONTAL OVAL UNDER CAB MOUNTED MUFFLER WITH SINGLE RH VERTICAL STACK THROUGH B-PILLAR
 239-038 11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
 233-001 BRIGHT UPPER STACK(S)
 237-060 VERTICAL TAILPIPE RIGHT SIDE THROUGH B-PILLAR WITH CURVED TOP STACK
 242-001 STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD
 273-035 HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH
 276-002 AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
 110-040 MBE FUEL FILTER
 118-001 FULL FLOW OIL FILTER
 266-027 1000 SQUARE INCH ALUMINUM RADIATOR
 103-037 ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT
 171-007 GATES BLUE STRIPE COOLANT HOSES OR EQUIV

ALENT
 172-001 CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
 168-998 008 NO RADIATOR/OIL PAN GUARD
 138-011 PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
 140-053 BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
 134-001 ALUMINUM FLYWHEEL HOUSING
 155-010 DELCO 12V 41MT/OCP 450 SERIES STARTER WITH THERMAL PROTECTION**DO NOT USE**
 TRANSMISSION & EQUIPMENT
 342-443 008 EATON FULLER RTO-11908LL TRANSMISSION
 345-001 PAINTED SHIFT LEVER, SOLID LINKAGE
 347-001 CAST IRON CLUTCH HOUSING
 341-017 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
 353-026 VEHICLE INTERFACE WIRING CONNECTOR WITH PDM AND NO BLUNT CUTS, AT BACK OF CAB
 362-037 CUSTOMER INSTALLED CHELSEA 221,442,489,8 12 SERIES PTO
 363-003 PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION
 FRONT AXLE, SUSPENSION & EQUIPMENT
 400-1AC MFS-20-133A 20,000# FL1 71.0 INCH KPI/3. 74 INCH DROP SINGLE FRONT AXLE
 402-030 MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
 403-002 NON-ASBESTOS FRONT BRAKE LINING
 419-023 CONMET CAST IRON FRONT BRAKE DRUMS
 427-001 FRONT BRAKE DUST SHIELDS
 409-002 SKF SCOTSEAL CLASSIC FRONT OIL SEALS
 408-001 VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
 416-022 STANDARD SPINDLE NUTS FOR ALL AXLES
 405-002 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
 536-060 TRW THP-60 POWER STEERING WITH RH RAM
 539-003 POWER STEERING PUMP
 534-015 2 QUART SEE THROUGH POWER STEERING RESERVOIR
 533-001 OIL/AIR POWER STEERING COOLER
 620-005 18,000# FLAT LEAF FRONT SUSPENSION
 619-004 GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
 REAR AXLE, SUSPENSION & EQUIPMENT

420-102		RT-40-145P 40,000# R-SERIES TANDEM REAR AXLE**DO NOT USE**
421-529	009	5.29 REAR AXLE RATIO
424-003		IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
386-027		18N MERITOR MAIN DRIVELINE WITH FULL ROUND YOKES**DO NOT USE**
388-025		17T MERITOR INTERAXLE DRIVELINE WITH HALF ROUND YOKES**DO NOT USE**
452-006		DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES
878-023		(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE
87A-001		BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
87B-004		BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH
595-026		MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES**DO NOT USE**
423-020		MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002		NON-ASBESTOS REAR BRAKE LINING
434-001		CAM BRAKE AUXILIARY SUPPORT BRACKETS
451-023		CONMET CAST IRON REAR BRAKE DRUMS
425-002		REAR BRAKE DUST SHIELDS
440-001		SKF SCOTSEAL CLASSIC REAR OIL SEALS
426-075		HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
428-002		MERITOR AUTOMATIC REAR SLACK ADJUSTERS
622-108		AIRLINER 46,000# REAR SUSPENSION WITH CHAIN CLEARANCE
621-007		AIRLINER HIGH POSITION RIDE HEIGHT
431-005		RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP
624-024		59 INCH AXLE SPACING
888-001		MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT INDICATOR LIGHT OR GAUGE
87D-001		REAR AIR SUSPENSION DUMP VALVE AUTOFILL WITH IGNITION OFF OR >5 MPH WITH INDICATOR LIGHT
910-001		SINGLE AIR REAR SUSPENSION LEVELING VALVE
623-002		TRANSVERSE CONTROL RODS

439-005		REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
		BRAKE SYSTEM		
018-002		AIR BRAKE PACKAGE		
490-100		WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001		REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
412-001		STANDARD BRAKE SYSTEM VALVES		
432-003		RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-009		BW AD-9 BRAKE LINE AIR DRYER WITH HEATER		
460-001		STEEL AIR BRAKE RESERVOIRS		
477-004		PULL CABLES ON ALL AIR RESERVOIR(S)		
481-998		NO TRAILER AIR HOSE		
297-998		NO TRAILER CABLE RECEPTACLE		
335-004		UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002		UPGRADED BULKHEAD MULTIPLEXING UNIT FRAME & WHEELBASE		
545-635		6350MM (250 INCH) WHEELBASE		
546-101		11/32X3-1/2X10-15/16 INCH STEEL FRAME (8 .73MMX277.8MM/0.344X10.94 INCH) 120KSI		
547-001		1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT		
549-998		NO FRONT FRAME EXTENSION		
552-054		2275MM (90 INCH) REAR FRAME OVERHANG		
AB8-99D		CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.483	%
553-001		SQUARE END OF FRAME		
559-001	008	STANDARD WEIGHT ENGINE CROSSMEMBER		
560-001		UNDERSLUNG CROSSMEMBER		
565-002		HEAVY DUTY SUSPENSION CROSSMEMBER		
572-001		STANDARD REARMOST CROSSMEMBER		
AL5-99D		CALC'D BUMPER TO REAR TOWING C/M FACE CHASSIS EQUIPMENT	380.315	IN
556-1AP		THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS		
558-001		FRONT TOW HOOKS - FRAME MOUNTED		
574-001		BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-002		HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
43H-998		NO BRAKE STROKE INDICAT, PDI INST FIFTH WHEEL & EQUIPMENT		
		FUEL TANK(S) & EQUIPMENT		
206-194		100 GALLON/378 LITER RECTANGULAR ALUMINUM FUEL TANK - RH		
204-998		NO LH FUEL TANK		
203-998		NO HYDRAULIC OIL TANK		

218-005		RECTANGULAR FUEL TANK(S)
215-005		PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU LIC TANK(S) WITH PAINTED BANDS
212-007		FUEL TANK(S) FORWARD
205-001		FUEL TANK CAP(S)
216-020		EQUIFLO INBOARD FUEL SYSTEM
202-003		REINFORCED NYLON FUEL HOSE
221-998		NO FUEL COOLER
		TIRES
093-1AE		MICHELIN XZA1 315/80R22.5 20 PLY RADIAL FRONT TIRES
094-1DG	011	GOODYEAR G338 11R22.5 14 PLY RADIAL REAR TIRES**DO NOT USE**
		HUBS
418-030		CONMET IRON FRONT HUBS
450-030		CONMET IRON REAR HUBS
		WHEELS
502-433		ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5. 25 INSET 5-HAND STEEL DISC FRONT WHEELS
505-411		ACCURIDE 28408 22.5X8.25 10-HUB PILOT 2- HAND STEEL DISC REAR WHEELS
		CAB EXTERIOR
829-071		106 INCH BBC FLAT ROOF ALUMINUM CONVENTI ONAL CAB
682-998		NO SLEEPER BOX/SLEEPERCAB
650-008		AIR CAB MOUNTING
648-002		NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR ILLE
754-008		2-1/2 INCH FENDER EXTENSIONS
678-001		LH AND RH GRAB HANDLES
646-023		HOOD MOUNTED CHROMED PLASTIC GRILLE
644-004		FIBERGLASS HOOD
65X-001	003	ARGENT SILVER HOOD MOUNTED AIR INTAKE GR ILLE
690-002		TUNNEL/FIREWALL LINER
727-1AH		SINGLE 14 INCH ROUND POLISHED AIR HORN R OOF MOUNTED
726-001		SINGLE ELECTRIC HORN
728-001		SINGLE HORN SHIELD
657-001		DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
575-001		REAR LICENSE PLATE MOUNT END OF FRAME
312-038		INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
302-047		LED AERODYNAMIC MARKER LIGHTS
311-001		DAYTIME RUNNING LIGHTS

294-002	TRUCK-LITE 40 STOP/TAIL WITH SEPARATE BACKUP LIGHTS GROMMET MOUNTED
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BM	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-003	MANUAL DOOR WINDOW REGULATORS
663-013	TINTED WINDSHIELD
659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR CAB INTERIOR
707-1AK	OPAL GRAY VINYL INTERIOR
706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR
708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR
772-027	GRAY VINYL MATS WITH INSULATION **DO NOT USE**
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
860-004	SMART SWITCH EXPANSION MODULE
720-002	2-1/2 LB. FIRE EXTINGUISHER
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-016	STANDARD PLUMBING WITH SHUTOFF VALVES
130-003	SANDEN COMPACT AIR CONDITIONER COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-028	EXTREME CLIMATE THERMAL CAB AND SLEEPER INSULATION

285-013 SOLID-STATE CIRCUIT PROTECTION AND FUSES
 280-007 12V NEGATIVE GROUND ELECTRICAL SYSTEM
 324-010 DOME DOOR ACTIVATED LH, DUAL READING LIGHTS, FORWARD CAB ROOF
 655-001 CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
 722-002 TRIANGULAR REFLECTORS WITHOUT FLARES
 756-081 BOSTROM T910 HIGH BACK AIR SUSPENSION DRIVER SEAT
 760-235 2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT
 711-004 LH AND RH INTEGRAL DOOR PANEL ARMRESTS
 758-014 BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER
 761-014 BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER
 763-006 3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS
 532-002 ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
 540-015 4-SPOKE 18 INCH (450MM) STEERING WHEEL
 765-002 DRIVER AND PASSENGER INTERIOR SUN VISORS
 870-001 BLACK GAUGE BEZELS
 732-004 GRAY DRIVER INSTRUMENT PANEL
 734-004 GRAY CENTER INSTRUMENT PANEL
 486-001 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
 838-001 (1) SINGLE BRAKE APPLICATION AIR GAUGE
 840-002 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
 198-025 INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
 721-001 97 DB BACKUP ALARM
 149-013 ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
 156-007 KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
 811-011 ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
 160-012 DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED BELOW DASH
 844-001 2 INCH ELECTRIC FUEL GAUGE
 148-003 PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-001	OVERHEAD INSTRUMENT PANEL
746-1AH	F/L XTA-2400 AM/FM/WB CD RADIO BY DELPHI **DO NOT USE**
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM
810-028	ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER
812-001	ELECTRONIC 3000 RPM TACHOMETER
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS PAINT
065-000	PAINT: ONE SOLID COLOR
980-3BR	CAB COLOR A: N0824EA YELLOW ELITE SS
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-970	VENDOR WHITE FRONT WHEELS/RIMS (PW, TKWHT21, W, TW)
966-970	VENDOR WHITE REAR WHEELS/RIMS (PW, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX ADDITIONAL SPECIFICATIONS
999-998	NONE
996-002	CANADA CMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
