

3495

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
AA1-003	D		TRUCK/TRAILER CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-011	D		CONSTRUCTION SERVICE		
AA3-004	D		END DUMP BODY		
AA2-023	D		FRAMED END DUMP (NON-TRANSFER) TRAILER		
AH6-001	D		SINGLE (1) TRAILER		
AA5-006	D		TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON NON-PAVED ROADS		
AB5-003	D		MAINTAINED GRAVEL OR CRUSHED ROCK - MOST		
	D		SEVERE IN-TRANSIT (BETWEEN SITES) ROAD		
	D		SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-010	D		DIRT/SAND/ROCK COMMODITY		
A84-	D		CONSTRUCTION BUSINESS SEGMENT		
1CO					
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	20000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A67-99D	D		EXPECTED PUSHER AXLE(S) LOAD	20000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	80000	LBS
A70-99D	D		EXPECTED GROSS COMBINATION WEIGHT	88000	LBS
AC8-	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	188.386	IN
99D					
AL8-99D	S		CALC'D CAB TO BODY (INCL 2" CLEARANCE)	15.78	IN
A88-99D	D		EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S		CALC'D FRAME LENGTH BACK OF CAB	254.331	IN
AL6-99D	S		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-	IN
				238.551	
AM1-	S	002	CALC'D OVERALL LENGTH AT BODY OR EOF	376.126	IN
99D					
AC3-	S		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	84.41	MPH
99D					
A89-99D	H	002	BRAKING-EXPECTED CAB TO BODY CLEARANCE	16	IN
			EXHAUST REQUIRED SPACE		
AK2-	S		BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
99D					
AM3-	S		CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	40.759	IN
99D					

AR1-99D	S 005	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	43.609	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	42.303	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	0.503	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	71.386	IN
ALJ-99DS		CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	112.269	IN
ALH-99D	S 005	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	114.371	IN
AF3-2EA	D	WILTSIE TRUCK BODIES		
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99DS		CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	20000	LBS
A59-99DS		CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	46000	LBS
A60-99DS		CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	20000	LBS
A62-99DS		RATED MAXIMUM VEHICLE CAPACITY - GVWR	86000	LBS
		BASE MODEL		
001-177	D	114SD CONVENTIONAL CHASSIS	F 7934	R 6576
004-219	D	2019 MODEL YEAR SPECIFIED		
995-1AE	D	FREIGHTLINER LEVEL II WARRANTY		
002-004	D	SET BACK AXLE - TRUCK	F 480	R -480
019-001	D	TRAILER TOWING PROVISION AT END OF FRAME	F 10	R 10
	D	FOR TRUCK		
003-001	D	LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2YAD		DETROIT DD13 12.8L 450 HP @ 1625 RPM, 19		
	D	00 GOV RPM, 1650 LB/FT @ 975 RPM		
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		
	D	INAL GHG17 CONFIGURATION		
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN		
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER		
	D	FORWARD CORNER OF DRIVER DOOR)		
992-001	S	50 STATE EMISSIONS CERTIFICATION		
28F-007	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD ACTIVE REGENERATION AND DA		
	D	SH MOUNTED SINGLE REGENERATION REQUEST/I		
	D	NHIBIT SWITCH		
79A-065	D	65 MPH ROAD SPEED LIMIT		

79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD
	D	SPEED LIMIT
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-002	D	1650 RPM/18 MPH LIMIT FOR LOW GEARS, 165
	D	0 RPM/44 MPH LIMIT FOR MIDDLE GEARS, 165
	D	0 RPM/45 MPH LIMIT FOR HIGH GEARS
79E-998	D	NO LOW RANGE TORQUE PROTECT
79F-998	D	NO FLEET MANAGEMENT
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION
79J-998	D	NO PTO SHUTDOWN CONFIGURATION
79K-005	D	PTO MODE ENGINE RPM LIMIT - 900 RPM
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED
79M-002	D	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE
	D	APPLIED OR PARK BRAKE NOT APPLIED
79N-001	D	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLE
	D	D
79P-001	D	PTO RPM WITH CRUISE SET SWITCH - 600 RPM
79Q-001	D	PTO RPM WITH CRUISE RESUME SWITCH - 600
	D	RPM
79R-998	D	NO PTO MODE COOLING FAN
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79T-001	D	PTO MODE RPM INCREMENT - 25 RPM
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC
	D	OND
79V-001	D	ENABLE REGENERATION IN PTO MODE
79W-001	D	ONE REMOTE PTO SPEED
79X-005	D	REMOTE PTO SPEED 1 SETTING - 900 RPM
79Y-998	D	NO PTO 2 SET SPEED
79Z-998	D	NO PTO 3 SET SPEED
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-001	D	SOFT CRUISE CONTROL ENABLED
80E-998	D	NO ENGINE FAN WITH RETARDER
80F-998	D	NO MAINTENANCE MONITOR
80G-001	D	PTO MINIMUM RPM - 600
80H-998	D	NO ACCELERATION MANAGEMENT
80J-998	D	NO REGEN INHIBIT SPEED THRESHOLD
80R-000	S	DRIVELINE TORQUE PROTECTION - ENABLED
84E-998	D	NO TCU-PRIMARY MODE SHIFT SCH
84F-998	D	NO TCU-SECONDARY MODE SHIFT SCH
84G-998	D	NO TCU-PRIMARY MODE SHIFT SPEED
84H-998	D	NO TCU-SECONDARY MODE SHIFT SPEED
84L-998	D	NO TCU-LOAD BASED OPTIMIZATION

85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT	
	D	CONFIGURED	
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C	
	D	ONFIGURED	
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT	
	D	NOT CONFIGURED	
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N	
	D	OT CONFIGURED	
		ENGINE EQUIPMENT	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998	D	NO ENGINE OIL DRAIN/SAMPLE	
133-004	S	ONE PIECE VALVE COVER	
014-1B5	D	SIDE OF HOOD AIR INTAKE WITH DONALDSON H	
	D	IGH CAPACITY AIR CLEANER WITH SAFETY ELE	
	D	MENT, FIREWALL MOUNTED	
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU	F 10
	D	NT PAD ALTERNATOR WITH REMOTE BATTERY VO	
	D	LT SENSE	
292-071	D	(3) ALLIANCE MODEL 1231XOE, GROUP 31, 12	
	D	VOLT MAINTENANCE FREE 3375 CCA THREADED	
	D	STUD BATTERIES	
290-017	D	BATTERY BOX FRAME MOUNTED	
281-001	D	STANDARD BATTERY JUMPERS	
282-001	H	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE	
	H	UNDER CAB	
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI	
	D	TH ADDITIONAL FRAME GROUND RETURN	
289-001	D	NON-POLISHED BATTERY BOX COVER	
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME	
	D	NT	
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F 8
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER	
	D	SEAT	
295-998	D	NO JUMPSTART POST	
180-100	D	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTI	
	D	NG CLUTCH	
183-008	D	TORQUE LIMITING CLUTCH BRAKE	
181-002	D	ZERK FITTING WITH EXTENSION HOSE AT CLUT	
	D	CH RELEASE BEARING	
182-005	D	HYDRAULIC CLUTCH CONTROL	
107-044	D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER	

D	AIR COMPRESSOR WITH SAFETY VALVE				
152-041 D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM				
128-002 D	JACOBS COMPRESSION BRAKE				
016-1C2 D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	F	30	R	25
D					
239-038 D	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT				
D					
233-017 D	STANDARD CURVE BRIGHT UPPER STACK(S)				
237-1CR D	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP				
D					
23U-002 D	13 GALLON DIESEL EXHAUST FLUID TANK				
43W-001 S	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING				
S					
30N-003 D	100 PERCENT DIESEL EXHAUST FLUID FILL				
23Z-001 D	POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	F	15	R	5
D					
43X-002 D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION				
D					
23Y-001 D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING				
D					
43Y-001 D	STANDARD DIESEL EXHAUST FLUID TANK CAP				
242-001 D	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD				
D					
273-036 D	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH				
D					
276-001 D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED				
D					
110-068 D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR				
D					
D					
118-001 D	FULL FLOW OIL FILTER				
120-998 D	NO COOLANT FILTER				
266-057 D	1500 SQUARE INCH ALUMINUM RADIATOR				
267-003 S	RADIATOR MOUNTED SURGE TANK				
103-040 D	ANTIFREEZE TO -60F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT				
D					
171-007 D	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT				
D					
172-001 D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES				
D					
270-023 D	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR				

D	OR DRAIN VALVE			
168-998	D NO RADIATOR/OIL PAN GUARD			
360-998	D NO FRONT ENGINE PTO			
361-998	D NO REAR ENGINE PTO			
138-005	D PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4	
	D HEATER			
141-998	D NO COOLANT HEATER - GAS/DSL			
166-998	D NO OIL PREHEATER			
140-022	D CHROME ENGINE HEATER RECEPTACLE MOUNTED			
	D UNDER LH DOOR			
132-998	D NO AIR INTAKE WARMER			
155-074	D DELCO 12V MOD 3.175-39MT+ OCP STARTER WI	F	-35	
	D TH THERMAL PROTECTION AND INTEGRATED MAG			
	D NETIC SWITCH			
	TRANSMISSION & EQUIPMENT			
342-1BOD	D EATON FULLER RTLO-16918B TRANSMISSION	F	150	R 60
352-998	D NO AUXILIARY TRANSMISSION			
343-998	D NO TRANS CONTROL UNIT/SOFTWARE			
84B-998	D NO TCU-VOCATIONAL RATING			
84C-998	D NO TCU-PRIMARY MODE: GEARS			
84D-998	D NO TCU-SECONDARY MODE: GEARS			
97G-998	D NO TRANSMISSION PROGNOSTICS			
345-001	D PAINTED SHIFT LEVER, SOLID LINKAGE			
347-002	D ALUMINUM CLUTCH HOUSING			
370-015	D WATER TO OIL TRANSMISSION COOLER, IN RAD	F	-15	
	D IATOR END TANK			
346-998	D NO TRANSMISSION OIL CHECK AND FILL			
368-998	D NO EXTERNAL TRANSMISSION OIL FILTER			
341-017	D MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI			
	D ON FILL AND DRAIN, AXLE(S) FILL AND DRAI			
	D N			
84U-998	D TCU DRIVER SWITCH INPUTS NOT SUPPORTED			
353-022	D VEHICLE INTERFACE WIRING CONNECTOR WITHO			
	D UT BLUNT CUTS, AT BACK OF CAB			
34C-998	D NO AUX/ACC TRANSMISSION WIRING			
362-802	D CUSTOMER INSTALLED CHELSEA 442 SERIES PT			
	D O			
363-002	D PTO MOUNTING, RH SIDE OF MAIN TRANSMISSI			
	D ON			
375-998	D NO AUXILIARY OIL COOLER			
373-998	D NO TRANSFER CASE			
376-998	D NO SHIFT CONTROL, TRANSFER CASE			
371-998	D NO AUX TRANS/TRANSFER CASE MTD POWER			
	D TAKEOFF			

35T-003	D	SYNTHETIC TRANSMISSION LUBE		
385-998	D	NO MAIN DRIVELINE HARDWARE		
		FRONT AXLE, SUSPENSION & EQUIPMENT		
400-1AC	D	MFS-20-133A 20,000# FL1 71.0 INCH KPI/3.	F	260
	D	74 INCH DROP SINGLE FRONT AXLE		
398-998	D	NO FRONT AXLE RATIO		
389-998	D	NO FRONT AXLE DRIVESHAFT		
402-030	D	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT	F	10
	D	BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-002	D	NON-ASBESTOS FRONT BRAKE LINING		
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	D	FRONT BRAKE DUST SHIELDS	F	5
409-006	D	FRONT OIL SEALS		
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE		
	D	R AND SIDE PLUGS - OIL		
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES		
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS		
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
406-001	D	STANDARD KING PIN BUSHINGS		
536-055	D	TRW THP-60 POWER STEERING WITH RCH45 AUX	F	130
	D	ILIARY GEAR		
537-005	S	STEEL STEERING SHAFT		
539-003	D	POWER STEERING PUMP		
534-003	D	4 QUART POWER STEERING RESERVOIR		
533-001	D	OIL/AIR POWER STEERING COOLER		
40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE		
620-025	D	20,000# TAPERLEAF FRONT SUSPENSION	F	200
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT		
	D	SUSPENSION		
629-998	D	NO FRONT SWAYBAR		
410-001	D	FRONT SHOCK ABSORBERS		
		REAR AXLE, SUSPENSION & EQUIPMENT		
420-059	D	RT-46-164P 46,000# R-SERIES TANDEM REAR		R 580
	D	AXLE		
421-373	D	3.73 REAR AXLE RATIO		
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL		
	D	E HOUSING		
42T-001	D	STANDARD REAR AXLE BREATHER(S)		
382-998	D	NO (#1) DRIVELINE		
386-067	D	RPL25SD MERITOR MAIN DRIVELINE	F	100 R 100
388-039	D	RPL20 MERITOR INTERAXLE DRIVELINE		
452-006	D	DRIVER CONTROLLED TRACTION DIFFERENTIAL		R 40

	D	- BOTH TANDEM REAR AXLES	
878-022	D	(1) INTERAXLE LOCK VALVE, (1) DRIVER CON	
	D	TROLLED DIFFERENTIAL LOCK FORWARD-REAR A	
	D	XLE VALVE AND (1) REAR-REAR AXLE VALVE	
87A-002	D	BUZZER AND BLINKING LAMP WITH EACH INTER	
	D	AXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAU	
	D	LT WITH IGNITION OFF	
87B-005	D	BUZZER AND BLINKING LAMP WITH EACH MODE	
	D	SWITCH, DIFFERENTIAL UNLOCK WITH IGNITIO	
	D	N OFF, ACTIVE <5 MPH	
423-019	D	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REA	
	D	R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE	
	D	S	
433-002	D	NON-ASBESTOS REAR BRAKE LINING	
434-005	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	
	D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT	
	D	BRACKETS	
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS	
425-002	D	REAR BRAKE DUST SHIELDS	R 10
440-006	D	REAR OIL SEALS	
426-112	D	WABCO TRISTOP-D LONGSTROKE 30/36 2-DRIVE	
	D	AXLE SPRING PARKING CHAMBERS	
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE	
622-108	D	AIRLINER 46,000# REAR SUSPENSION WITH CH	R 420
	D	AIN CLEARANCE	
034-998	D	NO REAR SUSPENSION PACKAGE	
621-007	D	AIRLINER HIGH POSITION RIDE HEIGHT	
431-004	D	WELDED AXLE SEATS SUPPLIED ON REAR AXLE	
624-025	D	55 INCH AXLE SPACING	
628-998	D	NO SUSPENSION BEAMS	
888-048	D	MANUAL DUMP VALVE FOR AIR SUSPENSION WIT	
	D	H GAUGE	
87D-006	D	INDICATOR LIGHT FOR EACH REAR SUSPENSION	
	D	CONTROL SWITCH	
910-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALV	
	D	E	
623-002	D	TRANSVERSE CONTROL RODS	
630-998	D	NO REAR SUSPENSION STABILIZER	
625-998	D	NO REAR SUSPENSION OPTIONS	
439-005	D	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM	
	D) (AIR RIDE SUSPENSION)	
035-1A1	D	HENDRICKSON SC20 COMPOSILITE 20,000# AIR	F 925 R 930
	D	LIFT STEERABLE PUSHER SUSPENSION, 16.5X	

D 6 BRAKES AND FL1 AXLE
 443-1D0 D HENDRICKSON SC20/SCO20 20,000# FL1 STEER
 D ABLE 16.5X6 BRAKE INTEGRAL PUSHER AXLE
 456-1AF D HENDRICKSON 16.5X6 CAST SPIDER CAM PUSHE
 D R/TAG BRAKES, DOUBLE ANCHOR, FABRICATED
 D SHOES
 457-002 D NON-ASBESTOS PUSHER/TAG BRAKE LINING
 448-023 D CONMET CAST IRON PUSHER/TAG BRAKE DRUMS
 429-001 D PUSHER/TAG BRAKE DUST SHIELDS
 442-016 D PUSHER/TAG OIL SEALS
 444-001 D VENTED PUSHER/TAG HUB CAPS WITH WINDOW,
 D CENTER AND SIDE PLUGS - OIL
 445-075 D HALDEX LONGSTROKE PUSHER/TAG AXLE SERVIC
 D E CHAMBERS
 458-003 D HALDEX AUTOMATIC PUSHER/TAG SLACK ADJUST
 D ERS
 626-1E1 D HENDRICKSON SC20 COMPOSILITE 20,000# STE
 D ERABLE AIR LIFT PUSHER SUSPENSION
 627-023 D 101 INCH AXLE SPACING PUSHER/TAG
 874-015 D (1) DASH VALVE AND (1) GAUGE FOR SINGLE
 D LIFT AXLE

 896-014 D AIR PIPING FOR (1) LIFT/NON-LIFT AXLE WI
 D TH REGULATOR CHASSIS MOUNTED
 87F-005 D REVERSE LIFT AXLE WIRING WITH LAST STATE
 D RETENTION WITH IGNITION OFF
 BRAKE SYSTEM
 490-100 D WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
 871-001 D REINFORCED NYLON, FABRIC BRAID AND WIRE
 D BRAID CHASSIS AIR LINES
 46E-001 S STANDARD AIR MANAGEMENT UNIT
 904-001 D FIBER BRAID PARKING BRAKE HOSE
 412-001 D STANDARD BRAKE SYSTEM VALVES
 46D-002 D STANDARD AIR SYSTEM PRESSURE PROTECTION
 D SYSTEM
 413-002 D STD U.S. FRONT BRAKE VALVE
 432-021 D (2) 3-4.5 PSI RELAY VALVES, ONE FOR TAND
 D EM AXLE AND ONE FOR PUSHER/TAG
 480-009 D BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
 483-003 D BENDIX OIL COALESCING FILTER FOR AIR DRY
 D ER
 479-003 D AIR DRYER MOUNTED INBOARD ON LH RAIL
 460-058 D STEEL AIR TANKS MOUNTED AFT INSIDE AND/O
 D R BELOW FRAME JUST FORWARD OF REAR SUSPE
 D NSION

46A-998	D	NO AUXILIARY AIR TANK				
607-998	D	CHASSIS CONFIGURATION - NONE				
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)				
485-998	D	NO EXTERNAL CHARGING GLADHAND				
481-998	D	NO TRAILER AIR HOSE				
476-998	D	NO AIR HOSE HANGER				
914-025	D	AIR CONNECTIONS TO END OF FRAME WITH GLAD				
	D	HANDS FOR TRUCK AND DUST COVERS				
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,				
	D	VALVES, OR AIR UNLOADER SYSTEM				
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE				
296-028	D	SWITCH AND INDICATOR LIGHT FOR PRIMARY R				
	D	ECEPTACLE CENTER PIN, LABELED TRLR-AUX,				
	D	WITH STOP SIGNAL PREWIRE PACKAGE				
297-001	D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC				
	D	EPTACLE MOUNTED END OF FRAME				
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT				
87P-001	S	CAB AUXILIARY POWER CABLE	F	5		
331-001	D	SUPPLEMENTAL J560 7-WAY RECEPTACLE LOCAT				
	D	ED WITH PRIMARY RECEPTACLE				
303-998	H002	NO ADDITIONAL TRAILER CABLE RECEPTACLE				
	002	7-WAY RECEPTACLE EOF (IAS) FOR TRACTOR/T				
		RAILER CONFIGURATION				
334-998	D	NO ADDITIONAL SUPPLEMENTAL 7-WAY				
	D	TRAILER CABLE RECEPTACLE				
310-998	D	NO TRAILER ELECTRICAL CABLE				
		FRAME & WHEELBASE				
545-645	H	6450MM (254 INCH) WHEELBASE				
546-1B2	D	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MM	F	850	R	100
	D	X301.6MM/0.5X11.88 INCH) 120KSI				
547-001	D	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME	F	255	R	444
	D	REINFORCEMENT				
548-998	D	NO OUTER FRAME REINFORCEMENT				
549-998	D	NO FRONT FRAME EXTENSION				
552-033	D	1675MM (66 INCH) REAR FRAME OVERHANG				
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	-0.235		%	
553-001	D	SQUARE END OF FRAME				
550-001	D	FRONT CLOSING CROSSMEMBER				
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER				
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)				
565-002	D	HEAVY DUTY SUSPENSION CROSSMEMBER			R	30
572-001	D	STANDARD REARMOST CROSSMEMBER				
AL5-99DS	002	CALC'D BUMPER TO REAR TOWING C/M FACE	376.126		IN	

587-998	D	NO REAR TOWING DEVICE		
588-998	D	NO REAR TOW DEVICE HEIGHT		
		CHASSIS EQUIPMENT		
674-998	D	NO LH OR RH BACK OF CAB ACCESS		
592-998	D	NO DECK PLATE		
556-1F0	H002	14 INCH CHROMED STEEL SEVERE DUTY BUMPER		
	H	WITH CENTER TOW DEVICE		
	002	THE 556-1E9 AND 556-1F0 BUMPERS ARE THE ONLY ONES THAT CAN MOUNT THE 558-063 TOW PIN ON A 114SD. A DIFFERENT BUMPER CAN BE USED IF A DIFFERENT 558 CODE, SUCH AS 558-065, 558-001, 558-033, OR 558-998 IS USED.		
557-002	D	LOOP STEP MOUNTED BELOW BUMPER	F	10
558-063	D	HEAVY DUTY CENTER MOUNTED TOW PIN		
55E-998	D	NO BUMPER MOUNTING BRACKETS		
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS		
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
585-998	D	NO MUDFLAP BRACKETS		
590-998	D	NO REAR MUDFLAPS		
586-024	S	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS	F	10
	S			
551-002	D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS		
583-998	D	NO REAR QUARTER FENDERS		
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR		
794-998	D	NO JACK OR WHEEL WRENCH PROVISION		
795-998	D	NO TOOLS		
605-003	D	LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS LOADED TO FRONT AND REAR SUSPENSION RAILINGS		
	D			
	D			
606-998	D	NO TRUCK BODY		
601-998	D	NO BODY BUILDER DIAGRAMS		
970-998	D	NO BODY TYPE		
		FIFTH WHEEL & EQUIPMENT		
578-998	D	NO FIFTH WHEEL		
577-998	D	NO FIFTH WHEEL LOCATION		
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-998	D	NO FIFTH WHEEL LEG HEIGHT		
570-998	D	NO FIFTH WHEEL MOUNTING		
890-998	D	NO FIFTH WHEEL PLUMBING		
579-998	D	NO FIFTH WHEEL RELEASE/INST.		
591-998	D	NO FIFTH WHEEL ADD-ONS		

581-998	D	NO FIFTH WHEEL RAMP FUEL TANK(S) & EQUIPMENT				
206-998	D	NO RH FUEL TANK				
201-998	D	NO RH AUXILIARY FUEL TANK				
204-155	D	90 GALLON/340 LITER ALUMINUM FUEL TANK -	F	15		
	D	LH				
200-998	D	NO LH AUXILIARY FUEL TANK				
230-998	D	NO BETWEEN RAIL FUEL TANK				
203-011	H	60 GALLON ALUMINUM HYDRAULIC RESERVOIR,	F	60	R	55
	H	LH WITH 1-1/4 INCH NPT TOP AND BOTTOM EN				
	H	D FITTINGS				
	002	010		23	3	
	002	020		N/C	C	
		QUOTE				
		ASSIGNED QUOTE JWCD 1801041606				
218-006	D	25 INCH DIAMETER FUEL TANK(S)				
215-006	D	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH				
	D	POLISHED STAINLESS STEEL BANDS				
212-007	D	FUEL TANK(S) FORWARD				
231-998	D	NO FUEL TANK MTG BETWEEN RAILS				
232-998	D	NO ADDITIONAL FUEL PROVIDED				
664-002	D	POLISHED STEP FINISH				
207-998	D	NO FUEL TANK SCREENS				
205-002	D	CHROME FUEL TANK CAP(S)				
220-998	D	NO FUEL HEATER				
122-998	D	NO FUEL/WATER SEPARATOR				
216-020	D	EQUIFLO INBOARD FUEL SYSTEM				
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT				
	D	S				
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L				
	D	INE				
213-998	D	NO FUEL LINE INSULATION				
221-998	D	NO FUEL COOLER				
20A-003	H003	SINGLE HYDRAULIC TANK FRAME MOUNTED LH S				
	H	IDE BACK OF CAB				
	003	Adding the 20A sales code helps to relie				
		ve confusion when pre-buildshopcall team				
		reviews the specs				
		TIRES				
093-0TB	D	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL	F	196		
	D	FRONT TIRES				
094-1UX	D	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL			R	192
	D	REAR TIRES				
095-0TB	D	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL			R	196
	D	PUSHER/TAG TIRES				

510-998	D	NO SPARE TIRE HUBS		
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT HU		
	D	BS		
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HUB		
	D	S		
449-060	D	CONMET PRESET PLUS PREMIUM IRON PUSHER/T		
	D	AG HUBS		
		WHEELS		
502-091	D	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT	F	-8
	D	4.75 INSET 10-HAND ALUMINUM DISC FRONT		
	D	WHEELS		
505-1EF	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	R	-200
	D	LOT ALUMINUM DISC REAR WHEELS		
509-034	D	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT	R	-6
	D	4.75 INSET 10-HAND ALUMINUM DISC		
	D	PUSHER/TAG WHEELS		
511-998	D	NO SPARE WHEEL		
51A-998	D	NO ADDITIONAL SPARE WHEEL		
524-002	C005	POLISHED FRONT WHEELS; INSIDE AND OUTSID		
	C	E		
525-001	D	POLISHED REAR WHEELS; OUTSIDE OF OUTER W		
	D	HEELS ONLY		
526-007	C005	POLISHED PUSHER/TAG WHEELS; BOTH SIDES O		
	C	F OUTER WHEELS ONLY		
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR		
498-011	D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN		
	D	TERFACES		
		CAB EXTERIOR		
829-1A2	D	114 INCH BBC FLAT ROOF ALUMINUM CONVENTI		
	D	ONAL CAB		
682-998	D	NO SLEEPER BOX/SLEEPERCAB		
784-998	D	NO AIR SHIELD OR BRACKETS		
783-998	D	NO SIDE EXTENDERS		
782-998	D	NO FRAME SIDE FAIRINGS		
650-008	D	AIR CAB MOUNTING		
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS		
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR		
	D	ILLE		
667-004	D	FRONT FENDERS SET-BACK AXLE		
754-017	D	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSION	F	10
	D	S		
678-001	D	LH AND RH GRAB HANDLES		
645-002	D	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		

646-042	D	STATIONARY BLACK GRILLE WITH BRIGHT ACCE		
	D	NTS		
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	D	FIBERGLASS HOOD		
690-016	D	CAB FLOOR, TOE BOARD AND FIREWALL HEAT S	F	5
	D	HIELD		
727-066	D	DUAL 26 INCH RECTANGULAR POLISHED ALUMIN	F	4
	D	UM AIR HORNS ROOF MOUNTED		
726-001	D	SINGLE ELECTRIC HORN		
728-002	D	DUAL HORN SHIELDS		
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE		
	D	SAME WITH (4) KEYS		
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME		
327-998	D	NO OTHER LIGHTS		
312-067	D	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT		
	D	BEZELS		
302-047	D	LED AERODYNAMIC MARKER LIGHTS		
315-998	D	NO FOG LIGHTS		
311-012	D	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY		
316-998	D	NO SPOTLIGHTS		
294-042	D	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI	R	5
	D	L/TURN LIGHTS WITH SEPARATE INCANDESCENT		
	D	BACKUP LIGHTS		
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS		
318-998	D	NO UTILITY/ADVERTISING LIGHT		
744-1BC	D	DUAL WEST COAST BRIGHT FINISH HEATED MIR		
	D	RORS WITH LH AND RH REMOTE		
797-001	D	DOOR MOUNTED MIRRORS		
796-001	D	102 INCH EQUIPMENT WIDTH		
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MI		
	D	RRORS MOUNTED UNDER PRIMARY MIRRORS		
74A-998	D	NO AUXILIARY MIRROR		
74B-998	D	NO AUXILIARY MIRROR		
712-998	D	NO CUSTOM NAMEPLATE		
713-998	D	NO PERMIT PLAQUE		
729-001	D	STANDARD SIDE/REAR REFLECTORS		
73A-998	D	NO REFLECTIVE DEVICES		
677-055	D	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH		
	D	POLISHED DIAMOND PLATE COVER		
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM		
275-998	D	NO EMERGENCY WARNING SIRENS		
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F	10

768-043	D	63X14 INCH TINTED REAR WINDOW		
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED		
	D	NON-OPERATING WING WINDOWS		
654-027	D	RH AND LH ELECTRIC POWERED WINDOWS, PASS	F	4
	D	ENER SWITCHES ON DOOR(S)		
767-998	D	NO SIDE WINDOW		
769-998	D	NO LOWER DOOR WINDOW		
663-013	D	TINTED WINDSHIELD		
659-020	D	2 GALLON WINDSHIELD WASHER RESERVOIR WIT		
	D	H FLUID LEVEL INDICATOR, FRAME MOUNTED		
647-998	D	NO WINTERFRONT		
		CAB INTERIOR		
707-1AKD		OPAL GRAY VINYL INTERIOR		
055-004	D	INTERIOR CONVENIENCE PACKAGE WITH CB PRO		
	D	VISION		
706-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL		
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO		
	D	R		
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL		
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO		
	D	R		
772-006	D	BLACK MATS WITH SINGLE INSULATION		
785-001	D	DASH MOUNTED ASH TRAYS AND LIGHTER		
691-008	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER		
	D	STORAGE COMPARTMENTS WITHOUT NETTING		
694-998	D	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE		
696-998	D	NO REAR FLOOR STORAGE		
693-998	D	NO INTERIOR DOOR STORAGE		
826-998	D	NO LOWER BUNK		
666-998	D	NO BUNK RESTRAINT		
738-998	D	NO CLOCK		
742-007	D	(2) CUP HOLDERS LH AND RH DASH		
680-007	D	GRAY/CHARCOAL WING DASH		
860-004	D	SMART SWITCH EXPANSION MODULE		
33A-998	D	NO WARNING LIGHT SWITCHES		
720-002	D	2-1/2 LB. FIRE EXTINGUISHER	F	5
71T-998	D	NO SMOKE/GAS DETECTOR		
714-001	D	FIRST AID KIT	F	2
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER		
701-008	D	STANDARD HVAC DUCTING WITH SNOW SHIELD F		
	D	OR FRESH AIR INTAKE		
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW		
	D	ITCH		
689-998	D	NO AUXILIARY HVAC UNIT		

170-045	D	STANDARD HEATER PLUMBING WITH BALL SHUTO		
	D	FF VALVES AT SUPPLY LINES ONLY		
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES		
	D	SOR		
702-002	D	BINARY CONTROL, R-134A		
739-034	D	PREMIUM INSULATION		
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING,		
	S	WHITE LITHIUM GREASE ON BATTERY TERMINAL		
	S	S AND RED ENAMEL PAINT IN ENGINE COMPART		
	S	MENT AND ON CHASSIS CONNECTIONS		
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	D	DOMED DOOR ACTIVATED LH AND RH, DUAL READ		
	D	ING LIGHTS, FORWARD CAB ROOF		
655-005	D	LH AND RH ELECTRIC DOOR LOCKS		
740-998	D	NO MATTRESS		
284-023	D	(1) 12 VOLT POWER SUPPLY IN DASH		
710-998	D	NO CAB PRIVACY CURTAIN		
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10
756-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION DRIVER	F	70
	D	SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRAT		
	D	ED CUSHION EXTENSION, FORWARD AND REAR C		
	D	USHION TILT, ADJUSTABLE SHOCK ABSORBER		
760-1DC	D	BASIC HIGH BACK NON SUSPENSION PASSENGER		
	D	SEAT		
762-998	D	NO REAR PASSENGER SEAT		
757-998	D	NO SEAT SKIRT(S)		
759-007	D	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER	F	4
	D	SEAT ARMRESTS		
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
699-998	D	NO SEAT OPTIONS		
758-022	D	BLACK MORDURA CLOTH DRIVER SEAT COVER		
761-014	D	BLACK CORDURA PLUS CLOTH PASSENGER SEAT		
	D	COVER		
755-998	D	NO REAR PASSENGER SEAT COVERS		
763-101	D	BLACK SEAT BELTS		
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F	10
	D	COLUMN		
540-016	D	18 INCH (450MM) LEATHER WRAPPED STEERING		
	D	WHEEL		
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS		
	D	CONTROLS & INSTRUMENTS		
870-001	D	BLACK GAUGE BEZELS		
732-003	D	WOODGRAIN DRIVER INSTRUMENT PANEL		

734-003 D WOODGRAIN CENTER INSTRUMENT PANEL
 68J-998 D NO SWITCH BLANK - INSTRUMENT PANEL
 486-001 D LOW AIR PRESSURE INDICATOR LIGHT AND AUD
 D IBLE ALARM

 838-998 D NO AIR APPLICATION GAUGE
 840-002 D 2 INCH PRIMARY AND SECONDARY AIR PRESSUR
 D E GAUGES
 198-002 D INTAKE MOUNTED AIR RESTRICTION INDICATOR
 D WITH GRADUATIONS
 721-001 D 97 DB BACKUP ALARM
 149-017 D ELECTRONIC CRUISE CONTROL WITH SWITCHES
 D ON AUXILIARY GAUGE PANEL (B DASH PANEL)
 156-007 D KEY OPERATED IGNITION SWITCH AND INTEGRA
 D L START POSITION; 4 POSITION OFF/RUN/STA
 D RT/ACCESSORY
 157-998 D NO REMOTE START
 811-042 D ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,
 D 28 LED WARNING LAMPS AND DATA LINKED
 160-038 D HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE
 D CONNECTOR LOCATED BELOW LH DASH
 844-001 D 2 INCH ELECTRIC FUEL GAUGE
 845-011 D FUEL FILTER RESTRICTION INDICATOR
 148-085 D EMISSIONS LIMITED IDLE ADJUST
 163-998 D NO ENGINE OPT/RPM CONTROLS WIRING
 87L-998 D NO REMOTE ENGINE CONTROL-ENABLE
 33U-998 D NO CUSTOMER DEFINED WIRING FUNCTION
 866-998 D NO AXLE TEMPERATURE GAUGE
 856-001 D ELECTRICAL ENGINE COOLANT TEMPERATURE GA
 D UGE
 854-998 D NO ENGINE OIL TEMPERATURE GAUGE
 864-998 D NO TRANSMISSION TEMPERATURE GAUGE
 867-998 D NO OUTSIDE AIR TEMPERATURE GAUGE
 830-017 D ENGINE AND TRIP HOUR METERS INTEGRAL WIT
 D HIN DRIVER DISPLAY
 438-998 D NO HUBODOMETER
 372-051 D CUSTOMER FURNISHED AND INSTALLED PTO CON
 D TROLS

 73H-998 D NO CAMERA/VIDEO/IMAGING SYSTEM
 49B-998 D NO VEHICLE STABILITY ADVISOR OR CONTROL
 852-002 D ELECTRIC ENGINE OIL PRESSURE GAUGE
 679-001 D OVERHEAD INSTRUMENT PANEL
 35M-998 D NO WRG-BDY MULTIPLEX EXPNSN UNIT

786-998	D	NO POSITIONING/LOCATING SYSTEM		
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE		
	D	NNA		
746-1B4	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYE	F	10
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU		
	D	XILIARY INPUTS, J1939		
747-001	D	DASH MOUNTED RADIO		
74D-998	D	NO RADIO/SPEAKER WIRING		
750-002	D	(2) RADIO SPEAKERS IN CAB		
753-998	D	NO AM/FM RADIO ANTENNA		
748-014	H	COBRA 29NW LTD CLASSIC FACTORY INSTALLED	F	5
	H	CB RADIO		
749-001	D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	D	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED		
	D	ANTENNA SYSTEM		
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR		
	D	Y MPH SCALE, WITHOUT ODOMETER		
817-001	D	STANDARD VEHICLE SPEED SENSOR		
812-001	D	ELECTRONIC 3000 RPM TACHOMETER		
813-1B4	D	VT-HU CONNECTIVITY PLATFORM HARDWARE		
8D1-002	D	2 YEARS DETROIT CONNECT BASE PACKAGE (VI		
	D	RTUAL TECHNICIAN, DETROIT CONNECT PORTAL		
	D	ACCESS)FOR VT-HU CONNECTIVITY PLATFORM		
8Z1-998	D	NO ZONAR SERVICES SELECTED		
80K-998	D	NO SHUTDOWN OVERRIDE		
80L-998	D	NO REGEN SYSTEM TAILORING		
80M-998	S	NO ALTERNATE PTO SPEED		
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE		
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION		
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG		
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP		
885-998	D	NO CONTROLS-FIRE PUMP		
329-015	D	ONE ON/OFF ROCKER SWITCH IN THE DASH WIT		
	D	H INDICATOR LIGHT AND WIRE ROUTED TO CHA		
	D	SSIS AT BACK OF CAB, LABEL OPT		
81Y-001	D	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FL		
	D	ASH, WITH SMART SWITCH		
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH		
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH		
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH		
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH		
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS		
44W-998	D	NO UNDEFINED INDICATOR LAMPS		
264-998	D	NO CONTROLS-SIREN/AIR HORN		

482-001	D	BW TRACTOR PROTECTION VALVE
883-001	D	TRAILER HAND CONTROL BRAKE VALVE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
	D	IVER DISPLAY
660-025	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
	D	ITH DELAY PROGRAMMED TO SLOWEST SPEED WI
	D	TH PARK BRAKE SET
304-003	D	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR
	D	ATE INTERRUPTER FOR CLEARANCE LIGHTS
882-004	D	TWO VALVE PARKING BRAKE SYSTEM WITH WARN
	D	ING INDICATOR
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH D
	D	IMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-048	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
	D	WITH STOP LAMPS OVERRIDING HAZARD LAMPS
869-998	D	NO MISCELLANEOUS GAUGES
		PAINT
065-000	D	PAINT: ONE SOLID COLOR
980-6H0	D002	CAB COLOR A: L5455EB
	D	JET BLACK PEARL METALLIC ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
	D	PAINT
98K-998	D	NO FUEL TANK CABINET PAINT
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-998	D	PAINT-RR WHEEL COLOR: NONE
96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-998	D	NO BUMPER PAINT
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A
963-003	D	STANDARD E COAT/UNDERCOATING
		ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VICE PDI INSPECTION
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
82N-998	D	NO SHIPPING PROTECTION
999-034	H002	DEALER ADVISED AND ACCEPTS TERMS OF PIL
	H	#395; SPEED OF LOADED VEHICLE MUST BE LI
	H	MITED TO 5 MPH MAXIMUM WHEN LIFTABLE AXL
	H	E IS RAISED
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
WAI-983		EW4: DD13 VOC \$0 DED 7 YEARS/400,000 MIL

WAG-
010

P28-1AC 001
RPN-018

ES/644,000 KM FULL COVERAGE. FEX APPLIES
TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND
ED TOWING COVERAGE \$550 CAP FEX APPLIES
AIR CONDITIONING TAX
MY2018 CANADA CONCESSION PROGRAMS