

3597

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
			PRICE LEVEL INFORMATION		
PRL-18K		002	NEW CASCADIA PRL-18K (EFF:4/17/18)		
			GENERAL APPLICATION INFORMATION		
AA1-001	D		TRACTOR/TRAILER CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-005	D		LINEHAUL/LONG HAUL SERVICE		
A84-1GF	D		GENERAL FREIGHT BUSINESS SEGMENT		
AA3-998	D		NO BODY SPECIFIED		
AA2-001	D		VAN TRAILER		
AH6-001	D		SINGLE (1) TRAILER		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D		ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D		D SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-001	D		GENERAL FREIGHT COMMODITY		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	12000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	52000	LBS
A70-99D	D		EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	107.087	IN
A79-99D	S		EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN

A78-99D	S	EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	S	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	12	IN
AM5-99D	S	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	86.567	IN
AL9-99D	S	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	75	IN
AC3-99D	S 005	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	87.491	MPH
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	38.446	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	40.016	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-1.784	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES				
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	52000	LBS
BASE MODEL				
001-235 D		NEW CASCADIA 126 INCH DAY CAB	F 8955	R 6969
004-219 D		2019 MODEL YEAR SPECIFIED		
028-998 D		NO OPTIMIZED POWER TRAIN PACKAGE		
066-998 D		NO FUEL EFFICIENCY/AERODYNAMIC PACKAGE		
995-1AD	D	FREIGHTLINER LEVEL I WARRANTY		
AF3-2CR	D	TRACTOR ONLY WITH NO BODY UPFIT		
002-002 D		SET BACK AXLE - TRACTOR		
019-998 D		NO TRUCK PROVISION PACKAGE		
003-001 D		LH PRIMARY STEERING LOCATION		
ENGINE				
101-2YE	D	DETROIT DD15 14.8L 455 HP @ 1625 RPM, 19		
	D	00 GOV RPM, 1550 LB/FT @ 975 RPM		
99C-017D		2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/C		
	D	ARB/FINAL GHG17 CONFIGURATION		
99Z-004 S	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		

S	(AES)
99D-011D	2008 CARB EMISSION CERTIFICATION - CLEAN
D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
D	FORWARD CORNER OF DRIVER DOOR)
9EE-003S	CEEA+ 500 ELECTRICAL ARCHITECTURE
992-001 S	50 STATE EMISSIONS CERTIFICATION
28F-014 D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
D	OVER THE ROAD REGENERATION AND VIRTUAL R
D	EGENERATION REQUEST SWITCH IN CLUSTER
79A-065D	65 MPH ROAD SPEED LIMIT
79B-000D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD
D	SPEED LIMIT
79C-998D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-100D	1600 RPM LIMIT FOR LOW GEARS, 1700 RPM L
D	IMIT FOR MIDDLE GEARS, 1900 RPM LIMIT FO
D	R HIGH GEARS
79E-998 D	NO LOW RANGE TORQUE PROTECT
79F-013 D	FLEET MANAGEMENT - DAILY ENGINE USAGE EN
D	ABLED
79G-003D	4 MINUTES IDLE SHUTDOWN WITHOUT CLUTCH A
D	ND SERVICE BRAKE OVERRIDE
79J-998 D	NO PTO SHUTDOWN CONFIGURATION
79K-998D	NO PTO MODE ENGINE RPM LIMIT, PTO 1
79L-998 D	PTO MODE THROTTLE OVERRIDE DISABLED
79M-	
998 D	PTO MODE BRAKE OVERRIDE - DISABLED
79N-001D	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLE
D	D
79P-998 D	NO PTO RPM WITH CRUISE SET SWITCH
79Q-998D	NO PTO RPM WITH CRUISE RESUME SWITCH
79R-998 D	NO PTO MODE COOLING FAN
79S-998 D	NO PTO MODE CANCEL VEHICLE SPEED
79T-998 D	NO PTO MODE RPM INCREMENT
79U-998D	NO PTO GOVERNOR RAMP RATE
79V-998D	NO PTO MODE DPF REGEN
79W-	
998 D	REMOTE PTO DISABLED
79X-998D	NO PTO 1 SET SPEED
79Y-998D	NO PTO 2 SET SPEED
79Z-998 D	NO PTO 3 SET SPEED
80A-998D	NO ALTERNATE ROAD SPEED LIMIT
80B-998 D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-001D	SOFT CRUISE CONTROL ENABLED
80E-998 D	NO ENGINE FAN WITH RETARDER
80F-998 D	NO MAINTENANCE MONITOR

80G-998D	NO PTO MINIMUM RPM	
80H-998D	NO ACCELERATION MANAGEMENT	
80J-998 D	NO REGEN INHIBIT SPEED THRESHOLD	
80R-000S	DRIVELINE TORQUE PROTECTION - ENABLED	
80Y-998S	NO CRUISE CONT-UPPER/LOWER LIMITS	
84N-998D	NO TCU-ENGINE LOAD REDUCTION FUNC	
85E-998 D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT	
D	CONFIGURED	
85F-998 D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C	
D	ONFIGURED	
85G-998D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT	
D	NOT CONFIGURED	
85J-998 D	NO TCU-2ND REVERSE OPTION	
85P-998 D	NO REAR PTO TRANSMISSION RANGE	
	ENGINE EQUIPMENT	
13E-001 D	STANDARD OIL PAN	
105-001 D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998 D	NO ENGINE OIL DRAIN/SAMPLE	
133-004 D	ONE PIECE VALVE COVER	
014-1CTD	DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE	
D	MOUNTED AIR CLEANER	
124-1DJ D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU	F 10
D	NT PAD ALTERNATOR WITH REMOTE BATTERY VO	
D	LT SENSE	
292-210 H005	(4) DTNA GENUINE, FLOODED STARTING, MIN	
H	4500CCA, 780RC, THREADED STUD BATTERIES	
005	ALL FREIGHTLINER AND WST MODELS MUST GET	
	NEW DTNA GENUINE, NORTHSTAR, ORODYSSEY	
	BRANDED PARTS AFTER CHANGEOVER	
29H-998D	NO AUXILIARY BATTERIES	
290-1D3D	STEEL BATTERY BOX WITH ENCLOSED TRAY	
29G-998D	NO AUXILIARY BATTERY BOX	
282-001 D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE	
D	UNDER CAB	
29E-998 D	NO AUXILIARY BATTERY BOX MOUNTING/LOCATI	
D	ON	
291-017 D	WIRE GROUND RETURN FOR BATTERY CABLES WI	
D	TH ADDITIONAL FRAME GROUND RETURN	
289-006 D	PLASTIC BATTERY BOX COVER	
29F-998 D	NO AUXILIARY BATTERY BOX COVER	
293-058 D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F 8
D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER	
D	SEAT	
295-998 D	NO JUMPSTART POST	
306-015 D	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12	
D	.3 VOLTS FOR DESIGNATED CIRCUITS	

28E-001 S	12V POWERNET ARCHITECTURE	
80X-998S	NO BATTERY MANAGEMENT SYSTEM	
180-100 D	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTI	F 20
D	NG CLUTCH	
183-008 D	TORQUE LIMITING CLUTCH BRAKE	
181-002 D	ZERK FITTING WITH EXTENSION HOSE AT CLUT	
D	CH RELEASE BEARING	
107-044 D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER	
D	AIR COMPRESSOR WITH SAFETY VALVE	
108-002 D	STANDARD MECHANICAL AIR COMPRESSOR GOVER	
D	NOR	
131-013 D	AIR COMPRESSOR DISCHARGE LINE	
152-041 D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT	
D	ECTION SYSTEM	
128-002 D	JACOBS COMPRESSION BRAKE	
016-1C3D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTA	
D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH	
D	HORIZONTAL TAILPIPE	
239-001 D	STANDARD EXHAUST SYSTEM LENGTH	
233-998 D	NO EXHAUST BRIGHTWORK (PLAIN)	
237-052 D	RH STANDARD HORIZONTAL TAILPIPE	
23U-002D	13 GALLON DIESEL EXHAUST FLUID TANK	
43W- S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO	
001 S	LANT PLUMBING	
30N-003D	100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-998 D	NO DIESEL EXHAUST FLUID TANK COVER	
43Y-001D	STANDARD DIESEL EXHAUST FLUID TANK CAP	
242-998 D	NO MUFFLER/TAILPIPE SHIELD	
273-058 D	AIR POWERED ON/OFF ENGINE FAN CLUTCH	
276-001 D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC	
D	H, NON ENGINE MOUNTED	
110-068 D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/	
D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL	
D	INDICATOR	
114-998 D	NO BYPASS OIL FILTER	
118-001 D	FULL FLOW OIL FILTER	
120-998 D	NO COOLANT FILTER	
165-998 D	NO OIL LEVEL REGULATOR/RESERVOIR	
266-1C1D	1400 SQUARE INCH FUEL ECONOMY RADIATOR	
103-040 D	ANTIFREEZE TO -60F, OAT (NITRITE AND SIL	
D	ICATE FREE) EXTENDED LIFE COOLANT	
171-007 D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV	
D	ALENT	
172-001 D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT	
D	HOSES	

270-019 D	HDEP VARIABLE SPEED COOLANT PUMP AND RAD		
D	IATOR DRAIN VALVE		
168-002 D	LOWER RADIATOR GUARD	F	5
360-998 D	NO FRONT ENGINE PTO		
361-998 D	NO REAR ENGINE PTO		
138-005 D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
D	HEATER		
141-998 D	NO COOLANT HEATER - GAS/DSL		
166-998 D	NO OIL PREHEATER		
140-022 D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
D	UNDER LH DOOR		
134-001 D	ALUMINUM FLYWHEEL HOUSING		
155-075 D	mitsubishi 12V MOD 3.175-DP60 STARTER WI		
D	TH INTEGRATED MAGNETIC SWITCH		
106-002 D	ELECTRONIC ACCELERATOR CONTROL		
	TRANSMISSION & EQUIPMENT		
342-417 D	EATON FULLER FRO-15210C TRANSMISSION	F	-30 R -10
343-998 D	NO TRANS CONTROL UNIT/SOFTWARE		
84B-998 D	NO TCU-VOCATIONAL RATING		
84C-998 D	NO TCU-PRIMARY MODE: GEARS		
84D-998 D	NO TCU-SECONDARY MODE: GEARS		
97G-998 D	NO TRANSMISSION PROGNOSTICS		
34C-998 D	NO AUX/ACC TRANSMISSION WIRING		
345-001 D	PAINTED SHIFT LEVER, SOLID LINKAGE		
347-002 D	ALUMINUM CLUTCH HOUSING		
370-015 D	WATER TO OIL TRANSMISSION COOLER, IN RAD		
D	IATOR END TANK		
346-998 D	NO TRANSMISSION OIL CHECK AND FILL		
368-998 D	NO EXTERNAL TRANSMISSION OIL FILTER		
35T-003 D	SYNTHETIC TRANSMISSION LUBE		
341-017 D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI		
D	ON FILL AND DRAIN, AXLE(S) FILL AND DRAI		
D	N		
362-998 D	NO MAIN TRANSMISSION MOUNTED PTO		
363-998 D	NO PTO MOUNTING LOCATION SPECIFIED		
	FRONT AXLE, SUSPENSION & EQUIPMENT		
400-1A6D	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI		
D	/3.74 DROP SINGLE FRONT AXLE		
402-050 D	MERITOR 16.5X5 Q+ CAST SPIDER HEAVY DUTY		
D	CAM FRONT BRAKES, DOUBLE ANCHOR, FABRIC		
D	ATED SHOES		
403-043 D	2011/2013-FMVSS 121 RSD FRONT BRAKE LINI		
D	NG		
419-023 D	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001 D	FRONT BRAKE DUST SHIELDS	F	5
409-006 D	FRONT OIL SEALS		

408-001 D VENTED FRONT HUB CAPS WITH WINDOW, CENTE
D R AND SIDE PLUGS - OIL
416-022 D STANDARD SPINDLE NUTS FOR ALL AXLES
404-1B2 S WABCO LONGSTROKE FRONT BRAKE CHAMBERS
405-002 D MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
40P-998 D NO FRONT AXLE ACCESSORIES
536-050 D TRW THP-60 POWER STEERING
537-005 S STEEL STEERING SHAFT
539-003 D POWER STEERING PUMP
534-015 D 2 QUART SEE THROUGH POWER STEERING RESER
D VOIR
533-998 D NO POWER STEERING OIL COOLER
40T-002 D SYNTHETIC 75W-90 FRONT AXLE LUBE
620-1F3 D 12,500# TAPERLEAF FRONT SUSPENSION
619-005 D MAINTENANCE FREE RUBBER BUSHINGS - FRONT
D SUSPENSION
410-001 D FRONT SHOCK ABSORBERS
REAR AXLE, SUSPENSION & EQUIPMENT
420-1K3H005 MT-40-14X 40,000# R-SERIES TANDEM REAR A
H XLE
005 CLASSIC DETROIT AXLES ARE BEING PHASEDO
UT. NEW DETROIT CHANGEOVER AXLE IS NOT A
AVAILABLE WITH3.58 RATIO UNTILJANUARY 201
9. USE MERITOR INSTEAD WITH 3.55 RATIO
421-355 H005 3.55 REAR AXLE RATIO
005 CLASSIC DETROIT AXLES ARE BEING PHASEDO
UT. NEW DETROIT CHANGEOVER AXLE IS NOT A
AVAILABLE WITH3.58 RATIO UNTILJANUARY 201
9. USE MERITOR INSTEAD WITH 3.55 RATIO
424-003 D IRON REAR AXLE CARRIER WITH OPTIONAL HEA
D VY DUTY AXLE HOUSING
42T-001 D STANDARD REAR AXLE BREATHER(S)
386-067 D RPL25SD MERITOR MAIN DRIVELINE
388-039 D RPL20 MERITOR INTERAXLE DRIVELINE
393-998 D NO DRIVELINE GUARD
452-998 D NO TRACTION EQUALIZER
878-019 D (1) INTERAXLE LOCK VALVE FOR TANDEM OR T
D RIDEM DRIVE AXLES
87A-005H INDICATOR LIGHT FOR EACH INTERAXLE LOCKO
H UT SWITCH
005 CLASSIC DETROIT AXLES ARE BEING PHASEDO
UT. NEW DETROIT CHANGEOVER AXLE IS NOT A
AVAILABLE WITH3.58 RATIO UNTILJANUARY 201
9. USE MERITOR INSTEAD WITH 3.55 RATIO
87B-998 D NO DIFFERENTIAL LOCK WIRING/LOGIC
423-019 D MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REA

D	R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE	
D	S	
433-043 D	2011/2013-FMVSS 121 RSD REAR BRAKE LININ	
D	GS	
434-005 D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	
D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT	
D	BRACKETS	
451-023 D	CONMET CAST IRON REAR BRAKE DRUMS	
425-002 D	REAR BRAKE DUST SHIELDS	R 10
440-006 D	REAR OIL SEALS	
426-101 D	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE	R 20
D	SPRING PARKING CHAMBERS	
428-002 D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
41T-002 H	SYNTHETIC 75W-90 REAR AXLE LUBE	
005	CLASSIC DETROIT AXLES ARE BEING PHASEDO	
	UT. NEW DETROIT CHANGEOVER AXLE IS NOT A	
	AVAILABLE WITH3.58 RATIO UNTILJANUARY 201	
	9. USE MERITOR INSTEAD WITH 3.55 RATIO	
622-218 D	AIRLINER 40,000# EXTRA DUTY REAR SUSPENS	R 160
D	ION	
621-007 D	AIRLINER HIGH POSITION RIDE HEIGHT	
431-005 D	RESTRAINED AXLE SEATS IN AXLE CLAMP GROU	
D	P	
624-016 D	51 INCH AXLE SPACING	
628-998 D	NO SUSPENSION BEAMS	
888-047 D	MANUAL DUMP VALVE FOR AIR SUSPENSION WIT	
D	HOUT GAUGE	
87D-006D	INDICATOR LIGHT FOR EACH REAR SUSPENSION	
D	CONTROL SWITCH	
910-001 D	SINGLE AIR REAR SUSPENSION LEVELING VALV	
D	E	
623-002 D	TRANSVERSE CONTROL RODS	
439-005 D	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM	
D) (AIR RIDE SUSPENSION)	
035-998 D	NO DEAD AXLE PACKAGE	
443-998 D	NO PUSHER OR TAG AXLE	
456-998 D	NO PUSHER/TAG BRAKES	
457-998 D	NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998 D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA	
D	G	
429-998 D	NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998 D	NO PUSHER OR TAG OIL SEALS	
444-998 D	NO PUSHER OR TAG HUB CAPS	
445-998 D	NO PUSHER OR TAG BRAKE CHAMBERS	
458-998 D	NO PUSHER/TAG SLACK ADJUSTERS	
626-998 D	NO PUSHER OR TAG SUSPENSION	

627-998 D	NO PUSHER/TAG AXLE SPACING	
874-998 D	NO PUSHER/TAG AXLE LIFT	
87F-998 D	NO LIFT AXLE WIRING/LOGIC	
896-998 D	NO PLUMBING FOR LIFT AXLE BRAKE SYSTEM	
490-1AU D	WABCO 4S/4M ABS WITH TRACTION CONTROL WI TH ATC SHUT OFF SWITCH	
871-001 D	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	
904-001 D	FIBER BRAID PARKING BRAKE HOSE	
412-001 D	STANDARD BRAKE SYSTEM VALVES	
413-002 D	STD U.S. FRONT BRAKE VALVE	
432-003 D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE	
480-086 D	BW AD-9SI BRAKE LINE AIR DRYER WITH HEAT ER	
479-015 D	AIR DRYER FRAME MOUNTED	
483-003 D	BENDIX OIL COALESCING FILTER FOR AIR DRY ER	
460-001 D	STEEL AIR BRAKE RESERVOIRS	
46A-998D	NO AUXILIARY AIR TANK	F -10 R -15
607-998 D	CHASSIS CONFIGURATION - NONE	
46D-002S	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	
477-004 D	PULL CABLES ON ALL AIR RESERVOIR(S)	
485-998 D	NO EXTERNAL CHARGING GLADHAND	
481-074 D	15 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS	F 12
476-057 D	36 INCH STAINLESS STEEL SLIDE BAR WITH (2) 16 INCH SPRING TYPE AIR HOSE HANGERS	
914-998 D	NO PLUMBING FOR AIR TO END OF FRAME	
919-998 D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM	
484-032 D	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH G ROUND ACCESS	
296-010 D	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S EPARATE STOP/TURN, ABS CENTER PIN POWERE D THROUGH IGNITION	
297-027 D	SAE J560 7-WAY PRIMARY TRAILER CABLE REC EPTACLE MOUNTED LOWER LH BACK OF CAB	
32A-007S	SIGNAL DETECTION AND ACTUATION MODULE	
308-998 D	NO SUPPLEMENTAL TRAILER CABLE WIRING	
331-998 D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE	

303-998 D	NO ADDITIONAL TRAILER CABLE RECEPTACLE				
30K-998D	NO HIGH CURRENT RECEPTACLE/WIRING				
30L-998 D	NO HIGH CURRENT TRAILER/BODY CABLE				
334-998 D	NO ADDITIONAL SUPPLEMENTAL 7-WAY				
D	TRAILER CABLE RECEPTACLE				
310-085 D	15 FOOT DETACHABLE COILED PRIMARY TRAILER	F	2		
D	R ELECTRICAL CABLE WITH SAE J560 CONNECT				
D	OR WITH 48 INCH TRACTOR, 12 INCH TRAILER				
D	LEADS				
309-998 D	NO SUPPLEMENTAL TRAILER ELEC CABLE				
	FRAME & WHEELBASE				
545-462 D	4625MM (182 INCH) WHEELBASE				
546-1C2D	8.0MM X 88.0MM X 281.0MM STEEL FRAME (0.	F	110	R	60
D	31X3.46X11.06 INCH) 120 KSI				
547-998 D	NO INNER FRAME REINFORCEMENT				
552-012 D	1450MM (57 INCH) REAR FRAME OVERHANG				
AB8-99D	S CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.655		%	
553-002 D	FLANGED TAPERED END OF FRAME				
550-001 D	FRONT CLOSING CROSSMEMBER				
559-003 D	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE C				
D	CROSSMEMBER				
562-001 D	STANDARD MIDSHIP #1 CROSSMEMBER(S)				
565-002 D	HEAVY DUTY SUSPENSION CROSSMEMBER			R	30
572-029 D	TRACTOR C-CHANNEL CROSSMEMBER WITH 3.5 I			R	20
D	NCH KINGPIN CLEARANCE				
587-998 D	NO REAR TOWING DEVICE				
588-998 D	NO REAR TOW DEVICE HEIGHT				
	CHASSIS EQUIPMENT				
674-001 D	LH BACK OF CAB ACCESS				
592-057 D	42 INCH (1050MM) DECK PLATE FLUSH MOUNTE	F	10	R	10
D	D BETWEEN RAILS				
556-1G7D	PAINTED AERODYNAMIC BUMPER WITH CHROME O				
D	VERLAY				
557-998 D	NO BUMPER STEP(S)				
558-033 D	REMOVABLE FRONT TOW HOOKS STORED ON THE	F	25		
D	CHASSIS FRAME				
574-007 D	BUMPER MOUNTING FOR (3) LICENSE PLATES				
585-1AJD	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKE			R	10
D	TS				
590-998 D	NO REAR MUDFLAPS			R	-15
586-015 D	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS				
576-998 D	NO TIRE CHAINS/HANGER				
551-003 D	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS				
D	EXCLUDING FIFTH WHEEL				
583-059 D	PLASTIC QUARTER FENDERS WITH LOGO			R	30

602-998 D	NO TOOL/STORAGE BOX #1		
61B-998 D	NO TOOL/STORAGE BOX #1 MOUNTING LOCATION		
603-998 D	NO TOOL/STORAGE BOX #2		
61C-998 D	NO TOOL/STORAGE BOX #2 MOUNTING LOCATION		
609-998 D	NO STORAGE BOX BRIGHTWORK		
599-998 D	NO AUXILIARY FUEL DRIVEN POWER UNIT		
69N-998D	NO AUXILIARY POWER UNIT PLUMBING		
600-998 D	NO CAB GUARD		
604-998 D	NO TIRE CARRIER		
489-998 D	NO TIRE PRESSURE CONTROL/SENSOR		
50W- 998 D	NO RIM/WHEEL TIRE PRESSURE SENSOR		
794-998 D	NO JACK OR WHEEL WRENCH PROVISION		
601-998 D	NO BODY BUILDER DIAGRAMS FIFTH WHEEL & EQUIPMENT		
578-1JF D	HOLLAND FW35 ILS 12.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS		R -50
577-305 D	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE		
580-998 D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-004 D	176MM (6.94 INCH) FIFTH WHEEL HEIGHT		
A01- 99D D	REQUESTED MIN UNLADEN 5TH WHEEL HEIGHT	46	IN
A03- 99D S	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	46.956	IN
570-002 D	INBOARD ANGLE - FIFTH WHEEL MOUNTING		
890-001 D	DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL		
579-005 D	LH FIFTH WHEEL RELEASE		
591-998 D	NO FIFTH WHEEL ADD-ONS		
581-998 D	NO FIFTH WHEEL RAMP		
206-154 D	FUEL TANK(S) & EQUIPMENT		
D	80 GALLON/302 LITER ALUMINUM FUEL TANK - RH		
201-998 D	NO RH AUXILIARY FUEL TANK		
204-154 D	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH		
D			
200-998 D	NO LH AUXILIARY FUEL TANK		
230-998 D	NO BETWEEN RAIL FUEL TANK		
203-998 D	NO HYDRAULIC OIL TANK		
218-006 D	25 INCH DIAMETER FUEL TANK(S)		
215-005 D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
D			
212-008 D	FUEL TANK(S) AFT		
231-998 D	NO FUEL TANK MTG BETWEEN RAILS		
232-998 D	NO ADDITIONAL FUEL PROVIDED		

664-001 D	PLAIN STEP FINISH		
207-998 D	NO FUEL TANK SCREENS		
205-001 D	FUEL TANK CAP(S)		
210-998 D	NO FUEL TANK DRAIN VALVES		
220-998 D	NO FUEL HEATER		
122-998 D	NO FUEL/WATER SEPARATOR		
216-020 D	EQUIFLO INBOARD FUEL SYSTEM		
11F-998 D	NO NATURAL GAS VEHICLE FUEL TANK VENT LI		
D	NE/STACK		
20E-998 D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
D	S		
202-016 D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
D	INE		
213-998 D	NO FUEL LINE INSULATION		
221-998 D	NO FUEL COOLER		
	TIRES		
093-1KJ D	MICHELIN X LINE ENERGY Z 11R22.5 14 PLY	F	8
D	RADIAL FRONT TIRES		
094-1UX D	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL		R 192
D	REAR TIRES		
095-998 D	NO PUSHER/TAG TIRES		
52M-001 D	FRONT TIRE/DISC WHEEL STATIC BALANCING W		
D	ITH LEAD-FREE WEIGHTS		
	HUBS		
418-058 D	CONMET PRESET PLUS PREMIUM ALUMINUM FRON		
D	T HUBS		
450-058 D	CONMET PRESET PLUS PREMIUM ALUMINUM REAR		
D	HUBS		
449-998 D	NO PUSHER OR TAG HUBS		
	WHEELS		
502-1EFD D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	F	-50
D	LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL		
D	S		
505-601 D	ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A		R -104
D	CCURIDE 51408 ACCU-LITE STEEL INSIDE; 22		
D	.5X8.25 10-HUB PILOT DISC REAR WHEELS		
509-998 D	NO PUSHER/TAG DISC WHEELS		
511-998 D	NO SPARE WHEEL		
524-001 D	POLISHED FRONT WHEELS; OUTSIDE ONLY		
525-001 D	POLISHED REAR WHEELS; OUTSIDE OF OUTER W		
D	HEELS ONLY		
526-998 D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
D	ELS		

50U-998D	NO REAR AXLE WHEEL/HUB COVER			
496-011 D	FRONT WHEEL MOUNTING NUTS			
497-011 D	REAR WHEEL MOUNTING NUTS			
498-011 D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN			
D	TERFACES			
	CAB EXTERIOR			
829-111 D	126" BBC ALUMINUM CONVENTIONAL CAB			
825-003 S	ALUMINUM CAB ROOF			
653-004 D	RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
651-004 D	LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP			
056-998 D	NO MAINTENANCE PACKAGE			
057-998 D	NO NEW CASCADIA SAFETY PACKAGE			
682-998 D	NO SLEEPER BOX/SLEEPERCAB			
784-084 D	DAY CAB FE13 FACTORY PAINTED AND INSTALL	F	100	R 25
D	ED ROOF FAIRING, BACKWALL BRACKETS PAINT			
D	ED BLACK			
783-019 D	12 INCH CAB/SLEEPERCAB SIDE EXTENDERS WI	F	35	R 30
D	TH BLACK FLEXIBLE ENDS			
82A-998D	NO CAB ACCENT MOLDING			
782-998 D	NO FRAME SIDE FAIRINGS			
78H-998D	NO DRIVE WHEEL FAIRINGS - CHASSIS			
770-998 D	NO AERODYNAMIC SKIRT FOR CHASSIS FAIRING			
D	S			
779-998 D	NO FORWARD CHASSIS FAIRING SUPPORT			
704-998 D	NO BAGGAGE DOOR			
650-008 D	AIR CAB MOUNTING			
648-002 D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR			
D	ILLE			
695-998 D	NO SLEEPER DOOR			
678-053 D	INTERIOR GRAB HANDLES WITH ADDED LOWER L			
D	H AND RH A PILLAR GRAB HANDLES			
646-010 D	CHROME GRILLE WITH INTEGRAL SURROUND			
644-001 D	AERODYNAMIC HOOD			
65X-004D	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
652-026 D	NEW CASCADIA NAMEPLATE			
690-010 S	ENGINE COMPARTMENT PREMIUM NOISE ABATEME			
S	NT AND INSULATION			
727-				
1AY D	SINGLE AIR HORN UNDER LH DECK			
726-001 D	SINGLE ELECTRIC HORN			
657-				
1CV D	DOOR LOCKS AND IGNITION SWITCH KEYED THE			
D	SAME WITH (4) KEYS			
575-001 D	REAR LICENSE PLATE MOUNT END OF FRAME			
319-998 D	NO ADVERTISING LAMP			
327-998 D	NO OTHER LIGHTS			

312-075 D	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
302-072 D	ROOF MOUNTED LED MARKER LIGHTS		
314-998 D	NO ROADLIGHTS		
315-998 D	NO FOG LIGHTS		
311-001 D	DAYTIME RUNNING LIGHTS		
316-998 D	NO SPOTLIGHTS		
294-1A0D	FREIGHTLINER LED FLANGE MOUNTED STOP/TAI	R	5
D	L/TURN LIGHTS WITH SEPARATE LED BACKUP L		
D	IGHTS AND SWIFT-STYLE BRACKET		
300-043 D	LED SIDE TURN SIGNAL		
318-1J0 D	(4) LED UTILITY LIGHTS: (2) SWIVEL MOUNT	F	6
D	ED LH AND RH OUTBOARD HIGH ON SIDE EXTEN		
D	DERS AND (2) FLUSH MOUNTED BACK OF CAB		
596-998 D	NO LOAD LOCK CARRIERS		
744-1E5 D	DUAL BRIGHT FINISH HEATED AERODYNAMIC MI		
D	RRORS WITH INTEGRAL CONVEX AND LH AND RH		
D	REMOTE		
797-001 D	DOOR MOUNTED MIRRORS		
796-001 S	102 INCH EQUIPMENT WIDTH		
74A-001D	RH DOWN VIEW MIRROR		
74B- D	RH AND LH HEATED BRIGHT FINISH HOOD/FEND	F	8
1B8 D	ER MOUNTED MIRRORS		
713-998 D	NO PERMIT PLAQUE		
729-001 D	STANDARD SIDE/REAR REFLECTORS		
73A-002D	REAR REFLECTIVE DEVICE		
787-998 D	NO SECURITY DEVICE		
677-053 D	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH		
D	STEEL SHIELDING		
275-998 D	NO EMERGENCY WARNING SIRENS		
776-998 D	NO SLEEPER VENT		
764-998 D	NO EXTERIOR SUN VISOR		
768-059 D	(2) 28X22 INCH SOLAR TINTED REAR WINDOWS		
661-016 D	SOLAR TINTED DOOR GLASS LH AND RH WITH T		
D	INTED FORWARD SIDE GLASS		
654-011 D	RH AND LH ELECTRIC POWERED WINDOWS	F	4
766-998 D	NO FRONT ROOF WINDOW		
76Z-998 D	NO SIDE SLEEPER CAP WINDOWS		
767-998 D	NO SIDE WINDOW		
663-019 D	1-PIECE TINTED ROPED-IN WINDSHIELD		
659-007 D	8 LITER WINDSHIELD WASHER RESERVOIR, CAB		
D	MOUNTED, WITHOUT FLUID LEVEL INDICATOR		
647-998 D	NO WINTERFRONT		
	CAB INTERIOR		
707-1D7D	SLATE GRAY BASE LEVEL INTERIOR		
70K-010D	SLATE GRAY WITH TECH HARD TRIM		

706-034 D	STANDARD LH DOOR TRIM		
708-034 D	STANDARD RH DOOR TRIM		
772-001 D	BLACK MATS		
773-998 D	NO FLOOR COVERING-SLPR (SLPR/INT)		
771-998 D	NO BAGGAGE AREA FLOOR COVERING		
785-014 D	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY		
64D-998D	NO LH SLEEPER STORAGE		
64E-998 D	NO RH SLEEPER STORAGE		
691-006 D	FORWARD ROOF MOUNTED CONSOLE WITH DOORS	F	2
D	RH AND LH		
696-012 D	CENTER STORAGE CONSOLE MOUNTED ON BACKWA	F	5
D	LL		
692-998 D	NO STORAGE INTERIOR, REAR		
693-019 D	LH AND RH DOOR STORAGE POCKETS INTEGRATE		
D	D INTO MOLDED DOOR PANELS		
741-019 D	COAT HOOK(S) IN CAB		
826-998 D	NO LOWER BUNK		
745-998 D	NO UPPER BUNK		
666-998 D	NO BUNK RESTRAINT		
738-021 D	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-998 D	NO CUP/THERMOS HOLDER		
680-036 D	WING DASH WITH E-VAULT		
718-998 D	NO SLEEPER FAN		
720-003 D	5 LB. FIRE EXTINGUISHER	F	10
71T-998 D	NO SMOKE/GAS DETECTOR		
714-005 D	FIRST AID KIT LOCATED ON FLOOR INBOARD S	F	2
D	IDE OF DRIVER SEAT		
700-014 D	HEATER, DEFROSTER AND AIR CONDITIONER WI		
D	TH CONSTANT OUTLET TEMPERATURE CONTROL		
701-002 D	HVAC DUCTING WITH MAIN FRESH AIR FILTER		
703-005 D	MAIN HVAC CONTROLS WITH RECIRCULATION SW		
D	ITCH		
689-998 D	NO AUXILIARY HVAC UNIT		
170-045 D	STANDARD HEATER PLUMBING WITH BALL SHUTO		
D	FF VALVES AT SUPPLY LINES ONLY		
130-033 D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES		
D	SOR		
698-001 D	RADIATOR MOUNTED AIR CONDITIONER CONDENS		
D	ER		
702-002 D	BINARY CONTROL, R-134A		
739-033 D	STANDARD INSULATION		
285-013 D	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
96R-002 S	STANDARD ELECTRICAL PROTECTIVE COATING,		
S	GREASE ON BATTERY TERMINALS AND RED ENAM		
S	EL PAINT IN ENGINE COMPARTMENT AND ON CH		

S	ASSIS CONNECTIONS		
280-007 D	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
322-998 D	NO BAGGAGE COMPARTMENT LIGHT		
324-1B3 D	STANDARD LED CAB LIGHTING		
325-998 D	NO SLEEPER INTERIOR LAMP		
32C-998D	NO SLEEPER/BAGGAGE LAMP WIRING		
655-001 D	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
64C-003 D	BLACK DOOR HANDLES		
740-998 D	NO MATTRESS		
66W- 998	D NO ENTRANCE DOOR CONTROL		
284-998 D	NO POWER SUPPLY SLEEPER/CAB		
337-998 D	NO AC 120V CAB WIRING AND AC OUTLET		
710-998 D	NO CAB PRIVACY CURTAIN		
719-998 D	NO REFRIGERATOR		
722-002 D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10
756-1J6 D	PREMIUM 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK		
	D		
	D		
	D		
760-1J4 D	BASIC 2.0 HIGH BACK NON SUSPENSION PASSENGER SEAT		
	D		
757-998 D	NO SEAT SKIRT(S)		
759-007 D	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	F	4
	D		
758-039 D	MORDURA CLOTH DRIVER SEAT		
761-039 D	MORDURA CLOTH PASSENGER SEAT		
763- 1AA	D 3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
	D		
	D		
725-998 D	NO SUPPLEMENTAL RESTRAINT SYSTEM		
66Q-998D	NO EXERCISE PROVISIONS		
71U-998D	NO MEDICAL DEVICE		
709-998 D	NO SLEEPER CURTAIN		
532-002 D	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	F	10
	D		
540-044 D	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
	D		
765-002 D	DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS		
870-001 D	BLACK GAUGE BEZELS		
734-018 D	STANDARD CENTER INSTRUMENT PANEL		
486-001 D	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
	D		
838-998 D	NO AIR APPLICATION GAUGE		

840-001 D	DUAL NEEDLE PRIMARY AND SECONDARY AIR PR	
D	ESSURE GAUGE	
198-025 D	INTAKE MOUNTED AIR RESTRICTION INDICATOR	
D	WITHOUT GRADUATIONS	
721-003 D	PRECO 1040 87 DB TO 112 DB AUTOMATIC SEL	R 3
D	F-ADJUSTING BACKUP ALARM	
149-015 D	ELECTRONIC CRUISE CONTROL WITH CONTROLS	
D	ON STEERING WHEEL SPOKES	
156-007 D	KEY OPERATED IGNITION SWITCH AND INTEGRA	
D	L START POSITION; 4 POSITION OFF/RUN/STA	
D	RT/ACCESSORY	
811-044 D	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH	
D	TFT COLOR DISPLAY	
160-038 D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE	
D	CONNECTOR LOCATED BELOW LH DASH	
844-001 D	2 INCH ELECTRIC FUEL GAUGE	
845-011 D	FUEL FILTER RESTRICTION INDICATOR	
148-085 D	EMISSIONS LIMITED IDLE ADJUST	
866-998 D	NO AXLE TEMPERATURE GAUGE	
856-001 D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA	
D	UGE	
854-998 D	NO ENGINE OIL TEMPERATURE GAUGE	
864-998 D	NO TRANSMISSION TEMPERATURE GAUGE	
867-004 D	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DI	
D	SPLAY IN DRIVER MESSAGE CENTER	
830-017 D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
D	HIN DRIVER DISPLAY	
438-998 D	NO HUBODOMETER	
372-998 D	NO PTO CONTROLS	
736-998 D	NO OBSTACLE DETECTION SYSTEM	F -20
73K-998D	NO SIDE OBJECT DETECTION SYSTEM	
73H-998D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-004 D	ELECTRONIC STABILITY CONTROL	
73B-998 D	NO LANE DEPARTURE WARNING SYSTEM	
852-002 D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-998 D	NO OVERHEAD INSTRUMENT PANEL	
786-998 D	NO POSITIONING/LOCATING SYSTEM	
79H-998S	NO GPS ANTENNA	
78A-998D	NO POSITION/COMMUNICATION ACCESSORY	
746-1B4 D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYE	F 10
D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU	
D	XILIARY INPUTS, J1939	
747-001 D	DASH MOUNTED RADIO	
750-041 D	STANDARD SPEAKER SYSTEM	
753-049 D	60 INCH (SLEEPER) OR 54 INCH (DAY CAB) A	
D	M/FM ANTENNA MOUNTED ON RH REAR CAB/SLEE	

D	PER WALL WITH RG62 CABLE
748-006 D	POWER AND GROUND WIRING PROVISION OVERHEAD
D	AD
749-001 D	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
752-057 D	SINGLE 60 INCH (SLEEPER) OR 54 INCH (DAY
D	CAB) CB ANTENNA MOUNTED ON LH REAR CAB/
D	SLEEPER WALL WITH CONTINUOUS RG8X COAX C
D	ABLE
78C-998D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE
D	NNA
737-998 D	NO TELEVISION ANTENNA/PROVISION
810-028 D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR
D	Y MPH SCALE, WITHOUT ODOMETER
817-001 D	STANDARD VEHICLE SPEED SENSOR
812-032 D	ELECTRONIC 2500 RPM TACHOMETER
813-1C8D	DETROIT CONNECT PLATFORM HARDWARE
8D1-105D	5 YEARS DETROIT CONNECT BASE PACKAGE (VI
D	RTUAL TECHNICIAN, REMOTE UPDATES, DETROI
D	T CONNECT PORTAL ACCESS) DETROIT CONNECT
D	PLATFORM
8Z1-998 D	NO ZONAR SERVICES SELECTED
6TS-998D	NO TELEMATICS SYSTEM - WIRING
81Y-005D	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR
D	LAMPS ONLY
80K-998D	NO SHUTDOWN OVERRIDE
80L-001 D	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTEN
D	DED IDLE
80M-998	S NO ALTERNATE PTO SPEED
80N-998D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998 D	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998S	NO VEHICLE SPEED LIMIT - GHG
162-001 D	IDLE LIMITER, ELECTRONIC ENGINE, PARK BR
D	AKE ACTIVATED
329-006 D	ONE EXTRA SWITCH IN DASH WITH INDICATOR
D	LAMP AND WIRE TO CHASSIS AT BACK OF CAB/
D	SLEEPER
264-033 D	STEERING WHEEL MOUNTED ELECTRIC HORN CON
D	TROL
482-001 D	BW TRACTOR PROTECTION VALVE
883-001 D	TRAILER HAND CONTROL BRAKE VALVE
842-998 D	NO TURBO AIR PRESSURE GAUGE
841-998 D	NO FUEL VACUUM GAUGE
836-015 D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
D	IVER DISPLAY
660-008 D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W

D	ITH DELAY
304-030 D	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS
D	
81B-003 D	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
D	
882-004 D	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
D	
299-020 D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT
D	
298-046 D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY
D	
2J8-998 D	NO LAMP MONITORING SYSTEM
869-998 D	NO MISCELLANEOUS GAUGES
	PAINT
065-000 D	PAINT: ONE SOLID COLOR
980-5F8 D	CAB COLOR A: L0225EB
D	WHITE ELITE BC
986-020 D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
D	
987-998 D	NO CHASSIS SIDE FAIRING PAINT
962-998 D	PAINT-FRT WHEEL COLOR: NONE
966-972 D	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
D	
96E-998 D	NO PUSHER/TAG WHEEL PAINT
96F-998 D	NO SPARE WHEEL PAINT
964-995 D	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB
D	
976-998 D	NO EXTERIOR SUNVISOR PAINT
979-995 D	AERODYNAMIC ROOF DEVICE PAINTED SAME AS CAB COLOR A
D	
963-998 D	NO UNDERCOAT
	ADDITIONAL SPECIFICATIONS
998-998 D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION
D	
99B-998 D	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS
D	
958-998 D	NO INSPECTION-LABOR ONLY
999-998 D	NONE
996-002 D	CANADA CMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
D	
RCE-00F	003 FIXED FOREIGN EXCHANGE

MWF-001	S	DETROIT FRONT AXLE COVERAGE, LINEHAUL, 5
	S	YEAR/750,000 MILES/1 200 000 KILOMETERS
WAI-18W		EW4: DD15 HWY \$0 DED 5 YEARS/500,000 MIL
		ES/805,000 KM FULL COVERAGE. FEX APPLIES
P28-1AC	002	AIR CONDITIONING TAX
RPN-120		CANADA CONCESSION PROGRAMS
RTA-001	002	ONTARIO TIRE STEWARDSHIP FEE
P73-1FT	002	STANDARD DESTINATION CHARGE
		X EXCHANGE
PMU-017		2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR