

# VEHICLE DATA CODE INQUIRY

---

## VEHICLE DETAIL

---

<b>Fleet Size:</b>	1	<b>Plant Code:</b>	MTH
<b>TSO Number:</b>	3949A	<b>Customer Name:</b>	STOCK BARRIE
<b>Pilot:</b>	N	<b>Salesperson:</b>	CAE
<b>Open TCO:</b>	N 6	<b>Coordinator:</b>	GAGNON
		<b>Customer Account:</b>	N96748

---

## SPECIFICATIONS

---

<b>Base Model:</b>	M2106	<b>Cab Size:</b>	106
<b>Sleeper Size:</b>	000	<b>Qty Cab Colors:</b>	1
<b>Key Code:</b>	FT1605	<b>Engine Model:</b>	ISB
<b>Transmission Model:</b>	2500RDS	<b>Auxiliary Transmission:</b>	
<b>Front Axle:</b>	MBA12K	<b>Rear Axle:</b>	RS23
<b>Tag/Pusher Axle Model:</b>		<b>Suspension Model:</b>	FA223000
<b>TSO Processing:</b>	COMPLETE	<b>Engineering CWOS:</b>	COMPLETE
<b>Pricing Issues:</b>	COMPLETE		

---

## SHIPPING/PRICING

---

<b>Transit Start Date:</b>		<b>Estimated Arrival Date:</b>	
<b>Delivered Date:</b>		<b>Spec Con Date:</b>	
<b>Official Invoice Date:</b>		<b>Retail Sold Date:</b>	
<b>Concession Number:</b>	482542	<b>Price Level:</b>	
<b>PDI Received Date:</b>		<b>PDI Returned Date:</b>	
<b>Approval Date:</b>		<b>TCO Approval:</b>	
<b>Ship To:</b>	CURRIE TRUCK CENTRE 2 CURRIE DRIVE BARRIE ,ONL4M 3C5 CAN 705 734-1953 EX		

**Ship Instructions:**

Databook	Origin TCO #	Description	Value
		<b>PRICING IS NOT AVAILABLE FOR THIS REPORT</b>	
		<b>PRICE LEVEL INFORMATION</b>	
PRL-08M		M2 PRL-08M (EFF:01/28/14)	
		<b>GENERAL APPLICATION INFORMATION</b>	
AA1-002		TRUCK CONFIGURATION	
AA6-003		DOMICILED, CANADA (OTHER THAN QUEBEC)	
A85-002		PICKUP AND DELIVERY/SHORT HAUL SERVICE	
AA3-001		DRY VAN BODY	
AA2-998		NO TRAILER SPECIFIED	
AA5-002		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
		<b>TRANSIT, IS SPENT ON PAVED ROADS</b>	
AB5-001		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	
AB1-008		MAXIMUM 8% EXPECTED GRADE	
AA4-001		GENERAL FREIGHT COMMODITY	
A84-1GF		GENERAL FREIGHT BUSINESS SEGMENT	
A66-99D		EXPECTED FRONT AXLE(S) LOAD	12000 LBS
A68-99D		EXPECTED REAR DRIVE AXLE(S) LOAD	23000 LBS
A63-99D	003	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	33000 LBS
A70-99D		EXPECTED GROSS COMBINATION WEIGHT	0 LBS
AC8-99D		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	186.417 IN
AL8-99D		CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3 IN
A88-99D		EXPECTED TRUCK BODY LENGTH	264 IN
AL4-99D		CALC'D FRAME LENGTH BACK OF CAB	306.496 IN
AL6-99D		CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-39.496 IN
AM1-99D		CALC'D OVERALL LENGTH AT BODY OR EOF	412.795 IN
AC3-99D		CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	78.683 MPH
AF7-99D		BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32 IN
AK2-99D		BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32 IN
AM3-99D		CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.373 IN
AR1-99D		CAL'D FRAME HT AT FRONT SUSP-UNLADEN	40.917 IN
AM2-99D		CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	40.939 IN
AM0-99D		TOP OF FRM TO RR TIRE TOP-UNLD	-0.661 IN
ALG-99D		CALC'D CAB HEIGHT ABOVE FRAME	63.174 IN
ALJ-99D		CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	101.42 IN
ALH-99D		CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	104.09 IN
AF3-2DC		MORGAN CORPORATION	
		<b>MAXIMUM GVW &amp; AXLE SYSTEM CAPACITIES</b>	
A61-99D		CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000 LBS
A59-99D		CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000 LBS
A60-99D		CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS
A62-99D		RATED MAXIMUM VEHICLE CAPACITY - GVWR	33000 LBS
		<b>BASE MODEL</b>	
001-172		M2 106 CONVENTIONAL CHASSIS	
004-215		2015 MODEL YEAR SPECIFIED	
995-091		MEDIUM TRUCK WARRANTY	
002-004		SET BACK AXLE - TRUCK	
019-002		STRAIGHT TRUCK PROVISION	
003-001		LH PRIMARY STEERING LOCATION	
		<b>ENGINE</b>	
101-2NT		CUM ISB 6.7-250 250 HP @ 2300 RPM, 2600	
		<b>GOV, 660 LB/FT @ 1600 RPM</b>	
99C-013		2013 ONBOARD DIAGNOSTICS/2010 EPA/CARB/G	
		<b>HG14</b>	
99Z-004		VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D	
		<b>OES NOT HAVE REGULATORY VEHICLE SPEED LIMITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES)</b>	
99D-010		NO 2008 CARB EMISSION CERTIFICATION	

Databook	Origin TCO #	Description	Value
28F-002		ENGINE AFTERTREATMENT DEVICE, AUTOMATIC <b>OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH</b>	
79A-065		65 MPH ROAD SPEED LIMIT	
79B-000		CRUISE CONTROL SPEED LIMIT SAME AS ROAD <b>SPEED LIMIT</b>	
79C-998		NO DRIVER FUEL ECONOMY INCENTIVE	
79D-998		NO PROGRESSIVE SHIFTING	
79E-998		NO LOW RANGE TORQUE PROTECT	
79F-998		NO FLEET MANAGEMENT	
79G-998		NO IDLE SHUTDOWN CONFIGURATION	
79J-998		NO PTO SHUTDOWN CONFIGURATION	
79K-007		PTO MODE ENGINE RPM LIMIT - 1100 RPM	
79L-998		PTO MODE THROTTLE OVERRIDE DISABLED	
79M-001		PTO MODE BRAKE OVERRIDE - SERVICE BRAKE <b>APPLIED</b>	
79N-998		NO PTO MODE CLUTCH OVERRIDE	
79P-004		PTO RPM WITH CRUISE SET SWITCH - 900 RPM	
79Q-002		PTO RPM WITH CRUISE RESUME SWITCH - 700 <b>RPM</b>	
79R-998		NO PTO MODE COOLING FAN	
79S-998		NO PTO MODE CANCEL VEHICLE SPEED	
79T-998		NO PTO MODE RPM INCREMENT	
79U-998		NO PTO GOVERNOR RAMP RATE	
79V-998		NO PTO MODE DPF REGEN	
79W-998		REMOTE PTO DISABLED	
79X-998		NO PTO 1 SET SPEED	
79Y-998		NO PTO 2 SET SPEED	
79Z-998		NO PTO 3 SET SPEED	
80A-998		NO ALTERNATE ROAD SPEED LIMIT	
80B-998		NO CHECK ENGINE LIGHT ON OVERSPEED	
80C-998		NO ENGINE BRAKE WITH CRUISE CONTROL	
80D-998		NO SOFT CRUISE CONTROL	
80E-998		NO ENGINE FAN WITH RETARDER	
80F-998		NO MAINTENANCE MONITOR	
80G-002		PTO MINIMUM RPM - 700	
80H-998		NO ACCELERATION MANAGEMENT	
80J-002		REGEN INHIBIT SPEED THRESHOLD - 5 MPH	
80R-998		NO DRIVETRAIN TORQUE PROTECTION	
84E-000		PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT <b>NA AND ALLISON, THIS DEFINED BY ENGINE A ND VOCATIONAL USAGE</b>	
84F-000		SECONDARY SHIFT SCHEDULE RECOMMENDED BY <b>DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</b>	
84G-000		PRIMARY SHIFT SPEED RECOMMENDED BY DTNA <b>AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE</b>	
84H-000		SECONDARY SHIFT SPEED RECOMMENDED BY DTN <b>A AND ALLISON, THIS DEFINED BY ENGINE AN D VOCATIONAL USAGE</b>	
84J-000		ENGINE BRAKE RANGE PRESELECT RECOMMENDED <b>BY DTNA AND ALLISON, THIS DEFINED BY EN GINE AND VOCATIONAL USAGE</b>	
84K-000		ENGINE BRAKE RANGE ALTERNATE PRESELECT R <b>ECOMMENDED BY DTNA AND ALLISON, THIS DEF INED BY ENGINE AND VOCATIONAL USAGE</b>	
84L-000		DYNAMIC SHIFT SENSING AND ACCELERATION R <b>ATE MANAGEMENT RECOMMENDED BY DTNA AND A LLISON, THIS DEFINED VOCATIONAL USAGE</b>	

Databook	Origin TCO #	Description	Value
84N-000		NEUTRAL AT STOP - DISABLED, FUELSense - <b>DISABLED</b> <b>ENGINE EQUIPMENT</b>	
13E-001		STANDARD OIL PAN	
105-001		ENGINE MOUNTED OIL CHECK AND FILL	
104-998		NO ENGINE OIL DRAIN/SAMPLE	
133-004		ONE PIECE VALVE COVER	
014-099		SIDE OF HOOD AIR INTAKE WITH FIREWALL MO <b>UNTED DONALDSON AIR CLEANER</b>	
124-1D7		DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALT <b>ERNATOR WITH REMOTE BATTERY VOLT SENSE</b>	
292-098		(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12 <b>VOLT MAINTENANCE FREE 2250 CCA THREADED</b> <b>STUD BATTERIES FCCC ONLY</b>	
29B-998		NO HYBRID BATTERY SYSTEM	
290-017		BATTERY BOX FRAME MOUNTED	
281-001		STANDARD BATTERY JUMPERS	
282-003		SINGLE BATTERY BOX FRAME MOUNTED LH SIDE <b>BACK OF CAB</b>	
291-017		WIRE GROUND RETURN FOR BATTERY CABLES WI <b>TH ADDITIONAL FRAME GROUND RETURN</b>	
289-001		NON-POLISHED BATTERY BOX COVER	
33M-998		NO AUXILIARY POWER DISTRIBUTION MANAGEMEN <b>T</b>	
293-998		NO BATTERY SHUTOFF SWITCH	
295-998		NO JUMPSTART POST	
180-998		NO CLUTCH	
183-998		NO CLUTCH BRAKE	
181-998		NO CLUTCH RELEASE BEARING LUBE	
182-998		NO CLUTCH RELEASE	
107-032		CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRES <b>SSOR WITH INTERNAL SAFETY VALVE</b>	
108-002		STANDARD MECHANICAL AIR COMPRESSOR GOVERN <b>NOR</b>	
131-013		AIR COMPRESSOR DISCHARGE LINE	
152-041		ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT <b>ECTION SYSTEM</b>	
128-076		CUMMINS ENGINE INTEGRAL BRAKE WITH VARIA <b>BLE GEOMETRY TURBO ON/OFF</b>	
016-1C3		RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL <b>L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH</b> <b>HORIZONTAL TAILPIPE</b>	
239-001		STANDARD EXHAUST SYSTEM LENGTH	
233-998		NO EXHAUST BRIGHTWORK (PLAIN)	
237-052		RH STANDARD HORIZONTAL TAILPIPE	
23U-002		13 GALLON DIESEL EXHAUST FLUID TANK	
43W-001		STANDARD DIESEL EXHAUST FLUID SYSTEM COOL <b>ANT PLUMBING</b>	
30N-003		100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-998		NO DIESEL EXHAUST FLUID TANK COVER	
43X-002		LH MEDIUM DUTY STANDARD DIESEL EXHAUST FL <b>UID TANK LOCATION</b>	
23Y-001		STANDARD DIESEL EXHAUST FLUID PUMP MOUNT <b>ING</b>	
43Y-001		STANDARD DIESEL EXHAUST FLUID TANK CAP	
242-998		NO MUFFLER/TAILOPIPE SHIELD	
273-035		HORTON HT650 FRONTAL AIR ON/OFF ENGINE F <b>AN CLUTCH</b>	
276-001		AUTOMATIC FAN CONTROL WITHOUT DASH SWITC <b>H, NON ENGINE MOUNTED</b>	

Databook	Origin TCO #	Description	Value
110-003		CUMMINS SPIN ON FUEL FILTER	
118-001		FULL FLOW OIL FILTER	
120-998		NO COOLANT FILTER	
266-078		950 SQUARE INCH ALUMINUM RADIATOR	
103-005		ANTIFREEZE TO -60F, NOAT EXTENDED LIFE C <b>COOLANT</b>	
171-007		GATES BLUE STRIPE COOLANT HOSES OR EQUIV <b>ALERT</b>	
172-001		CONSTANT TENSION HOSE CLAMPS FOR COOLANT <b>HOSES</b>	
270-016		RADIATOR DRAIN VALVE	
168-002		LOWER RADIATOR GUARD	
360-998		NO FRONT ENGINE PTO	
361-998		NO REAR ENGINE PTO	
138-010		PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK H <b>EATER</b>	
141-998		NO COOLANT HEATER - GAS/DSL	
166-998		NO OIL PREHEATER	
140-022		CHROME ENGINE HEATER RECEPTACLE MOUNTED <b>UNDER LH DOOR</b>	
134-001		ALUMINUM FLYWHEEL HOUSING	
132-004		ELECTRIC GRID AIR INTAKE WARMER	
155-058		DELCO 12V 38MT HD STARTER WITH INTEGRATE <b>D MAGNETIC SWITCH</b>	
		<b>TRANSMISSION &amp; EQUIPMENT</b>	
342-1MN		ALLISON 2500 RDS AUTOMATIC TRANSMISSION <b>WITH PTO PROVISION</b>	
352-998		NO AUXILIARY TRANSMISSION	
22Y-998		NO AUX POWER UNIT-HYBRID ELEC VEH	
343-301		ALLISON VOCATIONAL PACKAGE 354 - AVAILAB <b>LE ON 1000/2000 PRODUCT FAMILIES WITH VO</b> <b>CATIONAL MODELS RDS, EVS, HS, MH, PTS AN</b> <b>D SPS</b>	
84B-012		ALLISON VOCATIONAL RATING FOR ON/OFF HIG <b>HWAY APPLICATIONS AVAILABLE WITH ALL PRO</b> <b>DUCT FAMILIES</b>	
84C-003		PRIMARY MODE GEARS, 5 FORWARD GEARS WITH <b>MANUAL SELECTION FOR 3, 2 AND 1, AVAILA</b> <b>BLE FOR 1000/2000 PRODUCT FAMILIES ONLY</b>	
84D-998		NO TCU-SECONDARY MODE: GEARS	
341-018		MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI <b>ON DRAIN, AXLE(S) FILL AND DRAIN</b>	
345-072		DASH MOUNTED T-HANDLE CABLE SHIFT CONTRO <b>L WITHOUT PARK BRAKE POSITION</b>	
97G-006		TRANSMISSION PROGNOSTICS - DISABLED (N/A ) <b>2013, FOR USE IN 1000/2000 ONLY</b>	
348-998		NO TRANSMISSION ACCESSORIES	
347-998		NO CLUTCH HOUSING MATERIAL	
370-015		WATER TO OIL TRANSMISSION COOLER, IN RAD <b>IATOR END TANK</b>	
346-001		TRANSMISSION OIL CHECK AND FILL	
368-998		NO EXTERNAL TRANSMISSION OIL FILTER	
84T-000		DISABLE - NEUTRAL RANGE ASSIST	
84U-000		DRIVER SWITCH INPUT - DEFAULT - NO SWITC <b>HES</b>	
353-038		MARKER LAMP CONNECTION FOR BODY BUILDERS	
34C-998		NO AUX/ACC TRANSMISSION WIRING	
362-802		CUSTOMER INSTALLED CHELSEA 442 SERIES PT <b>O</b>	
363-001		PTO MOUNTING, LH SIDE OF MAIN TRANSMISSI	

Databook	Origin TCO #	Description	Value
		<b>ON</b>	
375-998		NO AUXILIARY OIL COOLER	
373-998		NO TRANSFER CASE	
376-998		NO SHIFT CONTROL, TRANSFER CASE	
371-998		NO AUX TRANS/TRANSFER CASE MTD POWER	
		<b>TAKEOFF</b>	
35T-001		SYNTHETIC TRANSMISSION FLUID (TES-295 CO <b>MPLIANT)</b>	
385-998		NO MAIN DRIVELINE HARDWARE	
		<b>FRONT AXLE, SUSPENSION &amp; EQUIPMENT</b>	
400-1A6		DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI <b>/3.74 DROP SINGLE FRONT AXLE</b>	
398-998		NO FRONT AXLE RATIO	
389-998		NO FRONT AXLE DRIVESHAFT	
402-020		MERITOR 15X4 Q+ CAM FRONT BRAKES	
403-002		NON-ASBESTOS FRONT BRAKE LINING	
419-023		CONMET CAST IRON FRONT BRAKE DRUMS	
427-998		NO FRONT BRAKE DUST SHIELDS	
409-021		SKF SCOTSEAL PLUS XL FRONT OIL SEALS	
408-001		VENTED FRONT HUB CAPS WITH WINDOW, CENTE <b>R AND SIDE PLUGS - OIL</b>	
416-022		STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2		WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002		MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
536-050		TRW THP-60 POWER STEERING	
537-005		STEEL STEERING SHAFT	
539-003		POWER STEERING PUMP	
534-015		2 QUART SEE THROUGH POWER STEERING RESER <b>VOIR</b>	
533-998		NO POWER STEERING OIL COOLER	
40T-002		SYNTHETIC 75W-90 FRONT AXLE LUBE	
620-1F0		12,000# DUAL TAPERLEAF FRONT SUSPENSION	
619-005		MAINTENANCE FREE RUBBER BUSHINGS - FRONT <b>SUSPENSION</b>	
629-998		NO FRONT SWAYBAR	
410-001		FRONT SHOCK ABSORBERS	
		<b>REAR AXLE, SUSPENSION &amp; EQUIPMENT</b>	
420-051		RS-23-160 23,000# R-SERIES SINGLE REAR A <b>XLE</b>	
421-538		5.38 REAR AXLE RATIO	
424-001		IRON REAR AXLE CARRIER WITH STANDARD AXL <b>E HOUSING</b>	
382-998		NO (#1) DRIVELINE	
386-073		MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE <b>LINE WITH HALF ROUND YOKES</b>	
388-998		NO INTERAXLE (#3) DRIVELINE	
452-998		NO TRACTION EQUALIZER	
878-998		NO AIR PP & CONT-DIFF LKOUT,CAB	
87A-998		NO INTERAXLE LOCK WIRING/LOGIC	
87B-998		NO DIFFERENTIAL LOCK WIRING/LOGIC	
423-032		MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REA <b>R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE S</b>	
433-002		NON-ASBESTOS REAR BRAKE LINING	
434-005		BRAKE CAMS AND CHAMBERS ON FORWARD SIDE <b>OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS</b>	
451-023		CONMET CAST IRON REAR BRAKE DRUMS	
425-998		NO REAR BRAKE DUST SHIELDS	
440-021		SKF SCOTSEAL PLUS XL REAR OIL SEALS	

Databook	Origin TCO #	Description	Value
435-998		NO DRIVELINE PARKING BRAKE	
426-074		HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE <b>SPRING PARKING CHAMBERS</b>	
428-002		MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
876-998		NO AIR PP/ELECT AXLE SHIFT,CAB	
87C-998		NO DRIVE/SHIFT AXLE WIRING/LOGIC	
898-998		NO AIR PP/ELECT-AXLE SHIFT,CHAS	
41T-002		SYNTHETIC 75W-90 REAR AXLE LUBE	
622-216		AIRLINER 23,000# REAR SUSPENSION WITH CH <b>AIN CLEARANCE</b>	
034-998		NO REAR SUSPENSION PACKAGE	
621-007		AIRLINER HIGH POSITION RIDE HEIGHT	
431-004		WELDED AXLE SEATS SUPPLIED ON REAR AXLE	
624-998		NO AXLE SPACING	
628-998		NO SUSPENSION BEAMS	
888-056		IGNITION CONTROLLED ELECTRIC DUMP SWITCH <b>FOR AIR SUSPENSION WITH AUTOFILL OVERRI DE VALVE</b>	
87D-009		REAR AIR SUSPENSION DUMP VALVE WITH AUTO <b>FILL FOR IGNITION OFF AND &gt;5 MPH, INCLUD E OVERRIDE CONTROL AND BUZZER ON DUMP VA LVE SWITCH</b>	
910-001		SINGLE AIR REAR SUSPENSION LEVELING VALV <b>E</b>	
623-002		TRANSVERSE CONTROL RODS	
630-998		NO REAR SUSPENSION STABILIZER	
439-004		REAR SHOCK ABSORBERS - ONE AXLE (AIR RID <b>E SUSPENSION)</b>	
035-998		NO DEAD AXLE PACKAGE	
443-998		NO PUSHER OR TAG AXLE	
456-998		NO PUSHER/TAG BRAKES	
457-998		NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998		NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA <b>G</b>	
429-998		NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998		NO PUSHER OR TAG OIL SEALS	
444-998		NO PUSHER OR TAG HUB CAPS	
445-998		NO PUSHER OR TAG BRAKE CHAMBERS	
458-998		NO PUSHER/TAG SLACK ADJUSTERS	
626-998		NO PUSHER OR TAG SUSPENSION	
874-998		NO PUSHER/TAG AXLE LIFT	
896-998		NO PLUMBING FOR LIFT AXLE	
87F-998		NO LIFT AXLE WIRING/LOGIC <b>BRAKE SYSTEM</b>	
018-002		AIR BRAKE PACKAGE	
490-100		WABCO 4S/4M ABS	
871-001		REINFORCED NYLON, FABRIC BRAID AND WIRE <b>BRAID CHASSIS AIR LINES</b>	
904-001		FIBER BRAID PARKING BRAKE HOSE	
412-001		STANDARD BRAKE SYSTEM VALVES	
46D-002		STANDARD AIR SYSTEM PRESSURE PROTECTION <b>SYSTEM</b>	
413-002		STD U.S. FRONT BRAKE VALVE	
432-003		RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, <b>NO REAR PROPORTIONING VALVE</b>	
480-009		BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	
483-998		NO AIR SYSTEM OIL FILTER	
479-012		AIR DRYER MOUNTED UNDER HOOD	
460-001		STEEL AIR BRAKE RESERVOIRS	
46A-998		NO AUXILIARY AIR TANK	

Databook	Origin TCO #	Description	Value
607-998		CHASSIS CONFIGURATION - NONE	
477-006		BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER <b>ON ALL TANK(S)</b>	
485-998		NO EXTERNAL CHARGING GLADHAND	
481-998		NO TRAILER AIR HOSE	
476-998		NO AIR HOSE HANGER	
914-998		NO PLUMBING FOR AIR TO END OF FRAME	
919-998		NO OPTIONAL CHASSIS AIR SYSTEM PIPING, <b>VALVES, OR AIR UNLOADER SYSTEM</b>	
484-998		NO TRAILER CABLE AND GLAD HANDS STORAGE	
296-998		NO SPECIAL PRIMARY RECEPTACLE WIRING	
297-998		NO TRAILER CABLE RECEPTACLE	
335-004		UPGRADED CHASSIS MULTIPLEXING UNIT	
32A-002		UPGRADED BULKHEAD MULTIPLEXING UNIT	
308-998		NO SUPPLEMENTAL TRAILER CABLE WIRING	
331-998		NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R <b>ECEPTACLE</b>	
30K-998		NO HIGH CURRENT RECEPTACLE/WIRING	
310-998		NO TRAILER ELECTRICAL CABLE <b>FRAME &amp; WHEELBASE</b>	
545-640		6400MM (252 INCH) WHEELBASE	
546-100		11/32X3-1/2X10-3/16 INCH STEEL FRAME (8. <b>73MMX258.8MM/0.344X10.19 INCH) 120KSI</b>	
547-998		NO INNER FRAME REINFORCEMENT	
548-998		NO OUTER FRAME REINFORCEMENT	
549-998		NO FRONT FRAME EXTENSION	
552-009		3050MM (120 INCH) REAR FRAME OVERHANG	
AB8-99D		CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.447 %
553-001		SQUARE END OF FRAME	
550-001		FRONT CLOSING CROSSMEMBER	
559-001		STANDARD WEIGHT ENGINE CROSSMEMBER	
562-001		STANDARD MIDSHIP #1 CROSSMEMBER(S)	
565-002		HEAVY DUTY SUSPENSION CROSSMEMBER	
572-001		STANDARD REARMOST CROSSMEMBER	
AL5-99D		CALC'D BUMPER TO REAR TOWING C/M FACE	412.795 IN
587-998		NO REAR TOWING DEVICE <b>CHASSIS EQUIPMENT</b>	
674-998		NO LH OR RH BACK OF CAB ACCESS	
592-998		NO DECK PLATE	
556-1AR		THREE-PIECE 14 INCH CHROMED STEEL BUMPER <b>WITH COLLAPSIBLE ENDS</b>	
558-001		FRONT TOW HOOKS - FRAME MOUNTED	
574-001		BUMPER MOUNTING FOR SINGLE LICENSE PLATE	
642-998		NO BUMPER/FENDER MOUNTED SIGHT RODS	
585-998		NO MUDFLAP BRACKETS	
590-998		NO REAR MUDFLAPS	
586-024		FENDER AND FRONT OF HOOD MOUNTED FRONT M <b>UDFLAPS</b>	
551-007		GRADE 8 THREADED HEX HEADED FRAME FASTEN <b>ERS</b>	
583-998		NO REAR QUARTER FENDERS	
600-998		NO CAB GUARD	
604-998		NO TIRE CARRIER	
794-998		NO JACK OR WHEEL WRENCH PROVISION	
795-998		NO TOOLS	
605-003		LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS <b>IS LOADED TO FRONT AND REAR SUSPENSION R ATINGS</b>	
601-998		NO BODY BUILDER DIAGRAMS	
970-998		NO BODY TYPE	



Databook	Origin TCO #	Description	Value
		<b>FIFTH WHEEL &amp; EQUIPMENT</b>	
578-998		NO FIFTH WHEEL	
577-998		NO FIFTH WHEEL LOCATION	
580-998		NO ADDITIONAL FIFTH WHEEL DRILLINGS	
582-998		NO FIFTH WHEEL LEG HEIGHT	
570-998		NO FIFTH WHEEL MOUNTING	
890-998		NO FIFTH WHEEL PLUMBING	
579-998		NO FIFTH WHEEL RELEASE/INST.	
591-998		NO FIFTH WHEEL ADD-ONS	
		<b>FUEL TANK(S) &amp; EQUIPMENT</b>	
206-998		NO RH FUEL TANK	
201-998		NO RH AUXILIARY FUEL TANK	
204-194		100 GALLON/378 LITER RECTANGULAR ALUMINU	
		<b>M FUEL TANK - LH</b>	
200-998		NO LH AUXILIARY FUEL TANK	
230-998		NO BETWEEN RAIL FUEL TANK	
203-998		NO HYDRAULIC OIL TANK	
218-005		RECTANGULAR FUEL TANK(S)	
215-005		PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU	
		<b>LIC TANK(S) WITH PAINTED BANDS</b>	
212-007		FUEL TANK(S) FORWARD	
231-998		NO FUEL TANK MTG BETWEEN RAILS	
232-998		NO ADDITIONAL FUEL PROVIDED	
664-004		POLISHED STAINLESS STEEL STEP FINISH	
207-998		NO FUEL TANK SCREENS	
205-001		FUEL TANK CAP(S)	
220-998		NO FUEL HEATER	
122-077		ALLIANCE FUEL FILTER/WATER SEPARATOR WIT	
		<b>H HEATED BOWL AND PRIMER PUMP</b>	
216-020		EQUIFLO INBOARD FUEL SYSTEM	
20E-998		NO AUXILIARY FUEL SUPPLY AND RETURN PORT	
		<b>S</b>	
202-016		HIGH TEMPERATURE REINFORCED NYLON FUEL L	
		<b>INE</b>	
213-998		NO FUEL LINE INSULATION	
221-998		NO FUEL COOLER	
		<b>TIRES</b>	
093-2B1		MICHELIN XZA3+ 11R22.5 14 PLY RADIAL FRO	
		<b>NT TIRES</b>	
094-0DH		MICHELIN XDE M/S 11R22.5 14 PLY RADIAL R	
		<b>EAR TIRES</b>	
095-998		NO PUSHER/TAG TIRES	
510-998		NO SPARE TIRE	
		<b>HUBS</b>	
418-045		CONMET PRESET IRON FRONT HUBS	
450-045		CONMET PRESET IRON REAR HUBS	
449-998		NO PUSHER OR TAG HUBS	
		<b>WHEELS</b>	
502-1EF		ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	
		<b>LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL</b>	
		<b>S</b>	
505-720		ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A	
		<b>CCURIDE 29637 STEEL INSIDE; 22.5X8.25 10</b>	
		<b>-HUB PILOT DISC REAR WHEELS</b>	
509-998		NO PUSHER/TAG DISC WHEELS	
511-998		NO SPARE WHEEL	
51A-998		NO ADDITIONAL SPARE WHEEL	
524-001		POLISHED FRONT WHEELS; OUTSIDE ONLY	
525-001		POLISHED REAR WHEELS; OUTSIDE OF OUTER W	
		<b>HEELS ONLY</b>	

Databook	Origin TCO #	Description	Value
526-998		NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS	
496-011		FRONT WHEEL MOUNTING NUTS	
497-011		REAR WHEEL MOUNTING NUTS	
498-011		NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES	
829-071		CAB EXTERIOR 106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	
682-998		NO SLEEPER BOX/SLEEPER CAB	
784-998		NO AIR SHIELD OR BRACKETS	
783-998		NO SIDE EXTENDERS	
782-998		NO FRAME SIDE FAIRINGS	
650-008		AIR CAB MOUNTING	
705-998		NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	
648-002		NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	
754-998		NO FENDER EXTENSION	
678-001		LH AND RH GRAB HANDLES	
646-023		HOOD MOUNTED CHROMED PLASTIC GRILLE	
65X-003		CHROME HOOD MOUNTED AIR INTAKE GRILLE	
644-004		FIBERGLASS HOOD	
690-002		TUNNEL/FIREWALL LINER	
727-1AF		SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	
726-002		DUAL ELECTRIC HORNS	
728-001		SINGLE HORN SHIELD	
657-1CV		DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS	
575-001		REAR LICENSE PLATE MOUNT END OF FRAME	
327-998		NO OTHER LIGHTS	
312-038		INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL	
302-047		LED AERODYNAMIC MARKER LIGHTS	
315-998		NO FOG LIGHTS	
311-001		DAYTIME RUNNING LIGHTS	
316-998		NO SPOTLIGHTS	
294-1AY		INTEGRAL LED STOP/TAIL/BACKUP LIGHTS	
300-015		STANDARD FRONT TURN SIGNAL LAMPS	
318-998		NO UTILITY/ADVERTISING LIGHT	
744-1BM		DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS	
797-001		DOOR MOUNTED MIRRORS	
796-001		102 INCH EQUIPMENT WIDTH	
743-204		LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	
74A-998		NO AUXILIARY MIRROR	
74B-998		NO AUXILIARY MIRROR	
713-998		NO PERMIT PLAQUE	
729-001		STANDARD SIDE/REAR REFLECTORS	
73A-998		NO REFLECTIVE DEVICES	
677-998		NO CAB MOUNTED STEPS	
275-061		ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS	
764-998		NO EXTERIOR SUN VISOR	
768-043		63X14 INCH TINTED REAR WINDOW	
661-003		TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS	

Databook	Origin TCO #	Description	Value
654-011		RH AND LH ELECTRIC POWERED WINDOWS	
767-998		NO SIDE WINDOW	
769-998		NO LOWER DOOR WINDOW	
663-013		1-PIECE SOLAR GREEN GLASS WINDSHIELD	
659-020		2 GALLON WINDSHIELD WASHER RESERVOIR WIT <b>H FLUID LEVEL INDICATOR, FRAME MOUNTED</b>	
647-998		NO WINTERFRONT <b>CAB INTERIOR</b>	
707-1AK		OPAL GRAY VINYL INTERIOR	
055-002		INTERIOR CONVENIENCE PACKAGE	
706-016		MOLDED DOOR PANEL WITH UPPER VINYL INSER <b>TS</b>	
708-016		MOLDED DOOR PANEL WITH UPPER VINYL INSER <b>TS</b>	
772-006		BLACK MATS WITH SINGLE INSULATION	
785-998		NO DASH MOUNTED ASH TRAYS AND LIGHTER	
691-014		FORWARD ROOF MOUNTED CONSOLE WITH UPPER <b>STORAGE COMPARTMENTS AND ADDITIONAL CENT ER COMPARTMENT WITHOUT NETTING</b>	
694-010		IN DASH STORAGE BIN	
696-998		NO REAR FLOOR STORAGE	
693-003		PLASTIC MANIFEST BOX - LH DOOR	
826-998		NO LOWER BUNK	
666-998		NO BUNK RESTRAINT	
738-998		NO CLOCK	
742-007		(2) CUP HOLDERS LH AND RH DASH	
680-006		GRAY/CHARCOAL FLAT DASH	
860-004		SMART SWITCH EXPANSION MODULE	
716-998		NO WINDSHIELD FAN	
720-002		2-1/2 LB. FIRE EXTINGUISHER	
71T-998		NO SMOKE/GAS DETECTOR	
714-001		FIRST AID KIT	
700-002		HEATER, DEFROSTER AND AIR CONDITIONER	
701-001		STANDARD HVAC DUCTING	
703-005		MAIN HVAC CONTROLS WITH RECIRCULATION SW <b>ITCH</b>	
689-998		NO AUXILIARY HVAC UNIT	
170-015		STANDARD HEATER PLUMBING	
130-033		DENSO HEAVY DUTY AIR CONDITIONER COMPRES <b>SOR</b>	
702-002		BINARY CONTROL, R-134A	
739-034		PREMIUM INSULATION	
285-013		SOLID-STATE CIRCUIT PROTECTION AND FUSES	
280-007		12V NEGATIVE GROUND ELECTRICAL SYSTEM	
324-011		DOME DOOR ACTIVATED LH AND RH, DUAL READ <b>ING LIGHTS, FORWARD CAB ROOF</b>	
655-005		LH AND RH ELECTRIC DOOR LOCKS	
740-998		NO MATTRESS	
284-023		(1) 12 VOLT POWER SUPPLY IN DASH	
710-998		NO CAB PRIVACY CURTAIN	
722-002		TRIANGULAR REFLECTORS WITHOUT FLARES	
756-1J3		BASIC HIGH BACK AIR SUSPENSION DRIVER SE <b>AT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION</b>	
760-235		2 MAN TOOL BOX MID BACK NON SUSPENSION P <b>ASSENGER SEAT</b>	
762-998		NO REAR PASSENGER SEAT	
757-998		NO SEAT SKIRT(S)	
759-998		NO SEAT ARMREST	
711-004		LH AND RH INTEGRAL DOOR PANEL ARMRESTS	

Databook	Origin TCO #	Description	Value
699-998		NO SEAT OPTIONS	
758-025		GRAY MORDURA CLOTH DRIVER SEAT COVER	
761-025		GRAY MORDURA CLOTH PASSENGER SEAT COVER	
755-998		NO REAR PASSENGER SEAT COVERS	
763-006		3 POINT DRIVER AND PASSENGER AND 2 POINT <b>CENTER FRONT SEAT BELT RETRACTORS</b>	
532-002		ADJUSTABLE TILT AND TELESCOPING STEERING <b>COLUMN</b>	
540-016		18 INCH (450MM) LEATHER WRAPPED STEERING <b>WHEEL</b>	
765-002		DRIVER AND PASSENGER INTERIOR SUN VISORS <b>CONTROLS &amp; INSTRUMENTS</b>	
870-001		BLACK GAUGE BEZELS	
732-003		WOODGRAIN DRIVER INSTRUMENT PANEL	
734-003		WOODGRAIN CENTER INSTRUMENT PANEL	
68J-998		NO SWITCH BLANK - INSTRUMENT PANEL	
486-001		LOW AIR PRESSURE INDICATOR LIGHT AND AUD <b>IBLE ALARM</b>	
838-998		NO AIR APPLICATION GAUGE	
840-002		2 INCH PRIMARY AND SECONDARY AIR PRESSUR <b>E GAUGES</b>	
198-002		INTAKE MOUNTED AIR RESTRICTION INDICATOR <b>WITH GRADUATIONS</b>	
721-001		97 DB BACKUP ALARM	
149-013		ELECTRONIC CRUISE CONTROL WITH SWITCHES <b>IN LH SWITCH PANEL</b>	
156-007		KEY OPERATED IGNITION SWITCH AND INTEGRA <b>L START POSITION; 4 POSITION OFF/RUN/STA RT/ACCESSORY</b>	
157-998		NO REMOTE START	
811-011		ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DI <b>SPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3</b>	
160-025		DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, S <b>AE J1939, LOCATED BELOW DASH</b>	
844-001		2 INCH ELECTRIC FUEL GAUGE	
845-998		NO FUEL FLOW GAUGE	
148-003		PROGRAMMABLE RPM CONTROL - ELECTRONIC EN <b>GINE</b>	
163-998		NO ENGINE OPT/RPM CONTROLS WIRING	
87L-998		NO REMOTE ENGINE CONTROL-ENABLE	
33U-998		NO CUSTOMER DEFINED WIRING FUNCTION	
866-998		NO AXLE TEMPERATURE GAUGE	
856-001		ELECTRICAL ENGINE COOLANT TEMPERATURE GA <b>UGE</b>	
854-998		NO ENGINE OIL TEMPERATURE GAUGE	
864-001		2 INCH TRANSMISSION OIL TEMPERATURE GAUG <b>E</b>	
867-998		NO OUTSIDE AIR TEMPERATURE GAUGE	
830-017		ENGINE AND TRIP HOUR METERS INTEGRAL WIT <b>HIN DRIVER DISPLAY</b>	
438-998		NO HUBODOMETER	
33A-998		NO WARNING LIGHT SWITCHES	
372-051		CUSTOMER FURNISHED AND INSTALLED PTO CON <b>TROLS</b>	
49B-998		NO VEHICLE STABILITY ADVISOR OR CONTROL	
852-002		ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-998		NO OVERHEAD INSTRUMENT PANEL	
35M-998		NO WRG-BDY MULTIPLEX EXPNSN UNIT	
786-998		NO POSITIONING/LOCATING SYSTEM	

Databook	Origin TCO #	Description	Value
746-1A7		**DO NOT USE** AM/FM/WB RADIO WITH CD PL <b>AYER, BLUETOOTH AND MICROPHONE, IPOD INT ERFACE, AND USB AND FRONT AUXILIARY INPU TS</b>	
747-001		DASH MOUNTED RADIO	
74D-002		RADIO WIRING WITH POWER CUTOFF WHEN <b>VEHICLE IN REVERSE GEAR</b>	
750-002		(2) RADIO SPEAKERS IN CAB	
753-001		AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	
748-998		NO CB RADIO/PROVISION	
749-998		NO CB RADIO MOUNTING PROVISION	
752-998		NO CB ANTENNA, BRACKET OR LEAD	
78C-998		NO DIGITAL SATELLITE AUDIO RECEIVER ANTE <b>NNA</b>	
810-028		ELECTRONIC KPH SPEEDOMETER WITH SECONDAR <b>Y MPH SCALE, WITHOUT ODOMETER</b>	
817-001		STANDARD VEHICLE SPEED SENSOR	
812-001		ELECTRONIC 3000 RPM TACHOMETER	
813-998		NO VEHICLE PERFORMANCE MONITOR	
81X-998		NO TELEMATICS SERVICE CONTRACT	
80K-998		NO SHUTDOWN OVERRIDE	
80L-998		NO REGEN SYSTEM TAILORING	
80M-998		NO ALTERNATE PTO SPEED	
80N-998		NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998		NO FLEET SPEC FOR PARAMETERIZATION	
80Q-998		NO VEHICLE SPEED LIMIT - GHG	
162-011		IDLE LIMITER, ELECTRONIC ENGINE	
885-998		NO CONTROLS-FIRE PUMP	
329-015		ONE ON/OFF ROCKER SWITCH IN THE DASH WIT <b>H INDICATOR LIGHT AND WIRE ROUTED TO CHA SSIS AT BACK OF CAB, LABEL OPT</b>	
81Y-001		PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FL <b>ASH, WITH SMART SWITCH</b>	
44R-998		NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998		NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998		NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998		NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998		NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998		NO UNDEFINED INDICATOR LAMPS	
264-998		NO CONTROLS-SIREN/AIR HORN	
482-998		NO TRACTOR PROTECTION VALVE	
883-998		NO TRAILER HAND CONTROL BRAKE VALVE	
836-015		DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR <b>IVER DISPLAY</b>	
660-025		SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W <b>ITH DELAY PROGRAMMED TO SLOWEST SPEED WI TH PARK BRAKE SET</b>	
304-003		MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR <b>ATE INTERRUPTER FOR CLEARANCE LIGHTS</b>	
27D-998		NO ALTERNATING FLASHING HEADLAMP SYSTEM	
882-009		ONE VALVE PARKING BRAKE SYSTEM WITH WARN <b>ING INDICATOR</b>	
299-013		SELF CANCELING TURN SIGNAL SWITCH WITH D <b>IMMER, WASHER/WIPER AND HAZARD IN HANDLE</b>	
298-039		INTEGRAL ELECTRONIC TURN SIGNAL FLASHER <b>WITH HAZARD LAMPS OVERRIDING STOP LAMPS PAINT</b>	
065-000		PAINT: ONE SOLID COLOR	
980-3F8		CAB COLOR A: N0225EA <b>WHITE ELITE SS</b>	

Databook	Origin TCO #	Description	Value
986-020		BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	
962-998		PAINT-FRT WHEEL COLOR: NONE	
966-972		POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	
96E-998		NO PUSHER/TAG WHEEL PAINT	
96F-998		NO SPARE WHEEL PAINT	
964-998		NO BUMPER PAINT	
976-998		NO EXTERIOR SUNVISOR PAINT	
		<b>ADDITIONAL SPECIFICATIONS</b>	
998-998		DEALER ACCEPTS RESPONSIBILITY FOR IN-SER VICE PDI INSPECTION	
958-998		NO INSPECTION-LABOR ONLY	
99B-998		NO MODIFICATION CENTER SHIPPING INSTRUCTIONS	
82N-998		NO SHIPPING PROTECTION	
999-998		NONE	
996-002		CANADA CMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	
P74-228		U.S./CAD FIXED/VAR EXCHANGE 1.0770 <b>**DO NOT USE**</b>	
RCE-00V		VARIABLE CANADIAN EXCHANGE	
RCN-100		PRICE CONCESSION SYSTEM	
WAG-052		TOWING EXTENDED/ROADSIDE SERVICE WARRANT Y, 1 YEAR/UNLIMITED MILES/KM, \$550 CAP	
MWF-004		DETROIT FRONT AXLE COVERAGE, GENERAL SERVICE, 2 YEAR/UNLIMITED MILES/KILOMETERS	
P24-4HT		HARMONIZED SALES TAX NB NL ON 13% <b>HST#861828937</b>	
P28-1AC		AIR CONDITIONING TAX	
RDS-001		DISCOUNT	
RTA-001		ONTARIO TIRE STEWARDSHIP FEE	
PMR-998		NO ADJUSTMENT	
PMT-998		NO ADJUSTMENT	
P63-998		NO ADJUSTMENT	
P73-1FT		STANDARD DESTINATION CHARGE	
		<b>X EXCHANGE</b>	
R1X-998		NO ADJUSTMENT	