

TO3185 & TO3186

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
			PRICING IS NOT AVAILABLE FOR THIS REPORT		
			PRICE LEVEL INFORMATION		
PRL-			CASCADIA PRL-01C (EFF:03/01/11)		
01C			GENERAL APPLICATION INFORMATION		
AA1-			TRACTOR/TRAILER CONFIGURATION		
001			DOMICILED, CANADA (OTHER THAN QUEBEC)		
AA6-			LINEHAUL/LONG HAUL SERVICE		
003			BEVERAGE PROCESSING AND DISTRIBUTION BUS		
A85-005			INESS SEGMENT		
A84-			NO BODY SPECIFIED		
1BE			VAN TRAILER		
AA3-			SINGLE (1) TRAILER		
998			TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
AA2-			TRANSIT, IS SPENT ON PAVED ROADS		
001			SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
AH6-			ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
001			D SURFACE		
AA5-			MAXIMUM 8% EXPECTED GRADE		
002			GENERAL FREIGHT COMMODITY		
AB5-			EXPECTED FRONT AXLE(S) LOAD	14600	LBS
001	006		EXPECTED REAR DRIVE AXLE(S) LOAD	46000	LBS
AB1-			EXPECTED GROSS VEHICLE WEIGHT CAPACITY	53200	LBS
008			EXPECTED GROSS COMBINATION WEIGHT	110000	LBS
AA4-			CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	122.835	IN
001					
A66-					
99D					
A68-					
99D					
A63-					
99D					
A70-					
99D					
AC8-					

99D				
A79-99D		EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
A78-99D		EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
AL7-99D	006	CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	14	IN
AM5-99D	006	CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	100.079	IN
AL9-99D	006	CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	71	IN
AC3-99D	006	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	84.762	MPH
AM3-99D	006	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.473	IN
AM2-99D	006	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	40.989	IN
AM0-99D	006	TOP OF FRM TO RR TIRE TOP-UNLD	-0.711	IN
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	006	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	14600	LBS
A59-99D	006	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	46000	LBS
A60-99D		CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	006	RATED MAXIMUM VEHICLE CAPACITY - GVWR	60600	LBS
		BASE MODEL		
001-231		CASCADIA 125 INCH DAY CAB		
004-213	004	2013 MODEL YEAR SPECIFIED**DO NOT USE**		
995-1AE		FREIGHTLINER LEVEL II WARRANTY		
002-002		SET BACK AXLE - TRACTOR		
019-998		NO TRUCK PROVISION PACKAGE		
003-001		LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2J0		DETROIT DD15 TC 14.8L 505 HP @ 1800 RPM, 2000 GOV RPM, 1650 LB/FT @ 1100 RPM		
99C-010		2010 EPA/CARB EMISSION CERTIFICATION		
99D-010		NO 2008 CARB EMISSION CERTIFICATION		
28F-002		ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUN TED REGENERATION REQUEST SWITCH		
79A-065		65 MPH ROAD SPEED LIMIT		

79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79C-998	NO DRIVER FUEL ECONOMY INCENTIVE
79D-998	NO PROGRESSIVE SHIFTING
79E-004	LIMIT TO ENGINE RATING MINUS 100 LB-FT I N ALL GEARS EXCEPT TOP 2
79F-998	NO FLEET MANAGEMENT
79G-998	NO IDLE SHUTDOWN CONFIGURATION
79J-998	NO PTO SHUTDOWN CONFIGURATION
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79L-998	PTO MODE THROTTLE OVERRIDE DISABLED
79M- 002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLE D
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
79R-998	NO PTO MODE COOLING FAN
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79T-001	PTO MODE RPM INCREMENT - 25 RPM
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC OND
79V-998	NO PTO MODE DPF REGEN
79W- 001	ONE REMOTE PTO SPEED
79X-005	PTO SPEED 1 SETTING - 900 RPM
79Y-998	NO PTO 2 SET SPEED
79Z-998	NO PTO 3 SET SPEED
80A-998	NO ALTERNATE ROAD SPEED LIMIT
80B-998	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-998	NO SOFT CRUISE CONTROL
80E-998	NO ENGINE FAN WITH RETARDER
80F-998	NO MAINTENANCE MONITOR
80G-001	PTO MINIMUM RPM - 600
80H-998	NO ACCELERATION MANAGEMENT
80J-998	NO REGEN INHIBIT SPEED THRESHOLD ENGINE EQUIPMENT
105-001	ENGINE MOUNTED OIL CHECK AND FILL
104-998	NO ENGINE OIL DRAIN/SAMPLE
133-004	ONE PIECE VALVE COVER

014-1B2	LOWER WINDSHIELD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER
124-1DJ	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-072	(4) ALLIANCE MODEL 1231XOE, GROUP 31, 12 VOLT MAINTENANCE FREE 4400 CCA THREADED STUD BATTERIES
290-060	PLASTIC BATTERY BOX MOUNTED BETWEEN RAILS
29G-998	NO AUXILIARY BATTERY BOX
282-014	BATTERY BOX(ES) MOUNTED IN RAIL BACK OF CAB
29E-998	NO AUXILIARY BATTERY BOX MOUNTING/LOCATION
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-006	PLASTIC BATTERY BOX COVER
29F-998	NO AUXILIARY BATTERY BOX COVER
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT
295-998	NO JUMPSTART POST
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS
180-1AM	EATON SOLO ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH
183-008	TORQUE LIMITING CLUTCH BRAKE
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
108-002	STANDARD MECHANICAL AIR COMPRESSOR COVER
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-002	JACOBS COMPRESSION BRAKE
016-1C1	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH FRAME MOUNTED VERTICAL TAILPIPE (ROUTED UNDER/INSIDE RAIL)
239-062	13 FOOT 06 INCH (162 INCH+0/-5.9 INCH) E

233-001	XHAUST SYSTEM HEIGHT
237-1E5	BRIGHT UPPER STACK(S) RH CURVED VERTICAL TAILPIPE BACK OF CAB FRAME MOUNTED ROUTED BETWEEN RAILS OVER FRAME
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK
30N-001	BASE DIESEL EXHAUST FLUID FILL
23Z-998	NO DIESEL EXHAUST FLUID TANK COVER
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MU FFLER/TAILPIPE SHIELD
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC H, NON ENGINE MOUNTED
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/ FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
114-998	NO BYPASS OIL FILTER
118-001	FULL FLOW OIL FILTER
120-036	DDC SUPPLIED COOLANT FILTER, ENGINE MOUN TED
165-998	NO OIL LEVEL REGULATOR/RESERVOIR
266-082	1625 SQUARE INCH ALUMINUM RADIATOR
103-005	ANTIFREEZE TO -60F, NOAT EXTENDED LIFE C OOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
360-998	NO FRONT ENGINE PTO
361-998	NO REAR ENGINE PTO
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER
141-998	NO COOLANT HEATER - GAS/DSL
166-998	NO OIL PREHEATER
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
134-001	ALUMINUM FLYWHEEL HOUSING
155-065	DELCO 12V 39MT+ HD/OCP STARTER WITH THER MAL PROTECTION AND INTEGRATED MAGNETIC S WITCH
	TRANSMISSION & EQUIPMENT

342-1BO	006	EATON FULLER RTLO-16918B TRANSMISSION
343-998		NO TRANS CONTROL UNIT/SOFTWARE
97G-998		NO TRANSMISSION PROGNOSTICS
34C-998		NO AUX/ACC TRANSMISSION WIRING
345-001		PAINTED SHIFT LEVER, SOLID LINKAGE
347-002		ALUMINUM CLUTCH HOUSING
370-015		WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-998		NO TRANSMISSION OIL CHECK AND FILL
368-998		NO EXTERNAL TRANSMISSION OIL FILTER
35T-003		SYNTHETIC TRANSMISSION LUBE
341-017		MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
362-998		NO MAIN TRANSMISSION MOUNTED PTO
363-998		NO PTO MOUNTING LOCATION SPECIFIED
400-1A8	006	FRONT AXLE, SUSPENSION & EQUIPMENT DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE
402-049	006	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-043		2011/2013-FMVSS 121 RSD FRONT BRAKE LINING
419-023		CONMET CAST IRON FRONT BRAKE DRUMS
427-001		FRONT BRAKE DUST SHIELDS
409-006		FRONT OIL SEALS
408-001		VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022		STANDARD SPINDLE NUTS FOR ALL AXLES
405-002		MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
536-012	006	TRW TAS-85 POWER STEERING
539-003		POWER STEERING PUMP
534-015		2 QUART SEE THROUGH POWER STEERING RESERVOIR
533-998		NO POWER STEERING OIL COOLER
40T-002		SYNTHETIC 75W-90 FRONT AXLE LUBE
620-010	006	14,600# TAPERLEAF FRONT SUSPENSION
619-005		MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001		FRONT SHOCK ABSORBERS REAR AXLE, SUSPENSION & EQUIPMENT

420-111	006	RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE
421-391	006	3.91 REAR AXLE RATIO
424-001	006	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-075		MXL 18T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES
388-073		MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
452-006		DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES
878-023		(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE
423-019		MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-043		2011/2013-FMVSS 121 RSD REAR BRAKE LININGS
434-005		BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS
451-023		CONMET CAST IRON REAR BRAKE DRUMS
425-002		REAR BRAKE DUST SHIELDS
440-021		SKF SCOTSEAL PLUS XL REAR OIL SEALS
435-998		NO DRIVELINE PARKING BRAKE
426-075		HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
428-002		MERITOR AUTOMATIC REAR SLACK ADJUSTERS
41T-002		SYNTHETIC 75W-90 REAR AXLE LUBE
622-199	006	AIRLINER 46,000# REAR SUSPENSION
621-007		AIRLINER HIGH POSITION RIDE HEIGHT
431-004		WELDED AXLE SEATS SUPPLIED ON REAR AXLE
624-016		51 INCH AXLE SPACING
888-047	007	MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE
87D-007	007	INDICATOR LIGHT AND BUZZER FOR EACH REAR SUSPENSION CONTROL SWITCH
910-001		SINGLE AIR REAR SUSPENSION LEVELING VALVE
623-002		TRANSVERSE CONTROL RODS
439-005		REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)
035-998		NO DEAD AXLE PACKAGE

443-998	NO PUSHER OR TAG AXLE
456-998	NO PUSHER/TAG BRAKES
457-998	NO BRAKE LINING-PUSHER/TAG(SCO)
448-998	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TAG
	G
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS
442-998	NO PUSHER OR TAG OIL SEALS
444-998	NO PUSHER OR TAG HUB CAPS
445-998	NO PUSHER OR TAG BRAKE CHAMBERS
458-998	NO PUSHER/TAG SLACK ADJUSTERS
626-998	NO PUSHER OR TAG SUSPENSION
627-998	NO PUSHER/TAG AXLE SPACING
874-998	NO PUSHER/TAG AXLE LIFT
896-998	NO PLUMBING FOR LIFT AXLE
87F-998	NO LIFT AXLE WIRING/LOGIC
	BRAKE SYSTEM
490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE
	BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
483-003	BENDIX OIL COALESCING FILTER FOR AIR DRYER
460-001	STEEL AIR BRAKE RESERVOIRS
46A-998	NO AUXILIARY AIR TANK
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)
478-998	NO ALCOHOL EVAPORATOR
485-998	NO EXTERNAL CHARGING GLADHAND
481-072	12 FOOT COILED TRAILER AIR HOSE WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS
476-057	36 INCH STAINLESS STEEL SLIDE BAR WITH (2) 16 INCH SPRING TYPE AIR HOSE HANGERS
914-998	NO PLUMBING FOR AIR TO END OF FRAME
919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM
484-032	COMBINATION DUMMY GLAD HANDS AND LIGHT P LUG HOLDER MOUNTED LH BACK OF CAB WITH G ROUND ACCESS
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR S EPARATE STOP/TURN, ABS CENTER PIN POWERE

		D THROUGH IGNITION		
297-027		SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB		
335-998		NO CHASSIS POWER DISTRIBUTION MODULE		
308-998		NO SUPPLEMENTAL TRAILER CABLE WIRING		
331-998		NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE		
30K-998		NO HIGH CURRENT RECEPTACLE/WIRING		
310-082		12 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 48 INCH TRACTOR, 12 INCH TRAILER LEADS		
309-998		NO SUPPLEMENTAL TRAILER ELEC CABLE FRAME & WHEELBASE		
545-507		5075MM (200 INCH) WHEELBASE		
546-100		11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI		
547-998		NO INNER FRAME REINFORCEMENT		
552-012		1450MM (57 INCH) REAR FRAME OVERHANG		
AB8-99D	006	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.511	%
553-002		FLANGED TAPERED END OF FRAME		
559-001		STANDARD WEIGHT ENGINE CROSSMEMBER		
565-002		HEAVY DUTY SUSPENSION CROSSMEMBER		
572-020		INVERTED U TRACTOR CROSSMEMBER		
587-998		NO REAR TOWING DEVICE		
588-998		NO REAR TOW DEVICE HEIGHT		
674-001		CHASSIS EQUIPMENT		
592-055		LH BACK OF CAB ACCESS		
556-079		28 INCH (700MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS		
557-001		SOLID DARK GRAY AERODYNAMIC BUMPER		
558-033		CENTER STEP RECESSED IN BUMPER		
574-007		REMOVABLE FRONT TOW HOOKS STORED ON THE CHASSIS FRAME		
585-1AJ		BUMPER MOUNTING FOR (3) LICENSE PLATES		
590-998		BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS		
586-015		NO REAR MUDFLAPS		
576-998		FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
607-998		NO TIRE CHAINS/HANGER		
		CHASSIS CONFIGURATION - NONE		

551-003		HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL		
583-058		PLASTIC QUARTER FENDERS WITHOUT LOGO		
602-998		NO TOOL/STORAGE BOX #1		
61B-998		NO TOOL/STORAGE BOX #1 MOUNTING LOCATION		
603-998		NO TOOL/STORAGE BOX #2		
61C-998		NO TOOL/STORAGE BOX #2 MOUNTING LOCATION		
609-998		NO STORAGE BOX BRIGHTWORK		
599-998		NO AUXILIARY FUEL DRIVEN POWER UNIT		
69N-998		NO AUXILIARY POWER UNIT PLUMBING		
600-998		NO CAB GUARD		
604-998		NO TIRE CARRIER		
794-998		NO JACK OR WHEEL WRENCH PROVISION		
795-998		NO TOOLS		
601-998		NO BODY BUILDER DIAGRAMS FIFTH WHEEL & EQUIPMENT		
578-1JT		HOLLAND FWS1 ILS 24.0 INCH AIR SLIDE FIFTH WHEEL - 2 INCH SLIDE INCREMENTS **DO NOT USE**		
577-457	006	FIFTH WHEEL 457MM (18.0 INCHES) AHEAD OF SUSPENSION CENTERLINE		
580-998		NO ADDITIONAL FIFTH WHEEL DRILLINGS		
571-014	006	FWD 5TH WHEEL SLIDE STOPS @ +14.00		
582-027		192MM (7.56 INCH) FIFTH WHEEL HEIGHT		
A03-99D	006	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	48.549	IN
570-002		INBOARD ANGLE - FIFTH WHEEL MOUNTING		
890-001		DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL		
579-005		LH FIFTH WHEEL RELEASE		
591-998		NO FIFTH WHEEL ADD-ONS		
581-998		NO FIFTH WHEEL RAMP FUEL TANK(S) & EQUIPMENT		
206-154		80 GALLON/302 LITER ALUMINUM FUEL TANK - RH		
201-998		NO RH AUXILIARY FUEL TANK		
204-154		80 GALLON/302 LITER ALUMINUM FUEL TANK - LH		
200-998		NO LH AUXILIARY FUEL TANK		
203-998		NO HYDRAULIC OIL TANK		
218-006		25 INCH DIAMETER FUEL TANK(S)		
215-005		PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-014		LH FUEL TANK MOUNTED FORWARD, RH FUEL TA		

		NK MOUNTED AFT
232-998		NO ADDITIONAL FUEL PROVIDED
664-001		PLAIN STEP FINISH
207-998		NO FUEL TANK SCREENS
205-001		FUEL TANK CAP(S)
210-998		NO FUEL TANK DRAIN VALVES
220-998		NO FUEL HEATER
122-998		NO FUEL/WATER SEPARATOR
216-020		EQUIFLO INBOARD FUEL SYSTEM
20E-998		NO AUXILIARY FUEL SUPPLY AND RETURN PORT S
202-016		HIGH TEMPERATURE REINFORCED NYLON FUEL L INE
213-998		NO FUEL LINE INSULATION
221-998		NO FUEL COOLER
		TIRES
093-994		MICHELIN XZE 12R22.5 16 PLY RADIAL FRONT TIRES
094- 0GK	006	MICHELIN XDN2 11R22.5 14 PLY RADIAL REAR TIRES
095-998		NO PUSHER/TAG TIRES
52M- 998		NO TIRE/WHEEL BALANCING
		HUBS
418-011	006	CONMET HIGH CAPACITY PRESET ALUMINUM FRO NT HUBS
450-018		CONMET PRESET ALUMINUM REAR HUBS
449-998		NO PUSHER OR TAG HUBS
		WHEELS
502-506		ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A LUMINUM DISC FRONT WHEELS**DO NOT USE**
505-506		ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A LUMINUM DISC REAR WHEELS**DO NOT USE**
509-998		NO PUSHER/TAG DISC WHEELS
511-998		NO SPARE WHEEL
524-001		POLISHED FRONT WHEELS; OUTSIDE ONLY
525-001		POLISHED REAR WHEELS; OUTSIDE OF OUTER W HEELS ONLY
526-998		NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE ELS
496-011		FRONT WHEEL MOUNTING NUTS
497-011		REAR WHEEL MOUNTING NUTS

498-012		NYLON WHEEL GUARDS BETWEEN REAR DUAL WHEELS ONLY CAB EXTERIOR
829-1AF		125 INCH BBC ALUMINUM CONVENTIONAL CAB
653-004		RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
651-004		LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
066-998		NO FUEL EFFICIENCY/AERODYNAMIC PACKAGE
682-998		NO SLEEPER BOX/SLEEPERCAB
784-065		FACTORY PAINTED AND INSTALLED ROOF FAIRING
783-019	004	12 INCH CAB/SLEEPERCAB SIDE EXTENDERS WITH BLACK FLEXIBLE ENDS
82A-998		NO CAB ACCENT MOLDING
782-998		NO FRAME SIDE FAIRINGS
770-998		NO AERODYNAMIC SKIRT FOR CHASSIS FAIRINGS
779-998		NO FORWARD CHASSIS FAIRING SUPPORT
704-998		NO BAGGAGE DOOR
650-008		AIR CAB MOUNTING
648-002		NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
695-998		NO SLEEPER DOOR
678-003		LH AND RH INTERIOR GRAB HANDLES
646-010		CHROME GRILLE WITH INTEGRAL SURROUND
644-001		AERODYNAMIC HOOD
690-010		ENGINE COMPARTMENT PREMIUM NOISE ABATEMENT AND INSULATION
727-1AH		SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED
726-001		SINGLE ELECTRIC HORN
657-001		DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
327-998		NO OTHER LIGHTS
312-043		INTEGRAL HEADLIGHT/MARKER ASSEMBLY
302-072		ROOF MOUNTED LED MARKER LIGHTS
314-998		NO ROADLIGHTS
315-998		NO FOG LIGHTS
311-001		DAYTIME RUNNING LIGHTS
316-998		NO SPOTLIGHTS
294-042		FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS
300-043		LED SIDE TURN SIGNAL

318-004	(2) FLUSH UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER
596-998	NO LOAD LOCK CARRIERS
744-1C6 006	DUAL BRIGHT FINISH HEATED MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE**DO NOT USE**
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
74A-998	NO AUXILIARY MIRROR
74B-1AR	RH AND LH BRIGHT FINISH HOOD/FENDER MOUNTED MIRRORS
713-998	NO PERMIT PLAQUE
729-001	STANDARD SIDE/REAR REFLECTORS
73A-002	REAR REFLECTIVE DEVICE
677-053	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH STEEL SHIELDING
776-998	NO SLEEPER VENT
764-998	NO EXTERIOR SUN VISOR
768-059	(2) 28X22 INCH SOLAR TINTED REAR WINDOWS
661-016	SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS
654-011	RH AND LH ELECTRIC POWERED WINDOWS
766-998	NO FRONT ROOF WINDOW
76Z-998	NO SIDE SLEEPER CAP WINDOWS
767-998	NO SIDE WINDOW
663-025	2-PIECE SOLAR TINTED CURVED ROPED-IN WINDSHIELD
659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR
647-998	NO WINTERFRONT CAB INTERIOR
707-1CW	GRAY VINYL INTERIOR
706-034	STANDARD LH DOOR TRIM
708-034	STANDARD RH DOOR TRIM
772-001	BLACK MATS
773-998	NO FLOOR COVERING-SLPR (SLPR/INT)
771-998	NO BAGGAGE AREA FLOOR COVERING
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY
64D-998	NO LH SLEEPER STORAGE

64E-998	NO RH SLEEPER STORAGE
691-017	FORWARD ROOF MOUNTED CONSOLE WITH CENTER LOCKING DOOR
692-998	NO STORAGE INTERIOR, REAR
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATE D INTO MOLDED DOOR PANELS
741-019	COAT HOOK(S) IN CAB
826-998	NO LOWER BUNK
745-998	NO UPPER BUNK
666-998	NO BUNK RESTRAINT
738-998	NO CLOCK
742-998	NO CUP/THERMOS HOLDER
680-017	PARCHMENT/SHALE WING DASH
718-998	NO SLEEPER FAN
720-003	5 LB. FIRE EXTINGUISHER
714-001	FIRST AID KIT
700-014	HEATER, DEFROSTER AND AIR CONDITIONER WI TH CONSTANT OUTLET TEMPERATURE CONTROL
701-002	HVAC DUCTING WITH MAIN FRESH AIR FILTER
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH
689-998	NO AUXILIARY HVAC UNIT
29H-998	NO AUXILIARY BATTERIES
170-015	STANDARD HEATER PLUMBING
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRES SOR
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENS ER
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
322-998	NO BAGGAGE COMPARTMENT LIGHT
324- 1AK	STANDARD CAB LIGHTING
325-998	NO SLEEPER INTERIOR LAMP
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
740-998	NO MATTRESS
284-998	NO POWER SUPPLY SLEEPER/CAB
337-998	NO AC 120V CAB WIRING AND AC OUTLET
710-998	NO CAB PRIVACY CURTAIN
719-998	NO REFRIGERATOR
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES
756-	BASIC HIGH BACK AIR SUSPENSION DRIVER SE

1DD
 AT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED
 CUSHION EXTENSION AND REAR CUSHION TILT

760-
 1DC
 BASIC HIGH BACK NON SUSPENSION PASSENGER
 SEAT

757-998
 759-007
 NO SEAT SKIRT(S)
 DUAL DRIVER SEAT ARMRESTS, NO PASSENGER
 SEAT ARMRESTS

758-039
 761-039
 763-011
 MORDURA CLOTH DRIVER SEAT
 MORDURA CLOTH PASSENGER SEAT
 3 POINT ADJUSTABLE D-RING RETRACTOR DRIV
 ER AND PASSENGER SEAT BELTS

725-998
 709-998
 532-002
 NO SUPPLEMENTAL RESTRAINT SYSTEM
 NO SLEEPER CURTAIN
 ADJUSTABLE TILT AND TELESCOPING STEERING
 COLUMN

540-044
 765-002
 4-SPOKE 18 INCH (450MM) BLACK STEERING W
 HEEL WITH SWITCHES
 DRIVER AND PASSENGER INTERIOR SUN VISORS
 CONTROLS & INSTRUMENTS

870-001
 732-035
 486-001
 838-001
 840-002
 198-025
 721-003
 149-015
 156-007
 811-011
 160-026
 844-001
 BLACK GAUGE BEZELS
 LAZER BLACK DRIVER INSTRUMENT PANEL
 LOW AIR PRESSURE INDICATOR LIGHT AND AUD
 IBLE ALARM
 (1) SINGLE BRAKE APPLICATION AIR GAUGE
 2 INCH PRIMARY AND SECONDARY AIR PRESSUR
 E GAUGES
 INTAKE MOUNTED AIR RESTRICTION INDICATOR
 WITHOUT GRADUATIONS
 PRECO 1040 87 DB TO 112 DB AUTOMATIC SEL
 F-ADJUSTING BACKUP ALARM
 ELECTRONIC CRUISE CONTROL WITH CONTROLS
 ON STEERING WHEEL SPOKES
 KEY OPERATED IGNITION SWITCH AND INTEGRA
 L START POSITION; 4 POSITION OFF/RUN/STA
 RT/ACCESSORY
 ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DI
 SPLAY: 1X7 CHARACTER, 26 WARNING LAMPS,
 DATA LINKED, ICU3
 GATEWAY DIAGNOSTIC INTERFACE CONNECTOR,
 9 PIN, SAE J1939/1587, LOCATED BELOW DAS
 H
 2 INCH ELECTRIC FUEL GAUGE

845-011	004	FUEL FILTER RESTRICTION INDICATOR
148-003		PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
866-998		NO AXLE TEMPERATURE GAUGE
856-001		ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
854-998		NO ENGINE OIL TEMPERATURE GAUGE
864-998		NO TRANSMISSION TEMPERATURE GAUGE
867-004		ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
830-017		ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY
438-998		NO HUBODOMETER
372-998		NO PTO CONTROLS
736-998		NO OBSTACLE DETECTION SYSTEM
49B-998		NO VEHICLE STABILITY ADVISOR OR CONTROL
73B-998		NO LANE DEPARTURE WARNING SYSTEM
852-002		ELECTRIC ENGINE OIL PRESSURE GAUGE
786-998		NO POSITIONING/LOCATING SYSTEM
78A-998		NO POSITION/COMMUNICATION ACCESSORY
746-1A0		AM/FM/WB RADIO WITH CD PLAYER AND FRONT AUXILIARY INPUT**DO NOT USE**
747-001		DASH MOUNTED RADIO
750-041		STANDARD SPEAKER SYSTEM
753-045		AM/FM/WB ANTENNA RH SIDE OF CAB
748-014		COBRA 29NW LTD CLASSIC FACTORY INSTALLED CB RADIO
749-001		ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
752-044		SINGLE LH CB ANTENNA
78C-998		NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA
737-998		NO TELEVISION ANTENNA/PROVISION
810-028		ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER
817-001		STANDARD VEHICLE SPEED SENSOR
812-001		ELECTRONIC 3000 RPM TACHOMETER
813-1B4		VT-HU CONNECTIVITY PLATFORM HARDWARE
81X-001		2 YEARS DETROIT CONNECT VIRTUAL TECHNICIAN REMOTE DIAGNOSTICS SERVICE
80K-998		NO SHUTDOWN OVERRIDE
80L-998		NO REGEN SYSTEM TAILORING
80N-998		NO REDUCED ENGINE SPEED ON VSS FAILURE
162-002		IGNITION SWITCH CONTROLLED ENGINE STOP

329-010 TWO ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT

264-033 STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL

482-001 BW TRACTOR PROTECTION VALVE

883-001 TRAILER HAND CONTROL BRAKE VALVE

842-998 NO TURBO AIR PRESSURE GAUGE

841-998 NO FUEL VACUUM GAUGE

836-015 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

660-008 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

304-030 ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS

882-004 TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

299-020 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT

298-046 INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY

869-998 NO MISCELLANEOUS GAUGES

PAINT

065-000 PAINT: ONE SOLID COLOR

980-5F6 CAB COLOR A: L0006EB

WHITE ELITE BC

986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

987-998 NO CHASSIS SIDE FAIRING PAINT

962-998 PAINT-FRT WHEEL COLOR: NONE

966-998 PAINT-RR WHEEL COLOR: NONE

96E-998 NO PUSHER/TAG WHEEL PAINT

96F-998 NO SPARE WHEEL PAINT

964-998 NO BUMPER PAINT

976-998 NO EXTERIOR SUNVISOR PAINT

979-995 AERODYNAMIC ROOF DEVICE PAINTED SAME AS CAB COLOR A

ADDITIONAL SPECIFICATIONS

998-998 DEALER ACCEPTS RESPONSIBILITY FOR IN-SERVICE PDI INSPECTION

99B-998 NO MODIFICATION CENTER SHIPPING INSTRUCTIONS
999-998 NONE
996-002 CANADA CMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS
RDS- DISCOUNT
001
P74-184 **DO NOT USE**/VAR EXCHANGE .96500925627
- STERLING ONLY -AND ORDERING CHARGENSW1
P30-2WFT USE****DO NOT USE****DO NOT USE
****DO NOT USE****DO NOT USE**
RCE- CONCESSION CANADIAN EXCHANGE
00C
RCN- PRICE CONCESSION SYSTEM
100
WAI- **DO NOT USE**10. \$0 DEDUCTIBLE. 5 YR/50
771 0K MILE. FULL COVERAGE LESS ATS. SEE DDC
SN.SS/CONNECTOR, SEALS, ATS, ATS HANGON.
SEE DDCSN.TURBO, WATER PUMP. SEE DDCSN.
WAG- TOWING EXTENDED/ROADSIDE SERVICE WARRANT
052 Y, 1 YEAR/UNLIMITED MILES/KM, \$550 CAP
P28- AIR CONDITIONING TAX
1AC
